(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 15 June 2006 (15.06.2006)

rei

(10) International Publication Number WO 2006/062716 A2

(51) International Patent Classification:	Not classified	(81) Designated States (unless otherwise indicated, for every
(21) International Application Number:		kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CU, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, JC, EE, BG, ES, H, GB, GD, GE, GH, GM, HR, HJ, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LL, LU, LV, LY, MA, MD, MG, MK, NN, MW, MX, MZ, NA, NG, M.
(26) Publication Language:	English	UZ, VC, VN, YU, ZA, ZM, ZW.

- 60/629,363 18 November 2004 (18.11.2004) US 60/649,479 2 February 2005 (02.02.2005) US 60/672,346 18 April 2005 (18.04.2005) US
- (71) Applicant (for all designated States except US): YALE UNIVERSITY [US/US]; Two Whitney Avenue, New Haven, CT 06511 (US).
- (72) Inventor; and

(30) Priority Data:

- (75) Inventor/Applicant (for US only): HOH, Josephine [US/US]; Apartment 506, 152 Temple Street, New Haven, CT 06510 (US).
- (74) Agent: GRANAHAN, Patricia; Fish & Neave IP Group, Ropes & Gray LLP, One International Place, Boston, MA 02110-2624 (US).
- GM, KE, L.S., MW, MZ, N.A., SD, SL, SZ, TZ, UG, ZM, ZW, Eurssian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European eAT, BE, BG, CH, CY, CZ, DB, DR, EE, ES, FI, FR, GB, GR, HU, FE, IS, TI, LT, LU, LV, MC, NL, PL, PT, RO, SF, SI, SK, TS, OAPI (BF, BL, CF, CG, CL, CM, GA, GN, QG, GW, ML, MR, NE, SN, TD, TG).

(84) Designated States (unless otherwise indicated, for every

kind of regional protection available): ARIPO (BW, GH.

Published:

without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazetie.

(54) Title: METHODS AND COMPOSITIONS FOR TREATING OCULAR DISORDERS

(87) Abstract: The present invention relacts to identification of a human gene. Complement Factor H (CPH), associated with the occurrence for developing age related macular degeneration (AMD), which is useful for identifying or aiding in identifying undividnals at risk for developing AMD, as well as for diagnosing or aiding in the diagnosts of AMD.

METHODS AND COMPOSITIONS FOR TREATING OCULAR DISORDERS

FUNDING

10

20

This invention was made with United States government support under grants NIH-K25HG000060 and NIH-R01EY015771, awarded by the National Institutes of Health. The United States government has certain rights in the invention.

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of U.S. Provisional Application No. 60/629,363, filed November 18, 2004; U.S. Provisional Application No. 60/649,479, filed February 2, 2005; and U.S. Provisional Application No. 60/672,346, filed April 18, 2005. The teachings of each of these referenced provisional applications are incorporated by reference herein in their entirety.

BACKGROUND OF THE INVENTION

Age-related macular degeneration (AMD) is the leading cause of age-related blindness in the developed world. Its incidence is increasing as lifespan lengthens and the elderly population expands (D.S. Friedman et al., Arch Ophthalmol 122, 564 (2004)). It is 15 a chronic disease characterized by progressive destruction of the retina's central region (macula), causing central field visual loss (J. Tuo, C. M. Bojanowski, C. C. Chan, Prog Retin Bye Res 23, 229 (2004)). One key characteristic of AMD is the formation of extracellular deposits called drusen that are concentrated in and around the macula behind the retina between the retina pigment epithelium (RPE) and choroid. To date, no therapy for this disease has proven to be broadly effective, especially in more advanced forms. Several risk factors have been linked to AMD, including age, smoking, and family history (AREDS Research Group, Ophthamology 107, 2224 (2000)). Candidate gene association studies and genome-wide linkage scans have been performed to identify genetic risk factors for AMD. A variety of candidate genes have been proposed based on their 25 association with other retinal diseases or their known function. While some rare variants of some of these genes are associated with disease phenotype, no genetic differences have been observed that can account for a large proportion of the overall prevalence (J. Tuo, C.

M. Bojanowski, C. C. Chan, Prog Retin Eye Res 23, 229 (2004)). Additional information about genetic determinants of AMD is badly needed.

SUMMARY OF THE INVENTION

15

20

25

30

The present invention relates to identification of variations in a human gene correlated with a predisposition to AMD, which is useful in identifying or aiding in identifying individuals at risk for developing AMD, as well as for diagnosing or aiding in the diagnosis of AMD. It also relates to methods for identifying or aiding in identifying individuals at risk for developing AMD, methods for diagnosing or aiding in the diagnosis of AMD, polynucleotides (e.g., probes, primers) useful in the methods, diagnostic kits containing probes or primers, methods of treating an individual at risk for or suffering from AMD and compositions useful for treating an individual at risk for or suffering from AMD.

In one embodiment, the present invention provides polynucleotides useful for the detection or aiding in the detection of a CFH gene that is correlated with the occurrence of AMD in humans and, in specific embodiments, variations in the CFH gene that are correlated with AMD in humans. In another embodiment, the present invention provides methods and compositions useful for identifying or aiding in identifying individuals at risk for developing AMD. In a further embodiment, the methods and compositions of the invention may be used for the treatment of an individual suffering from AMD or at risk for developing AMD. The disclosure also provides diagnostic kits for detecting a variant CFH gene in a sample from an individual. Such kits are useful in identifying or aiding in identifying individuals at risk for developing AMD, as well as for diagnosing or aiding in the diagnosis of AMD in an individual.

In one embodiment, the invention provides an isolated polynucleotide for the detection of a variant CFH gene; the isolated polynucleotide comprises a nucleic acid molecule that specifically detects a variation in the CFH gene that is correlated with the occurrence of AMD in humans. Isolated polynucleotides are useful for detecting, in a sample from an individual, a variant CFH gene that is correlated with AMD in humans. The polynucleotides of the invention may further be used in allele-specific assays (e.g., allele-specific above in the art) to detect a variation in the CFH gene that is correlated with the occurrence of AMD. Allele-specific probes and primers are able to specifically hybridize to one or more alleles of a gene and

will not hybridize to other alleles of the same gene. For example, an allele-specific polynucleotide probe of the invention may hybridize to a variant CFH gene but will not hybridize to a wildtype CFH gene. In certain embodiments, the isolated polynucleotide is a probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of AMD in humans. In particular embodiments, an isolated polymucleotide probe of the invention hybridizes, under stringent conditions, to a nucleic acid molecule comprising all or a portion of a CFH gene, or allelic variants thereof, wherein the nucleic acid molecule comprises a variation that is correlated with the occurrence of AMD in humans. In other embodiments, an isolated polynucleotide probe of the invention hybridizes, under stringent conditions, to a nucleic acid molecule comprising 10 at least 10 contiguous nucleotides of a CFH gene, or allelic variants thereof, wherein the nucleic acid molecule comprises a variation that is correlated with the occurrence of AMD in humans. In further embodiments, the isolated polynucleotide is a primer that hybridizes, under stringent conditions, adjacent, upstream, or downstream to a variation in the CFH gene that is correlated with the occurrence of AMD in humans. In certain embodiments, an 15 isolated polynucleotide primer of the invention is at least 10 nucleotides long and hybridizes to one side or another of a variation in the CFH gene that is correlated with the occurrence of AMD in humans. The subject polynucleotides may contain alterations, such as one or more nucleotide substitutions, additions or deletions, provided they hybridize to their target variant CFH gene with the same degree of specificity. As used herein, the term "isolated" when used in relation to a nucleic acid, refers to a nucleic acid sequence that is identified and separated from at least one contaminant nucleic acid with which it is ordinarily associated in its natural source. By contrast, non-isolated nucleic acids are nucleic acids such as DNA and RNA found in the state they exist in nature.

The polynucleotides described herein (e.g., a polynucleotide probe or a polynucleotide primer) may be DNA or RNA. The subject polynucleotide may be single-stranded or double-stranded. Polynucleotide probes and primers of the invention may be from about 5 nucleotides to about 3000 nucleotides. In some embodiments, the polynucleotide probes and primers of the invention are from about 8 nucleotides to about 500 nucleotides. In other embodiments, the polynucleotide probes and primers of the invention are from about 10 nucleotides to about 250 nucleotides. In certain embodiments, the subject polynucleotide probes and primers are about 20 nucleotides (e.g., 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 nucleotides). In other embodiments, the

25

30

subject polynucleotide probes and primers are from about 50 to about 100 nucleotides (e.g., 45, 50, 55, 60, 65, 75, 85, or 100 nucleotides). The subject polynucleotides may comprise one or more non-natural or modified nucleotides. Non-natural or modified nucleotides include, without limitation, radioactively, fluorescently, or chemically labeled nucleotides.

5

10

15

20

25

30

nucleotides apart.

In certain embodiments, the polynucleotide primer of the invention hybridizes upstream or downstream from a variation in the CFH gene that is correlated with the occurrence of AMID in humans. In one embodiment, the polynucleotide hybridizes vicinal to a variation in the CFH gene that is correlated with the occurrence of AMD in humans. For example, hybridization may occur in such a manner that fewer than 10 nucleotides separate the variation and the end of the hybridized primer proximal to the variation. In another embodiment, hybridization occurs in such a manner that 1-3 nucleotides separate the variation and the end of the hybridized primer proximal to the variation. In certain other embodiments, the polynucleotide primer hybridizes immediately adjacent to the variation. In another embodiment, the polynucleotide primer of the invention hybridizes a distance (e.g., at least 10 nucleotides) from a variation in the CFH gene that is correlated with the occurrence of AMD in humans. For example, hybridization may occur in such a manner that the end of the hybridized primer proximal to the variation is 10, 25, 50, 100. 250, 1000, 5000, or up to 10,000 nucleotides from the variation in the CFH gene. The invention described herein also relates to a pair of polynucleotide primers that specifically detect a variation in the CFH gene that is correlated with the occurrence of AMD in humans, wherein the first polynucleotide primer hybridizes to one side of the variation and the second polynucleotide primer hybridizes to the other side of the variation. A pair of polynucleotide primers that hybridize to a region of DNA that comprises a variation in the CFH gene that is correlated with the occurrence of AMD in humans may hybridize to the region in such a manner that the ends of the hybridized primers proximal to the variation are from about 20 to about 10,000 nucleotides apart. Alternatively, the pair of polynucleotide primers that hybridize to a region of DNA that comprises a variation in the CFH gene that is correlated with the occurrence of AMD in humans may hybridize to the region in such a manner that the ends of the hybridized primers proximal to the variation are from about 100 to about 7,500 nucleotides apart, or from about 200 to about 5,000

In another embodiment, the invention described herein provides three or more polymucleotide primers useful for distinguishing between two alleles of the CFH gene (for example, a wildtype allele and an allele that is correlated with the occurrence of AMD in humans). The first primer hybridizes to a nucleotide sequence that is common to both alleles, such as a non-allelic nucleotide sequence that is upstream or downstream of the variation in the CFH gene that is correlated with the occurrence of AMD. A second primer specifically hybridizes to a sequence that is unique to a first allele (e.g., a variation in the CFH gene that is correlated with the occurrence of AMD in humans). A third primer specifically hybridizes to a nucleotide sequence that is unique to the second aliele (c.g., a wildtype CFH gene). The set of three primers result in the amplification of a region of DNA that is dependent on which CFH allele is present in the sample. For instance, one region of DNA is amplified if the CFH gene has a variation in the CFH gene that is correlated with the occurrence of AMD, and another region is amplified if a wildtype CFH genc is present in the sample. Alternatively, two primers out of the set may hybridize to a nucleotide sequence that is common to two alleles of the CFH gene, such as non-allelic nucleotide sequences that are upstream and downstream of a variation in the CFH gene that is correlated with the occurrence of AMD in humans, and a third primer specifically hybridizes to one of the two alleles of the CFH gene (such as a wildtype allele or an allele that is correlated with the occurrence of AMD in humans.

5

10

15

20

25

A variety of variations in the CFH gene that predispose an individual to AMD may be detected by the methods and compositions described herein. In a particular embodiment, the variation encodes an amino acid other than histidine at position 402 of the CFH protein. In a specific embodiment, the variation encodes tyrosine at position 402 of the CFH protein. In another embodiment, the variation encodes an amino acid other than valine at position 62 of the CFH protein. In a specific embodiment, the variation encodes isoleucine at position 62 of the CFH protein. In other embodiments, the methods and compositions described herein may be used to detect variations in the CFH gene that predispose an individual to AMD, such as those listed in Tables 4, 5 and 7. For example, other variant genes, such as those in which the variation is in a coding region (e.g., variations that encode: an amino acid other than serine, such as alanine, at position 58 of the CFH protein; an amino acid other than arginine, such as histidine, at position 400 of the CFH protein; an amino acid other than qulumine, such as lysine, at position 609 of the CFH protein; an amino acid other than valine, such as isoleucine, at position 609 of the

CFH protein; an amino acid other than serine, such as isoleucine, at position 890 of the CFH protein; an amino acid other than glutamic acid, such as aspartic acid, at position 936 of the CFH protein; an amino acid other than valine, such as leucine, at position 1007 of the CFH protein; an amino acid other than asparagine, such as tyrosine, at position 1050 of 5 the CFH protein; an amino acid other than proline, such as glutamine, at position 1166 of the CFH protein; or an amino acid other than arginine, such as cysteine, at position 1210 of the CFH protein. See Tables 4, 5 and 7) can be detected using the methods and compositions described herein. Alternatively, variant genes in which the variation is in a noncoding region, such as those listed in Tables 4, 5 and 7, may detected using the methods and compositions described herein. As used herein, the term "variant CFH gene" refers to DNA that includes a variation in the CFH gene that is correlated with the occurrence of AMD. As used herein, the terms "wildtype CFH DNA" and "wildtype CFH gene" refer to DNA that does not include a variation in the CFH gene that is correlated with AMD.

10

15

20

25

The present invention also relates to a method of detecting, in a sample obtained from an individual, a variant CFH gene that is correlated with the occurrence of AMD in humans. Such a method may comprise: (a) combining the sample with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with AMD in humans, but not to a wildtype CFH gene (wildtype CFH DNA is the term used above); and (b) determining whether hybridization occurs. The occurrence of hybridization indicates that a variant CFH gene that is correlated with age related macular degeneration is present in the sample. Samples used in the methods described herein may comprise cells from the eye, ear, nose, teeth, tongue, epidermis, epithelium, blood, tears, saliva, mucus, urinary tract, urine, muscle, cartilage, skin, or any other tissue or bodily fluid from which sufficient DNA or RNA can be obtained. Samples may be collected by a variety of means for collecting cells, such as for example, a buccal swab. The sample is processed, if necessary, to render the DNA or RNA that is present available for assaving in the methods described herein. For example, samples may be processed such that DNA from the sample is available for amplification or for hybridization to another polynucleotide. The processed samples may be crude lysates where available DNA or RNA is not purified from other cellular material, or may be purified to isolate available DNA or RNA. Samples may be processed by any means known in the art that renders DNA or RNA available for assaying in the methods described herein. Methods for

processing samples include, but are not limited to, mechanical, chemical, or molecular means of lysing and/or purifying cells and cell lysates. Processing methods may include, for example, chromatographic methods such as ion exchange (e.g., cation and anion), size exclusion, gel filtration, affinity, and hydrophobic interaction chromatography, or ultrafiltration, electrophoresis, and immunoaffinity purification with antibodies specific for particular epitopes of the polypeptide.

S

10

15

2.0

25

30

In other embodiments, the invention provides a method of detecting, in a sample obtained from an individual, a variant CFH gene that is correlated with the occurrence of age related macular degeneration in humans, comprising: (a) combining the sample (referred to as a test sample) with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of AMD in humans, thereby producing a combination; (b) maintaining the combination produced in step (a) under stringent hybridization conditions; and (c) comparing hybridization that occurs in the combination with hybridization in a control. The occurrence of hybridization in the combination but not in the control indicates that a variant CFH gene that correlates with AMD is present in the sample. In a further embodiment, the extent of hybridization is determined when comparing hybridization that occurs in the combination with hybridization in a control. The control is the same as the test sample and is treated the same as the test sample except that the polynucleotide probe is one that does not bind to a variation in the CFH gene that is correlated with the occurrence of AMD in humans. Alternatively, the polynucleotide probe is one that binds only to a wildtype CFH gene. The control can be assayed serially or simultaneously with the combination described above. Alternatively, results from a control may be established in a reference assay previously or subsequent to the combination described above. The sample used in the control is typically the same type of sample as the test sample and is treated the same as the test sample except that it is combined with a polynucleotide that does not hybridize to a variant CFH gene that is correlated with the occurrence of AMD in humans.

In another embodiment, the invention provides a method of detecting, in a sample obtained from an individual, a variant CFH gene that is correlated with the occurrence of AMD in humans, comprising: (a) combining a first portion of the sample with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of AMD in humans; (b) combining a second

portion of the sample with a polynucleotide probe that hybridizes, under stringent conditions, to a wildtype CFH gene; and (e) determining whether hybridization occurs. The occurrence of hybridization in the first portion, but not in the second portion, indicates that a variant CFH gene that is correlated with AMD is present in the sample.

5

10

15

20

25

30

In another embodiment, the invention provides a method of detecting, in a sample obtained from an individual, a variant CFH gene that is correlated with the occurrence of AMD in humans, comprising: (a) combining the sample with a pair of polynucleotide primers, wherein the first polynucleotide primer hybridizes to one side of DNA encoding amino acid 402 of the CFH protein and the second polynucleotide primer hybridizes to the other side of DNA encoding amino acid 402 of the CFH protein; (b) amplifying DNA in the sample, thereby producing amplified DNA; (c) sequencing amplified DNA; and (d) detecting in the DNA the presence of a variation that encodes an amino acid other than histidine at position 402 of the CFH protein. The presence of the variation indicates that a variant CFH gene that is correlated with the occurrence of AMD in humans is detected in the sample.

In another embodiment, the invention provides a method of detecting, in a sample obtained from an individual, a variant CFH gene that is correlated with the occurrence of AMD in humans, comprising: (a) combining the sample with a pair of polymucleotide primers, wherein the first polymucleotide primer hybridizes to one side of DNA encoding amino acid 62 of the CFH protein and the second polymucleotide primer hybridizes to the other side of DNA encoding amino acid 62 of the CFH protein; (b) amplifying DNA in the sample, thereby producing amplified DNA; (c) sequencing amplified DNA; and (d) detecting in the DNA the presence of a variation that encodes an amino acid other than histidine at position 62 of the CFH protein. The presence of the variation indicates that a variant CFH gene that is correlated with the occurrence of AMD in humans is detected in the sample.

Any method known in the art for amplifying nucleic acids may be used for the methods described herein. For example, DNA in a sample may be amplified using polymerase chain reaction (PCR), RT-PCR, quantitative PCR, real time PCR, Rapid Amplified Polymorphic DNA Analysis, Rapid Amplification of cDNA Ends (RACE), or rolling circle amplification.

In other embodiments, the invention provides methods of identifying or aiding in identifying an individual at risk for developing AMD. In one specific embodiment, such a method comprises assaying a sample obtained from the individual for the presence of a variant CFH gene that is correlated with the occurrence of AMD in humans. The presence of a variant CFH gene indicates that the individual is at risk for developing AMD.

In another embodiment, a method of identifying or aiding in identifying an individual at risk for developing AMD comprises: (a) combining a sample obtained from the individual with a polynacleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with AMD in humans, but does not hybridize to a wildtype CFH gene; and (b) determining whether hybridization occurs. The occurrence of hybridization indicates that the individual is at risk for developing AMD.

10

15

20

25

30

In another embodiment, a method of identifying or aiding in identifying an individual at risk for developing AMD, comprises: (a) obtaining DNA from an individual; (b) sequencing a region of the DNA that comprises the nucleotides that encode amino acid 402 of the CFH protein; and (e) determining whether a variation that encodes an amino acid other than histidine at position 402 of the CFH protein is present in the DNA. The presence of the variation indicates that the individual is at risk for developing AMD.

In another embodiment, a method of identifying or aiding in identifying an individual at risk for developing AMD, comprises: (a) obtaining DNA from an individual; (b) sequencing a region of the DNA that comprises the nucleotides that encode amino acid 62 of the CFH protein; and (c) determining whether a variation that encodes an amino acid other than valine at position 62 of the CFH protein is present in the DNA. The presence of the variation indicates that the individual is at risk for developing AMD.

In another embodiment, the invention provides a method of detecting, in a sample obtained from an individual, a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans. Such a method comprises: (a) combining the sample with an antibody that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans; and (b) determining whether binding occurs. The occurrence of binding indicates that a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration is present in the sample.

In another embodiment, the invention provides diagnostic kits useful for detecting a variant CFH gene in a sample from an individual. A diagnostic kit may comprise, for example: (a) at least one container means having disposed therein a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of AMD in humans; and (b) a label and/or instructions for the use of the diagnostic kit in the detection of a variant CFH gene in a sample.

5

10

15

20

25

30

In another embodiment, a diagnostic kit useful for detecting a variant CFH gene in a sample from an individual may comprise, for example: (a) at least one container means having disposed therein a polynucleotide primer that hybridizes, under stringent conditions, adjacent to one side of a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans; and (b) a label and/or instructions for the use of the diagnostic kit in the detection of CFH in a sample. Optionally, the diagnostic kit additionally comprises a second polynucleotide primer that hybridizes, under stringent conditions, to the other side of the variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans.

The present invention also relates to compositions for treating a subject suffering from AMD. In a particular embodiment, a composition for treating a subject suffering from AMD comprises an effective amount of an isolated or recombinantly produced CFH polypeptide, or a fragment thereof, and a pharmaceutically acceptable carrier. In a particular embodiment, the CFH polypeptide, or the fragment thereof, inhibits the activation of C3. In another embodiment, the invention provides a method of treating a subject suffering from AMD, comprising administering to the subject an effective amount of an isolated or recombinantly produced CFH polypeptide, or a fragment thereof, and a pharmaceutically acceptable currier.

In another embodiment, the invention provides a composition for treating a subject suffering from AMD, comprising an effective amount of an isolated or recombinantly produced nucleic acid molecule coding for a CFH polypeptide, or a fragment thereof, and a pharmaceutically acceptable carrier. As used herein, the term "effective amount" refers to the amount of an isolated or recombinantly produced CFH nucleic acid or polypeptide, or a composition comprising a CFH nucleic acid or polypeptide, that is in sufficient quantities to treat a subject or to treat the disorder itself. For example, an effective amount is sufficient to delay, slow, or prevent the onset or progression of AMD or related symptoms.

In other embodiments, the invention provides a method of treating a subject suffering from AMD, comprising administering to the subject an effective amount of an isolated or recombinantly produced nucleic acid molecule coding for a CFH polypeptide, or a fragment thereof, and a pharmaceutically acceptable carrier.

5

30

In another embodiment, the invention provides a composition for treating a subject suffering from or at risk for age related macular degeneration, comprising: (a) a nucleic acid molecule comprising an antisense sequence that hybridizes to a variant CFH gene or mRNA that is correlated with the occurrence of age related macular degeneration in humans; and (b) a pharmaceutically acceptable carrier. In certain embodiments. hybridization of the antisense sequence to the variant CFH gene reduces the amount of RNA transcribed from the variant CFH gene. In certain other embodiments, hybridization of the antisense sequence to the variant CFH mRNA reduces the amount of protein translated from the variant CFH mRNA, and/or alters the splicing of the variant CFH mRNA. A nucleic acid molecule comprising an antisense sequence that hybridizes to a variant CFH gene or mRNA may comprise one or more modified nucleotides or nucleosides that enhance in vivo stability, transport across the cell membrane, or hybridization to a variant CFH gene or mRNA. In other embodiments, the invention provides a method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of a nucleic acid molecule comprising an antisense sequence that hybridizes to a variant CFH gene or 20 mRNA that is correlated with the occurrence of age related macular degeneration in humans, and a pharmaceutically acceptable carrier.

In another embodiment, the invetion provides a composition for treating a subject suffering from or at risk for age related macular degeneration, comprising: (a) a nucleic acid molecule comprising a siRNA or miRNA sequence, or a precursor thereof, that hybridizes to a variant CFH gene or mRNA that is correlated with the occurrence of age related macular degeneration in humans; and (b) a pharmaceutically acceptable carrier. In certain embodiments, hybridization of a nucleic acid molecule comprising a siRNA or miRNA sequence, or a precursor thereof to the variant CFH gene reduces the amount of RNA transcribed from the variant CFH gene. In other embodiments, hybridization of a nucleic acid molecule comprising a siRNA or miRNA sequence, or a precursor thereof to the variant CFH mRNA reduces the amount of protein translated from the variant CFH

mRNA, and/or alters the splicing of the variant CFH mRNA. A nucleic acid molecule comprising an antisense sequence that hybridizes to a variant CFH gene or mRNA may comprise one or more modified nucleotides or nucleosides that enhance in vivo stability, transport across the cell membrane, or hybridization to a variant CFH gene or mRNA. In other embodiments, the invention provides a method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of a nucleic acid molecule comprising as iRNA or miRNA sequence, or a precursor thereof, that hybridizes to a variant CFH gene or mRNA that is correlated with the occurrence of age related macular degeneration in humans and a pharmaceutically acceptable carrier

10

15

20

25

30

In another embodiment, the invention provides a composition for treating a subject suffering from or at risk for age related macular degeneration, comprising: (a) an aptamer that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans; and (b) a pharmaceutically acceptable carrier, wherein binding of the aptamer to the variant CFH polypeptide reduces the activity of the variant CFH polypeptide. In other embodiments, the invention provides a method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of an aptamer that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans and a pharmaceutically acceptable carrier.

In another embodiment, the invention provides a composition for treating a subject suffering from or at risk for age related macular degeneration, comprising: (a) a small molecule that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans; and (b) a pharmaceutically acceptable carrier. In certain embodiments, binding of the small molecule to the variant CFH polypeptide reduces the activity of the variant CFH polypeptide. In another embodiment, the invention provides a method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of a small molecule that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans and a pharmaceutically acceptable carrier.

In another embodiment, the invention provides a composition for treating a subject suffering from or at risk for age related macular degeneration, comprising: (a) an antibody

that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans; and (b) a pharmaceutically acceptable carrier. In certain embodiments, binding of the antibody to the variant CFH polypeptide reduces the activity of the variant CFH polypeptide. In another embodiment, the invention also provides a method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of an antibody that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans and a pharmaceutically acceptable carrier.

The methods and compositions described herein for treating a subject suffering from AMD may be used for the prophylactic treatment of individuals who have been diagnosed or predicted to be at risk for developing AMD. For instance, the composition is administered in an amount and dose that is sufficient to delay, slow, or prevent the onset of AMD or related symptoms. Alternatively, the methods and compositions described herein may be used for the therapeutic treatment of individuals who suffer from AMD. For example, the composition is administered in an amount and dose that is sufficient to delay or slow the progression of the condition, totally or partially, or in an amount and dose that is sufficient to reverse the condition.

10

15

20

25

30

As described herein for CFH, variations in CFH-like genes in humans (e.g., CFHL1, CFHL3, and CFHL4) are also useful for identifying or aiding in identifying individuals at risk for developing AMD. Variations in CFHL1, CFHL3, and CFHL4 may also be useful for diagnosing or aiding in the diagnosis of AMD, identifying or aiding in identifying individuals at risk for developing AMD, methods for diagnosing or aiding in the diagnosis of AMD, polynucleotides (e.g., probes, primers) useful in the methods, diagnostic kits containing probes or primers, methods of treating an individual at risk for or suffering from AMD and compositions useful for treating an individual at risk for or suffering from AMD. Examples of variations in CFHL1, CFHL3, and CFHL4 that may be correlated with the occurrence of AMD are found in Tables 8-10. Such variations, which can be in a coding or noncoding region of a CFHL gene (e.g., CFHL1, CFHL3, and CFHL4) can be useful in the methods and compositions described herein.

In one embodiment, the present invention provides polymecleotides useful for the detection or aiding in the detection of a CFHL gene (e.g., CFHL1, CFHL3, or CFHL4) that is correlated with the occurrence of AMD in humans and, in specific embodiments,

variations in a CFHL gene that are correlated with AMD in humans. The disclosure also provides diagnostic kits for detecting a variant CFHL gene in a sample from an individual. Such kits are useful in identifying or aiding in identifying individuals at risk for developing AMD, as well as for diagnosing or aiding in the diagnosis of AMD in an individual.

In another embodiment, the invention provides an isolated polynucleotide for the detection of a variant CFHL gene, such as CFHL1, CFHL3, or CFHL4, in a sample from an individual, comprising a nucleic acid molecule that specifically detects a variation in the CFHL gene that is correlated with the occurrence of age related macular degeneration in humans.

5

10

20

25

30

In another embodiment, the invention provides a polynucleotide primer that hybridizes, under stringent conditions, adjacent to a variation in a CFHL gene that is correlated with the occurrence of age related macular degeneration in humans. In certain embodiments, the invention provides a pair of polynucleotide primers that specifically detect a variation in a CFHL gene that is correlated with the occurrence of age related macular degeneration in humans, wherein the first polynucleotide primer hybridizes to one side of the variation and the second polynucleotide primer hybridize to the other side of the variation. The pair of polynucleotide primers may hybridize to a region of a CFHL gene in such a manner that the ends of the hybridized primers proximal to the variation are from about 100 to about 10,000 nucleotides apart.

The present invention also relates to a method of detecting, in a sample obtained from an individual, a variant CFHL gene that is correlated with the occurrence of AMD in humans. Such a method may comprise: (a) combining the sample with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFHL gene that is correlated with AMD in humans, but not to a wildtype CFHL gene; and (b) determining whether hybridization occurs. The occurrence of hybridization indicates that a variant CFHL gene that is correlated with age related macular degeneration is present in the sample. A used herein, the term "wildtype CFHL gene" refers to a CFHL gene, such as CFHL1, CFHL3, or CFHL4, that is not correlated with the occurrence of AMD.

In other embodiments, the invention provides a method of detecting, in a sample obtained from an individual, a variant CFHL gene that is correlated with the occurrence of age related macular degeneration in humans, comprising: (a) combining the sample

(referred to as a test sample) with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFHL gene that is correlated with the occurrence of AMD in humans, thereby producing a combination; (b) maintaining the combination produced in step (a) under stringent hybridization conditions; and (e) comparing hybridization that occurs in the combination with hybridization in a control. The occurrence of hybridization in the combination but not in the control indicates that a variant CFHL gene that correlates with AMD is present in the sample. In a further embodiment, the extent of hybridization is determined when comparing hybridization that occurs in the combination with hybridization in a control. The control is the same as the test sample and is treated the same as the test sample except that the polynucleotide probe is one that does not bind to a variation in the CFHL gene that is correlated with the occurrence of AMD in humans. Alternatively, the polynucleotide probe is one that binds only to a wildtype CFHL gene.

10

15

2.0

2.5

30

In another embodiment, the invention provides a method of detecting, in a sample obtained from an individual, a variant CFHL gene that is correlated with the occurrence of AMD in humans, comprising: (a) combining a first portion of the sample with a polymucleotide probe that hybridizes, under stringent conditions, to a variation in the CFHL gene that is correlated with the occurrence of AMD in humans; (b) combining a second portion of the sample with a polymucleotide probe that hybridizes, under stringent conditions, to a wildtype CFHL gene; and (c) determining whether hybridization occurs. The occurrence of hybridization in the first portion, but not in the second portion, indicates that a variant CFHL gene that is correlated with AMD is present in the sample.

In other embodiments, the invention provides methods of identifying or aiding in identifying an individual at risk for developing AMD. In one specific embodiment, such a method comprises assaying DNA obtained from the individual for the presence of a variant CFHL gene that is correlated with the occurrence of AMD in humans. The presence of a variant CFHL gene indicates that the individual is at risk for developing AMD.

In another embodiment, a method of identifying or aiding in identifying an individual at risk for developing AMD comprises: (a) combining a sample obtained from the individual with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFHL gene that is correlated with AMD in humans, but does not hybridize to a wildtype CFHL gene; and (b) determining whether hybridization occurs. The occurrence of hybridization indicates that the individual is at risk for developing AMD.

In another embodiment, the invention provides diagnostic kits useful for detecting a variant CFHL gene in a sample from an individual. A diagnostic kit may comprise, for example: (a) at least one container means having disposed therein a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFHL gene that is correlated with the occurrence of AMD in humans; and (b) a label and/or instructions for the use of the diagnostic kit in the detection of a variant CFHL gene in a sample.

In another embodiment, a diagnostic kit useful for detecting a variant CFHL gene in a sample from an individual may comprise, for example: (a) at least one container means having disposed therein a polynucleotide primer that hybridizes, under stringent conditions, adjacent to one side of a variation in the CFHL gene that is correlated with the occurrence of age related macular degeneration in humans; and (b) a label and/or instructions for the use of the diagnostic kit in the detection of CFHL in a sample. Optionally, the diagnostic kit additionally comprises a second polynucleotide primer that hybridizes, under stringent conditions, to the other side of the variation in the CFHL gene that is correlated with the occurrence of age related macular degeneration in humans.

The embodiments and practices of the present invention, other embodiments, and their features and characteristics, will be apparent from the description, figures and claims that follow, with all of the claims hereby being incorporated by this reference into this Summary.

20 BRIEF DESCRIPTION OF THE DRAWINGS

10

25

Figure 1A-1B are graphs showing statistical data of a genome-wide association study of genes associated with AMD. Figure 1A shows p-values of the genome-wide association scan.

 $-\log_{10}(p)$ is plotted for each SNP in chromosomal order. The spacing between SNPs on the plot is uniform and does not reflect distances between SNPs on the chromosomes. The dotted horizontal line shows the cutoff for p=0.05 after Bonferroni correction. The vertical lines show chromosomal boundaries. Figure 1B shows variations in genotype frequencies between cases and controls.

Figures 2A-2D show data on SNPs that are associated with AMD. Figure 2A

shows linkage disequilibrium (LD) across the CFH region, plotted as pairwise D' values.

Figure 2B shows a schematic of the region in strong LD with the two associated SNPs in

the data. The vertical bars represent the approximate location of the SNPs available in the data set. The shaded region is the haplotype block found in the HapMap data. Figure 2C shows haplotype blocks in the HapMap CEU data cross the region. Darker shades indicate higher values of D'. Lighter shades indicate high D' with a low LOD score. The dark lines show the boundaries of haplotype blocks. Figure 2D shows a maximum parsimony cladogram derived from haplotypes across the 6-SNP region. The number by each line indicates which of the six SNPs varies along the branch. SNP 4 is rs380390 and SNP 6 is rs1329428, which are the two SNPs initially identified as associated with AMD.

Figures 3A-3C show immunofluorescent localization of CFH protein in human retina. Figure 3A shows human retina sections stained with anti-human CFH antibody. Figure 3B shows human retina sections stained with anti-human CFH antibody preincubated with CFH protein as negative control. The nuclei are identified by DAPI staining. The magnified view of the boxed area in Figure 3A is shown in Figure 3C. The fluorescent and DIC channels are collected from each image and presented as the left and right pictures, respectively, in each panel. The fluorescent pictures in Figure 3A and Figure 3B are merged images from CFH labeling and DAPI stained nuclei. The DIC picture in Figure 3C is a merged image of CFH labeling and the DIC channel. The black spots in DIC images correspond to melanin granules in RPE and choroids. The anti-CFH antibody primarily stains the choroids (Figure 3A), especially strong in the wall of vessels lumen and in area close to RPE (Figure 3C), and the immunoreactivity can be competed away with purified human CPH protein (Figure 3B). The fluorescent signal from RPE arises from the autofluorescence of lipofusion which cannot be competed away by human factor H protein. GC: ganglion cells layer, INL: inner nuclear layer, ONL: outer nuclear layer, RPE; retinal pigment epithelium. Scale bar: 40 μm in Figures 3A and 3B, 20 μm in Figure 3C.

20

25

30

Figure 4A-4E show immunohistochemistry for activated complement C5b-9.

Tissues from three patients are illustrated. Figures 4A and 4B show post-mortem fundus images from patients 1 and 2, respectively. The site illustrated histologically is indicated with an asterisk. Figure 4C shows tissue from patient 1 who is immunopositive for C5b-9 throughout Bruch's membrane and in intercapillary pillars (thin black arrows). Overlying retinal pigment epithelium is hypertrophic, and associated retina demonstrated market photoreceptor loss. Complement deposition is also present within the elastica of a

choroidal artery (double headed black arrow), as well as within the walls of a choroidal vein (white arrow). Figure 4D shows C5b-9 deposition in Bruch's membrane, intercapillary pillars (arrows) and drusen (asterisk) in patient 2. The internal aspect of a choroidal vein is also immunopositive (white arrow). Figure 4E shows tissue from patient 3, an 86-year old with histologic evidence of carly AMD. Activated complement deposition is noted throughout Bruch's membrane, in drusen (asterisks) and in the internal wall of a choroidal vein (white arrow). Scale bar: 20 µm in Figures 4C and 4D), 15 µm in Figure 4E.

Figure 5 shows the polypeptide sequence for human Complement Factor H

(GenBank Accession CAA68704).

DETAILED DESCRIPTION OF THE INVENTION

To provide an overall understanding of the invention, certain illustrative embodiments will now be described, including compositions and methods for identifying or aiding in identifying individuals at risk for developing AMD, as well as for diagnosing or aiding in the diagnosis of AMD. However, it will be understood by one of ordinary skill in the art that the compositions and methods described herein may be adapted and modified as is appropriate for the application being addressed and that the compositions and methods described herein may be employed in other suitable applications, and that such other additions and modifications will not depart from the scope hereof.

20 1. Overview

5

15

2.5

30

The discovery that variations in the CFH gene are associated with AMD is useful for the early diagnosis and treatment of individuals predisposed to AMD. The determination of the genetic constitution of the CFH gene in an individual is useful in treating AMD at earlier stages, or even before an individual displays any symptoms of AMD. Furthermore, diagnostic tests to genotype CFH may allow individuals to alter their behavior to minimize environmental risks to AMD (e.g., smoking). Accordingly, the present invention relates to the identification of a variant CFH gene correlated with a predisposition to AMD, which is useful in identifying or aiding in identifying individuals at risk for developing AMD, as well as for diagnosing or aiding in the diagnosis of AMD. It also relates to methods for identifying or aiding in identifying individuals at risk for

developing AMD, methods for diagnosing or aiding in the diagnosis of AMD, polynucleotides (e.g., probes, primers) useful in the methods, diagnostic kits containing probes or primers, methods of treating an individual at risk for or suffering from AMD and compositions useful for treating an individual at risk for or suffering from AMD.

5

10

15

25

30

In accordance with the present invention, a common variation in the CFH gene has been shown to be strongly associated with AMD. The present invention relates to methods and compositions for detecting such variations that predispose a human to AMD. A CFH gene can either be the cDNA or the genomic form of the gene, which may include upstream and downstream regulatory sequences. The CFH polypeptide can be encoded by a full length coding sequence or by any portion of the coding sequence so long as the desired activity or functional properties (e.g., enzymatic activity, ligand binding, signal transduction, etc.) of the full-length or fragment are retained. Examples of CFH nucleotide sequences include human nucleotide sequences (SEQ ID NOs: 1 or 2), a mouse nucleotide sequence (SEQ ID NO: 3), and a rat nucleotide sequence (SEQ ID NO: 4). Polynucleotide probes and primers of the invention may hybridize to any contiguous portion of a CFH gene, such as those shown in SEQ ID NOs 1-4. Examples of CFH polypeptide sequences include human polypeptide sequences (SEQ ID NOs: 5 or 6 and Figure 5), a mouse polypeptide sequence (SEQ ID NO: 7), and a rat polypeptide sequence (SEQ ID NO: 8). The CFH gene may further include sequences located adjacent to the coding region on both the 5' and 3' ends for a distance of about 1-2 kb on either end such that the gene corresponds to the length of the full-length mRNA. The sequences which are located 5' of the coding region and which are present on the mRNA are referred to as 5' non-translated sequences. The sequences which are located 3' or downstream of the coding region and which are present on the mRNA are referred to as 3' non-translated sequences.

The CFH gene is a member of the Regulator of Complement Activation (RCA) gene cluster and encodes a protein with twenty short consensus repeat (SCR) domains of 60 amino acids each. This protein is secreted into the bloodstream and has an essential role in the regulation of complement activation (Rodriguez de Cordoba et al., Mol Immunol. 41:355-67 (2004)). The complement system protects against infection and attacks diseased and dysplastic cells and normally spares healthy cells. Cells involved in immune surveillance and response to disease are recruited to augment the lytic action of activated complement components. When C3 convertase is activated, it leads to the production of

C3a and C3b and then to the terminal C5b-9 complex. CFH on cells and in circulation regulates complement activity by inhibiting the activation of C3 to C3a and C3b, and by inactivating existing C3b. Variations in the CFH gene have previously been associated with hemolytic-uremic syndrome (HUS) and chronic hypocomplementomic nephropathy. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.

CFH polynucleotide probes and primers

10

15

2.5

36

In certain embodiments, the invention provides isolated and/or recombinant polynucleotides that specifically detect a variation in the CFH gene that is correlated with the occurrence of AMD. Polynucleotide probes of the invention hybridize to a variation (referred to as a variation of interest) in such a CFH gene, and the flanking sequence, in a specific manner and thus typically have a sequence which is fully or partially complementary to the sequence of the variation and the flanking region. Polynucleotide probes of the invention may hybridize to a segment of target DNA such that the variation aligns with a central position of the probe, or the variation may align with a terminal position of the probe. In one embodiment, an isolated polynucleotide probe of the invention hybridizes, under stringent conditions, to a nucleic acid molecule comprising a variant CFH gene, or a portion or allelic variant thereof, that is correlated with the occurrence of AMD in humans. In another embodiment, an isolated polynucleotide probe of the invention hybridizes, under stringent conditions, to a nucleic acid molecule comprising at least 10 contiguous nucleotides of a CFH gene, or an allelic variant thereof, wherein the nucleic acid molecule comprises a variation that is correlated with the occurrence of AMD in humans.

In certain embodiments, a polynucleotide probe of the invention is an allele-specific probe. The design and use of alkele-specific probes for analyzing polymorphisms is described by e.g., Saiki et al., Nature 324:163-166 (1986); Dattagupta, EP 235726; and Saiki WO 89/11548. Alkele-specific probes can be designed to hybridize to a segment of a target DNA from one individual but do not hybridize to the corresponding segment from another individual due to the presence of different polymorphic forms or variations in the respective segments from the two individuals. Hybridization conditions should be

sufficiently stringent such that there is a significant difference in hybridization intensity hetween alleles. In some embodiments, a probe hybridizes to only one of the alleles.

A variety of variations in the CFH gene that predispose an individual to AMD may he detected by the methods and polynucleotides described herein. For example, any nucleotide polymorphism of a coding region, exon, exon-intron boundary, signal peptide, 5-prime untranslated region, promoter region, enhancer sequence, 3-prime untranslated region or intron that is associated with AMD can be detected. These polymorphisms include, but are not limited to, changes that: after the amino acid sequence of the proteins encoded by the CFH gene, produce alternative splice products, create truncated products, introduce a premature stop codon, introduce a cryptic exon, after the degree or expression 10 to a greater or lesser extent, alter tissue specificity of CFH expression, introduce changes in the tertiary structure of the proteins encoded by CFH, introduce changes in the binding affinity or specificity of the proteins expressed by CFH or after the function of the proteins encoded by CFH. In a specific embodiment, the variation in the CFH gene encodes an 15 amino acid other than histidine (e.g., tyrosine) at position 402 of the CFH protein. In another specific embodiment, the variation in the CFH gene encodes an amino acid other than valine (e.g., isoleucine) at position 62 of the CFH protein Other examples of variations in the CFH gene that may predispose an individual to AMD are found in Tables 4 and 5. For example, other variant genes, such as those in which the variation is in a coding region (e.g., variations that encode: an amino acid other than serine, such as alanine, at position 58 of the CFH protein; an amino acid other than arginine, such as histidine, at position 127 of the CFH protein; an amino acid other than glutamine, such as lysine, at position 400 of the CFH protein; an amino acid other than valine, such as isoleucine, at position 609 of the CFH protein; an amino acid other than serine, such as isoleucine, at position 890 of the CFH protein; an amino acid other than glutamic acid, 25 such as aspartic acid, at position 936 of the CFH protein; an amino acid other than valine, such as leucine, at position 1007 of the CFH protein; an amino acid other than asparagine, such as tyrosine, at position 1050 of the CFH protein; an amino acid other than proline, such as glutamine, at position 1166 of the CFH protein; or an amino acid other than arginine, such as cysteine, at position 1210 of the CFH protein. See Tables 4 and 5) can be 30 detected using the methods and compositions described hereinfor other variants. Alternatively, variant genes in which the variation is in a noncoding region, such as those listed in Tables 4 and 5, may detected using the methods and compositions described

herein. The subject polynucleotides are further understood to include polynucleotides that are variants of the polynucleotides described herein, provided that the variant polynucleotides maintain their ability to specifically detect a variation in the CFH gene that is correlated with the occurrence of AMD. Variant polynucleotides may include, for example, sequences that differ by one or more nucleotide substitutions, additions or deletions.

In certain embodiments, the isolated polynucleotide is a probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of AMD in humans. As used herein, the term 'hybridization' is used in reference to the pairing of complementary nucleic acids. The term 'probe' refers to a polynucleotide that is capable of hybridizing to another nucleic acid of interest. The polynucleotide may be naturally occurring, as in a purified restriction digest, or it may be produced synthetically, recombinantly or by nucleic acid amplification (e.g., PCR amplification).

15

25

30

It is well known in the art how to perform hybridization experiments with nucleic acid molecules. The skilled artisan is familiar with the hybridization conditions required in the present invention and understands readily that appropriate stringency conditions which promote DNA hybridization can be varied. Such hybridization conditions are referred to in standard text books, such as Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory (2001); and Current Protocols in Molecular Biology, eds. Ausubel et al., John Wiley & Sons (1992). Particularly useful in methods of the present invention are polynucleotides which are capable of hybridizing to a variant CFH gene, or a region of a variant CFH gene, under stringent conditions. Under stringent conditions, a polynucleotide that hybridizes to a variant CFH gene does not hybridize to a wildtype CFH gene.

Nucleic acid hybridization is affected by such conditions as salt concentration, temperature, organic solvents, base composition, length of the complementary strands, and the number of nucleotide base mismatches between the hybridizing nucleic acids, as will readily be appreciated by those skilled in the art. Stringent temperature conditions will generally include temperatures in excess of 30°C, or may be in excess of 37°C or 45°C. Stringency increases with temperature. For example, temperatures greater than 45°C are highly stringent conditions. Stringent salt conditions will ordinarily be less than 1000 mM, or may be less than 500 mM or 200 mM. For example, one could perform the

hybridization at 6.0x sodium chloride/sodium citrate (SSC) at about 45 °C, followed by a wash of 2.0x SSC at 50 °C. For example, the salt concentration in the wash step can be selected from a low stringency of about 2.0x SSC at 50 °C to a high stringency of about 0.2x SSC at 50 °C. In addition, the temperature in the wash step can be increased from low 5 stringency conditions at room temperature, about 22 °C, to high stringency conditions at about 65 °C. Both temperature and salt may be varied, or temperature or salt concentration may be held constant while the other variable is changed. Particularly useful in methods of the present invention are polynucleotides which are capable of hybridizing to a variant CFH gene, or a region of a variant CFH gene, under stringent conditions. It is understood, however, that the appropriate stringency conditions may be varied in the present invention to promote DNA hybridization. In certain embodiments, polynucleotides of the present invention hybridize to a variant CFH gene, or a region of a variant CFH gene, under highly stringent conditions. Under stringent conditions, a polynucleotide that hybridizes to a variation in the CFH gene does not hybridize to a wildtype CFH gene. In one embodiment, the invention provides nucleic acids which hybridize under low stringency conditions of 6.0x SSC at room temperature followed by a wash at 2.0x SSC at room temperature. The combination of parameters, however, is much more important than the measure of any single parameter. See, e.g., Wetmur and Davidson, 1968. Probe sequences may also hybridize specifically to duplex DNA under certain conditions to form triplex or higher order DNA complexes. The preparation of such probes and suitable hybridization conditions are well known in the art. One method for obtaining DNA encoding the biosynthetic constructs disclosed herein is by assembly of synthetic oligonucleotides produced in a conventional, automated, oligonucleotide synthesizer.

10

25

A polymucleotide probe or primer of the present invention may be labeled so that it is detectable in a variety of detection systems, including, but not limited, to enzyme (e.g., ELISA, as well as enzyme-based histochemical assays), fluorescent, radioactive, chemical, and luminescent systems. A polynucleotide probe or primer of the present invention may further include a quencher moiety that, when placed in proximity to a label (e.g., a fluorescent label), causes there to be little or no signal from the label. Detection of the label may be performed by direct or indirect means (e.g., via a biotin/avidin or a biotin/stretpavidin linkage). It is not intended that the present invention be limited to any particular detection system or label.

In another embodiment, the isolated polynucleotide of the invention is a primer that hybridizes, under stringent conditions, adjacent, upstream, or downstream to a variation in the CFH gene that is correlated with the occurrence of AMD in humans. The isolated polynucleotide may hybridize, under stringent conditions, to a nucleic acid molecule comprising all or a portion of a variant CFH gene that is correlated with the occurrence of AMD in humans. Alternatively, the isolated polynucleotide primer may hybridize, under stringent conditions, to a nucleic acid molecule comprising at least 50 contiguous nucleotides of a variant CFH gene that is correlated with the occurrence of AMD in humans. For example, a polynucleotide primer of the invention can hybridize adjacent, upstream, or downstream to the region of the CFH gene that encodes amino acid 402 of the CFH protein. Alternatively, a polynucleotide primer of the invention can hybridize adjacent, upstream, or downstream to the region of the CFH gene that encodes amino acid 62 of the CFH protein.

10

15

20

25

30

As used herein, the term "primer" refers to a polynucleotide that is capable of acting as a point of initiation of nucleic acid synthesis when placed under conditions in which synthesis of a primer extension product that is complementary to a nucleic acid strand occurs (for example, in the presence of nucleotides, an inducing agent such as DNA polymerase, and suitable temperature, pH, and electrolyte concentration). Alternatively, the primer may be capable of ligating to a proximal nucleic acid when placed under conditions in which ligation of two unlinked nucleic acids occurs (for example, in the presence of a proximal nucleic acid, an inducing agent such as DNA ligase, and suitable temperature, pH, and electrolyte concentration). A polynucleotide primer of the invention may be naturally occurring, as in a purified restriction digest, or may be produced synthetically. The primer is preferably single stranded for maximum efficiency in amplification, but may alternatively be double stranded. If double stranded, the primer is first treated to separate its strands before being used. Preferably, the primer is an oligodeoxyribonucleotide. The exact lengths of the primers will depend on many factors, including temperature, source of primer and the use of the method. In certain embodiments, the polynucleotide primer of the invention is at least 10 nucleotides long and hybridizes to one side or another of a variation in the CFH gene that is correlated with the occurrence of AMD in humans. The subject polynucleotides may contain alterations, such as one or more nucleotide substitutions, additions or deletions, provided they hybridize to their target variant CFH gene with the same degree of specificity.

In one embodiment, the invention provides a pair of primers that specifically detect a variation in the CFH gene that is correlated with the occurrence of AMD. In such a case, the first primer hybridizes upstream from the variation and a second primer hybridizes downstream from the variation. It is understood that one of the primers hybridizes to one strand of a region of DNA that comprises a variation in the CFH gene that is correlated with the occurrence of AMD, and the second primer hybridizes to the complementary strand of a region of DNA that comprises a variation in the CFH gene that is correlated with the occurrence of AMD. As used herein, the term "region of DNA" refers to a subchromosomal length of DNA.

In another embodiment, the invention provides an allele-specific primer that hybridizes to a site on target DNA that overlaps a variation in the CFH gene that is correlated with the occurrence of AMD in humans. An allele-specific primer of the invention only primes amplification of an allelic form to which the primer exhibits perfect complementarity. This primer may be used, for example, in conjunction with a second primer which hybridizes at a distal site. Ampflication can thus proceed from the two primers, resulting in a detectable product that indicates the presence of a variant CFH gene that is correlated with the occurrence of AMD in humans.

3. Detection assays

10

15

20

25

In certain embodiments, the invention relates to polynucleotides useful for detecting a variation in the CPH gene that is correlated with the occurrence of age related macular degeneration. Preferably, these polynucleotides are capable of hybridizing under stringent hybridization conditions to a region of DNA that comprises a variation in the CPH gene that is correlated with the occurrence of age related macular degeneration.

The polynucleotides of the invention may be used in any assay that permits detection of a variation in the CFH gene that is correlated with the occurrence of AMD. Such methods may encompass, for example, DNA sequencing, hybridization, ligation, or primer extension methods. Furthermore, any combination of these methods may be utilized in the invention.

In one embodiment, the presence of a variation in the CFH gene that is correlated
with the occurrence of AMD is detected and/or determined by DNA sequencing. DNA
sequence determination may be performed by standard methods such as dideoxy chain

termination technology and gel-electrophoresis, or by other methods such as by pyrosequencing (Biotage AB, Uppsala, Sweden). For example, DNA sequencing by dideoxy chain termination may be performed using unlabeled primers and labeled (e.g., fluorescent or radioactive) terminators. Alternatively, sequencing may be performed using labeled primers and unlabeled terminators. The nucleic acid sequence of the DNA in the sample can be compared to the nucleic acid sequence of wildtype DNA to identify whether a variation in the CFH gene that is correlated with the occurrence of AMD is present.

In another embodiment, the presence of a variation in the CFH gene that is correlated with the occurrence of AMD is detected and/or determined by hybridization. In one embodiment, a polynucleotide probe hybridizes to a variation in the CFH gene, and flanking nucleotides, that is correlated with AMD, but not to a wildtype CFH gene. The polynucleotide probe may comprise nucleotides that are fluorescently, radioactively, or chemically labeled to facilitate detection of hybridization. Hybridization may be performed and detected by standard methods known in the art, such as by Northern blotting, Southern blotting, fluorescent in situ hybridization (FISH), or by hybridization to polynucleotides immobilized on a solid support, such as a DNA array or microarray. As used herein, the term "DNA array," and "microarray" refers to an ordered arrangement of hybridization earray elements. The array elements are arranged so that there are preferably at least one or more different array elements immobilized on a substrate surface. The hybridization signal from each of the array elements is individually distinguishable. In a preferred embodiment, the array elements comprise polynucleotides, although the present invention could also be used with cDNA or other types of nucleic acid array elements.

In a specific embodiment, the polynucleotide probe is used to hybridize genomic DNA by FISH. FISH can be used, for example, in metaphase cells, to detect a deletion in genomic DNA. Genomic DNA is denatured to separate the complimentary strands within the DNA double helix structure. The polynucleotide probe of the invention is then added to the denatured genomic DNA. If a variation in the CFH gene that is correlated with the occurrence of AMD is present, the probe will hybridize to the genomic DNA. The probe signal (e.g., fluorescence) can then be detected through a fluorescent microscope for the presence of absence of signal. The absence of signal, therefore, indicates the absence of a variation in the CFH gene that is correlated with the occurrence of AMD. In another specific embodiment, a labeled polynucleotide probe is applied to immobilized

polynucleotides on a DNA array. Hybridization may be detected, for example, by measuring the intensity of the labeled probe remaining on the DNA array after washing. The polynucleotides of the invention may also be used in commercial assays, such as the Taqman assay (Applied Biosystems, Foster City, CA).

5

10

15

20

30

In another embodiment, the presence of a variation in the CFH gene that is correlated with the occurrence of AMD is detected and/or determined by primer extension with DNA polymerase. In one embodiment, a polynucleotide primer of the invention hybridizes immediately adjacent to the variation. A single base sequencing reaction using labeled dideoxynucleotide terminators may be used to detect the variation. The presence of a variation will result in the incorporation of the labeled terminator, whereas the absence of a variation will not result in the incorporation of the terminator. In another embodiment, a polynucleotide primer of the invention hybridizes to a variation in the CFH gene that is correlated with the occurrence of AMD. The primer, or a portion thereof, will not hybridize to a wildtype CFH gene. The presence of a variation will result in primer extension, whereas the absence of a variation will not result in primer extension. The primers and/or nucleotides may further include fluorescent, radioactive, or chemical probes. A primer labeled by primer extension may be detected by measuring the intensity of the extension product, such as by gel electrophoresis, mass spectrometry, or any other method for detecting fluorescent, radioactive, or chemical labels.

In another embodiment, the presence of a variation in the CFH gene that is correlated with the occurrence of AMD is detected and/or determined by ligation. In one embodiment, a polymucleotide primer of the invention hybridizes to a variation in the CFH gene that is correlated with the occurrence of AMD. The primer, or a portion thereof will not hybridize to a wildtype CFH gene. A second polynucleotide that hybridizes to a region of the CFH gene immediately adjacent to the first primer is also provided. One, or both, of the polynucleotide primers may be fluorescently, radioactively, or chemically labeled. Ligation of the two polynucleotide primers will occur in the presence of DNA ligase if a variation in the CFH gene that is correlated with the occurrence of AMD is present. Ligation may be detected by gel electrophoresis, mass spectrometry, or by measuring the intensity of fluorescent, radioactive, or chemical labels.

In another embodiment, the presence of a variation in the CFH gene that is correlated with the occurrence of AMD is detected and/or determined by single-base extension (SBE). For example, a fluorescently-labeled primer that is coupled with fluorescence resonance energy transfer (FRET) between the label of the added base and the label of the primer may be used. Typically, the method, such as that described by Chen et al., (PNAS 94:10756-61 (1997), incorporated herein by reference) uses a locus-specific polynucleotide primer labeled on the 5' terminus with 5-carboxyfluorescein (FAM). This labeled primer is designed so that the 3' end is immediately adjacent to the polymorphic site of interest. The labeled primer is hybridized to the locus, and single base extension of the labeled primer is performed with fluorescently labeled dideoxyribomucleotides (ddNTPs) in dye-terminator sequencing fashion, except that no deoxyribomucleotides are present. An increase in fluorescence of the added ddNTP in response to excitation at the wavelength of the labeled primer is used to infer the identity of the added nucleotide.

Methods of detecting a variation in the CFH gene that is correlated with the occurrence of AMD may include amplification of a region of DNA that comprises the 15 variation. Any method of amplification may be used. In one specific embodiment, a region of DNA comprising the variation is amplified by using polymerase chain reaction (PCR). PCR was initially described by Mullis (See e.g., U.S. Pat. Nos. 4,683,195 4,683,202, and 4,965,188, herein incorporated by reference), which describes a method for increasing the concentration of a region of DNA, in a mixture of genomic DNA, without 20 cloning or purification. Other PCR methods may also be used to nucleic acid amplification, including but not limited to RT-PCR, quantitative PCR, real time PCR, Rapid Amplified Polymorphic DNA Analysis, Rapid Amplification of cDNA Ends (RACE), or rolling circle amplification. For example, the polynucleotide primers of the invention are combined with a DNA mixture (or any polynucleotide sequence that can be 25 amplified with the polynucleotide primers of the invention), wherein the DNA comprises the CFH gene. The mixture also includes the necessary amplification reagents (e.g., deoxyribonucleotide triphosphates, buffer, etc.) necessary for the thermal cycling reaction. According to standard PCR methods, the mixture undergoes a series of denaturation, primer annealing, and polymerase extension steps to amplify the region of DNA that 30 comprises the variation in the CFH gene. The length of the amplified region of DNA is determined by the relative positions of the primers with respect to each other, and

therefore, this length is a controllable parameter. For example, hybridization of the primers may occur such that the ends of the primers proximal to the variation are separated by 1 to 10,000 base pairs (e.g., 10 base pairs (bp) 50 bp, 200 bp, 500 bp, 1,000 bp, 2,500 bp, 5,000 bp, or 10,000 bp).

5

10

15

20

25

30

Standard instrumentation known to those skilled in the art are used for the amplification and detection of amplified DNA. For example, a wide variety of instrumentation has been developed for carrying out nucleic acid amplifications, particularly PCR, e.g. Johnson et al, U.S. Pat. No. 5,038,852 (computer-controlled thermal cycler); Wittwer et al, Nucleic Acids Research, 17: 4353-4357 (1989)(capillary tube PCR); Hallsby, U.S. Pat. No. 5,187,084 (air-based temperature control); Garner et al, Biotechniques, 14: 112-115 (1993)(high-throughput PCR in 864-well plates); Wilding et al, International application No. PCT/US93/04039 (PCR in micro-machined structures); Schnipelsky et al, European patent application No. 90301061.9 (publ. No. 0381501 A2)(disposable, single use PCR device), and the like. In certain embodiments, the invention described herein utilizes real-time PCR or other methods known in the art such as the Tagman assay.

In certain embodiments, a variant CFH gene that is correlated with the occurrence of AMD in humans may be detected using single-strand conformation polymorphism analysis, which identifies base differences by alteration in electrophoretic migration of single stranded PCR products, as described in Orita et al., Proc. Nat. Acad. Sci. 86, 2766-2770 (1989). Amplified PCR products can be generated as described above, and heated or otherwise denatured, to form single stranded amplification products. Single-stranded mucleic acids may refold or form secondary structures which are partially dependent on the base sequence. The different electrophoretic mobilities of single-stranded amplification products can be related to base-sequence differences between alleles of target sequences.

In one embodiment, the amplified DNA is analyzed in conjunction with one of the detection methods described herein, such as by DNA sequencing. The amplified DNA may alternatively be analyzed by hybridization with a labeled probe, hybridization to a DNA array or microarray, by incorporation of biotinylated primers followed by avidinenzyme conjugate detection, or by incorporation of ³²P-labeled deoxymucleotide triphosphates, such as dCTP or dATP, into the amplified segment. In a specific

embodiment, the amplified DNA is analyzed by determining the length of the amplified DNA by electrophoresis or chromatography. For example, the amplified DNA is analyzed by gel electrophoresis. Methods of gel electrophoresis are well known in the art. See for example, Current Protocols in Molecular Biology, eds. Ausubel et al., John Wiley & Sons: 1992. The amplified DNA can be visualized, for example, by fluorescent or radioactive means, or with other dyes or markers that intercalate DNA. The DNA may also be transferred to a solid support such as a nitrocellulose membrane and subjected to Southern Blotting following gel electrophoresis. In one embodiment, the DNA is exposed to ethicitum bromide and visualized under ultra-violet light.

10 4. Therapeutic Nucleic Acids Encoding CFH Polypeptides

15

20

25

In certain embodiments, the invention provides isolated and/or recombinant nucleic acids encoding a CFH polypeptide, including functional variants, disclosed herein. For example, SEQ ID NOs: 1 or 2 are nucleic acid sequences that encode CFH and SEQ ID NOs: 5 or 6 and Figure 5 encode CFH polypeptides. The subject nucleic acids may be single-stranded or double stranded. Such nucleic acids may be DNA or RNA molecules. These nucleic acids may be used, for example, in methods for making CFH polypeptides or as direct therapeutic agents (e.g., in a gene therapy approach).

The subject nucleic acids encoding CFH polypeptides are further understood to include nucleic acids that are variants of SEQ ID NOs: 1 or 2. Variant nucleotide sequences include sequences that differ by one or more nucleotide substitutions, additions or deletions, such as allelic variants; and will, therefore, include coding sequences that differ from the nucleotide sequence of the coding sequence designated in SEQ ID NOs: 1 or 2. Coding sequences that differ from the nucleotide sequence of the coding sequence designated in SEQ ID NOs: 1 or 2 may be tested for their ability to inhibit the activation of C3 to C3s and C3b, and by inactivating existing C3.

In certain embodiments, the invention provides isolated or recombinant nucleic acid sequences that are at least 80%, 85%, 90%, 95%, 97%, 98%, 99% or 100% identical to SEQ ID NO: 1 or 2. One of ordinary skill in the art will appreciate that nucleic acid sequences complementary to SEQ ID NO: 1 or 2, and variants of SEQ ID NO: 1 or 2 are also within the scope of this invention. In further embodiments, the nucleic acid sequences

of the invention can be isolated, recombinant, and/or fused with a heterologous nucleotide sequence, or in a DNA library.

In other embodiments, nucleic acids of the invention also include nucleic acids that hybridize under stringent conditions to the nucleotide sequence designated in SEQ ID NO: 1 or 2, complement sequence of SEQ ID NO: 1 or 2, or fragments thereof. As discussed above, one of ordinary skill in the art will understand readily that appropriate stringency conditions which promote DNA hybridization can be varied. For example, one could perform the hybridization at 6.0 x sodium chloride/sodium citrate (SSC) at about 45 °C, followed by a wash of 2.0 x SSC at 50 °C. For example, the salt concentration in the wash step can be selected from a low stringency of about 2.0 x SSC at 50 °C to a high stringency of about 0.2 x SSC at 50 °C. In addition, the temperature in the wash step can be increased from low stringency conditions at room temperature, about 22 °C, to high stringency conditions at about 6.5 °C. Both temperature and salt may be varied, or temperature or salt concentration may be held constant while the other variable is changed. In one embodiment, the invention provides nucleic acids which hybridize under low stringency conditions of 6 x SSC at room temperature followed by a wash at 2 x SSC at room temperature.

10

25

30

Isolated nucleic acids which differ from the nucleic acids as set forth in SEQ ID NO: 1 or 2 due to degeneracy in the genetic code are also within the scope of the invention. For example, a number of amino acids are designated by more than one triplet. Codons that specify the same amino acid, or synonyms (for example, CAU and CAC are synonyms for histidine) may result in "silent" variations which do not affect the amino acid sequence of the protein. However, it is expected that DNA sequence polymorphisms that do lead to changes in the amino acid sequences of the subject proteins will exist among mammalian cells. One skilled in the art will appreciate that these variations in one or more nucleotides (up to about 3-5% of the nucleotides) of the nucleic acids encoding a particular protein may exist among individuals of a given species due to natural allelic variation. Any and all such nucleotide variations and resulting amino acid polymorphisms are within the scope of this invention.

The nucleic acids and polypeptides of the invention may be produced using standard recombinant methods. For example, the recombinant nucleic acids of the invention may be operably linked to one or more regulatory nucleotide sequences in an

expression construct. Regulatory nucleotide sequences will generally be appropriate to the host cell used for expression. Numerous types of appropriate expression vectors and suitable regulatory sequences are known in the art for a variety of host cells. Typically, said one or more regulatory nucleotide sequences may include, but are not limited to, promoter sequences, leader or signal sequences, ribosomal binding sites, transcriptional start and termination sequences, ranslational start and termination sequences, and enhancer or activator sequences. Constitutive or inducible promoters as known in the art are contemplated by the invention. The promoters may be either naturally occurring promoters, or hybrid promoters that combine elements of more than one promoter. An expression construct may be present in a cell on an episome, such as a plasmid, or the expression construct may be inserted in a chromosome. The expression vector may also contain a selectable marker gene to allow the selection of transformed host cells. Selectable marker genes are well known in the art and will vary with the host cell used.

10

15

20

25

30

In certain embodiments of the invention, the subject nucleic acid is provided in an expression vector comprising a nucleotide sequence encoding a CFH polypeptide and operably linked to at least one regulatory sequence. Regulatory sequences are artrecognized and are selected to direct expression of the CFH polypeptide. Accordingly, the term regulatory sequence includes promoters, enhancers, termination sequences, preferred ribosome binding site sequences, preferred mRNA leader sequences, preferred protein processing sequences, preferred signal sequences for protein secretion, and other expression control elements. Examples of regulatory sequences are described in Goeddel; Gene Expression Technology: Methods in Enzymology, Academic Press, San Diego, CA (1990). For instance, any of a wide variety of expression control sequences that control the expression of a DNA sequence when operatively linked to it may be used in these vectors to express DNA sequences encoding a CFH polypeptide. Such useful expression control sequences, include, for example, the early and late promoters of SV40, tel promoter, adenovirus or cytomegalovirus immediate early promoter, RSV promoters, the lac system, the trp system, the TAC or TRC system, T7 promoter whose expression is directed by T7 RNA polymerase, the major operator and promoter regions of phage lambda, the control regions for fd coat protein, the promoter for 3-phosphoglycerate kinase or other glycolytic enzymes, the promoters of acid phosphatase, e.g., Pho5, the promoters of the yeast amating factors, the polyhedron promoter of the baculovirus system and other sequences known to control the expression of genes of prokaryotic or cukaryotic cells or their viruses,

and various combinations thereof. It should be understood that the design of the expression vector may depend on such factors as the choice of the host cell to be transformed and/or the type of protein desired to be expressed. Moreover, the vector's copy number, the ability to control that copy number and the expression of any other protein encoded by the vector, such as antibiotic markers, should also be considered.

5

10

15

25

30

A recombinant nucleic acid of the invention can be produced by ligating the cloned gene, or a portion thereof, into a vector suitable for expression in either prokuryotic cells, cukaryotic cells (yeast, avian, insect or mammalian), or both. Expression vehicles for production of recombinant CFH polypeptides include plasmids and other vectors. For instance, suitable vectors include plasmids of the types: pBR322-derived plasmids, pEMBL-derived plasmids, pEX-derived plasmids, pETac-derived plasmids and pUC-derived plasmids for expression in prokaryotic cells, such as *E. coli*.

Some mammalian expression vectors contain both prokaryotic sequences to facilitate the propagation of the vector in bacteria, and one or more eukaryotic transcription units that are expressed in eukaryotic cells. The pcDNAI/amp, pcDNAI/neo, pRc/CMV, pSV2gpt, pSV2neo, pSV2-dhfr, pTk2, pRSVneo, pMSG, pSVT7, pko-neo and pHyg derived vectors are examples of mammalian expression vectors suitable for transfection of eukaryotic cells. Some of these vectors are medified with sequences from bacterial plasmids, such as pBR322, to facilitate replication and drug resistance selection in both prokaryotic and eukaryotic cells. Alternatively, derivatives of viruses such as the bovine papilloma virus (BPV-1), or Epstein-Barr virus (pHEBo, pREP-derived and p205) can be used for transient expression of proteins in eukaryotic cells. Examples of other viral (including retroviral) expression systems can be found below in the description of gene therapy delivery systems. The various methods employed in the preparation of the plasmids and in transformation of host organisms are well known in the art. For other suitable expression systems for both prokaryotic and eukaryotic cells, as well as general recombinant procedures, see Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory (2001). In some instances, it may be desirable to express the recombinant polypeptide by the use of a baculovirus expression system. Examples of such baculovirus expression systems include pVL-derived vectors (such as pVL1392, pVL1393 and pVL941), pAcUW-derived vectors (such as pAcUW1), and pBlueBac-derived vectors (such as the 8-gal containing pBlueBac III).

In one embodiment, a vector will be designed for production of a subject CFH polypeptide in CHO cells, such as a Pemv-Script vector (Stratagene, La Jolla, Calif.), pcDNA4 vectors (Invitrogen, Carlsbad, Calif.) and pCl-neo vectors (Promega, Madison, Wisc.). In other embodiments, the vector is designed for production of a subject CFH polypeptide in prokaryotic host cells (e.g., E. coli and B. subilis), eukaryotic host cells such as, for example, yeast cells, insect cells, myeloma cells, fibroblast 3T3 cells, monkey kidney or COS cells, mink-lung epithelial cells, human foreskin fibroblast cells, human glioblastoma cells, and terratocarcinoma cells. Alternatively, the genes may be expressed in a cell-free system such as the rabbit reticulocyte lysate system.

As will be apparent, the subject gene constructs can be used to express the subject CFH polypeptide in cells propagated in culture, e.g., to produce proteins, including fusion proteins or variant proteins, for purification.

10

15

20

25

30

This invention also pertains to a host cell transfected with a recombinant gene including a coding sequence (e.g., SEQ ID NO: 1 or 2) for one or more of the subject CFH polypeptides. The host cell may be any prokaryotic or eukaryotic cell. For example, a CFH polypeptide of the invention may be expressed in bacterial cells such as E. coli, insect cells (e.g., using a baculovirus expression system), yeast, or mammalian cells. Other suitable host cells are known to those skilled in the art.

Accordingly, the present invention further pertains to methods of producing the subject CFH polypeptides. For example, a host cell transfected with an expression vector encoding a CFH polypeptide can be cultured under appropriate conditions to allow expression of the CFH polypeptide to occur. CFH polypeptides may be secreted and isolated from a mixture of cells and medium containing the CFH polypeptides. Alternatively, the polypeptide may be retained cytoplasmically or in a membrane fraction and the cells harvested, lysed and the protein isolated. A cell culture includes host cells, media and other byproducts. Suitable media for cell culture are well known in the art. The polypeptide can be isolated from cell culture medium, host cells, or both using techniques known in the art for purifying proteins, including ion-exchange chromatography, gle filtration chromatography, ultrafiltration, electrophoresis, and immunoaffinity purification with antibodies specific for particular epitopes of the polypeptide. In a particular embodiment, the CFH polypeptide is a fusion protein containing a domain which facilitates the purification of the CFH polypeptide.

In another embodiment, a fusion gene coding for a purification leader sequence, such as a poly-(His)/enterokinase cleavage site sequence at the N-terminus of the desired portion of the recombinant CFH polypeptide, can allow purification of the expressed fusion protein by affinity chromatography using a Ni²⁺ metal resin. The purification leader sequence can then be subsequently removed by treatment with enterokinase to provide the purified polypeptide (e.g., see Hochuli et al., (1987) J. Chromatography 411:177; and Janknecht et al., PNAS USA 88:8972).

Techniques for making fusion genes are well known. Essentially, the joining of various DNA fragments coding for different polypeptide sequences is performed in accordance with conventional techniques, employing blunt-ended or stagger-ended termini for ligation, restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining, and enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers which give rise to complementary overhangs between two consecutive gene fragments which can subsequently be annealed to generate a chimeric gene sequence (see, for example, Current Protocols in Molecular Biology, eds. Ausubel et al., John Wiley & Sons: 1992).

5. Other therapeutic modalities

10

1.5

20

25

30

Antisense polynucleotides

In certain embodiments, the invention provides polynucleotides that comprise an antisense sequence that acts through an antisense mechanism for inhibiting expression of a variant CFH gene. Antisense technologies have been widely utilized to regulate gene expression (Buskirk et al., Chem Biol 11, 1157-63 (2004), and Weiss et al., Cell Mol Life Sci 55, 334-58 (1999)). As used herein, "antisense" technology refers to administration or in situ generation of molecules or their derivatives which specifically hybridize (e.g., bind) under cellular conditions, with the target nucleic acid of interest (mRNA and/or genomic DNA) encoding one or more of the target proteins so as to inhibit expression of that protein, e.g., by inhibiting transcription and/or translation, such as by steric hinderance, altering splicing, or inducing cleavage or other enzymatic inactivation of the transcript. The binding may be by conventional base pair complementarity, or, for example, in the

case of binding to DNA duplexes, through specific interactions in the major groove of the double helix. In general, "antisense" technology refers to the range of techniques generally employed in the art, and includes any therapy that relies on specific binding to nucleic acid sequences.

5

20

25

30

A polynucleotide that comprises an antisense sequence of the present invention can be delivered, for example, as a component of an expression plasmid which, when transcribed in the cell, produces a nucleic acid sequence that is complementary to at least a unique portion of the target nucleic acid. Alternatively, the polynacleotide that comprises an antisense sequence can be generated outside of the target cell, and which, when introduced into the target cell causes inhibition of expression by hybridizing with the target nucleic acid. Polynucleotides of the invention may be modified so that they are resistant to endogenous nucleases, e.g. exonucleases and/or endonucleases, and are therefore stable in vivo. Examples of nucleic acid molecules for use in polynucleotides of the invention are phosphoramidate, phosphothioate and methylphosphonate analogs of DNA (see also U.S. Pat. Nos. 5,176,996; 5,264,564; and 5,256,775). General approaches to constructing 15 polynucleotides useful in antisense technology have been reviewed, for example, by van der krol et al. (1988) Biotechniques 6:958-976; and Stein et al. (1988) Cancer Res 48:2659-2668.

Antisense approaches involve the design of polynucleotides (either DNA or RNA) that are complementary to a target nucleic acid encoding a variant CFH gene. The antisense polynucleotide may bind to an mRNA transcript and prevent translation of a protein of interest. Absolute complementarity, although preferred, is not required. In the case of double-stranded antisense polynucleotides, a single strand of the duplex DNA may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense sequence. Generally, the longer the hybridizing nucleic acid, the more base mismatches with a target nucleic acid it may contain and still form a stable duplex (or triplex, as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

Antisense polynucleotides that are complementary to the 5' end of an mRNA target, e.g., the 5' untranslated sequence up to and including the AUG initiation codon, should work most efficiently at inhibiting translation of the mRNA. However, sequences

complementary to the 3' untranslated sequences of mRNAs have recently been shown to be effective at inhibiting translation of mRNAs as well (Wagner, R. 1994. Nature 372:333). Therefore, antisense polynucleotides complementary to either the 5' or 3' untranslated, non-coding regions of a variant CFH gene could be used in an antisense approach to inhibit translation of a variant CFH mRNA. Antisense polynucleotides complementary to the 5' untranslated region of an mRNA should include the complement of the AUG start codon. Antisense polynucleotides complementary to mRNA coding regions are less efficient inhibitors of translation but could also be used in accordance with the invention. Whether designed to hybridize to the 5', 3', or coding region of mRNA, antisense polynucleotides should be at least six nucleotides in length, and are preferably less that about 100 and more preferably less than about 50, 25, 17 or 10 nucleotides in length.

Regardless of the choice of target sequence, it is preferred that in vitro studies are first performed to quantitate the ability of the antisense polynucleotide to inhibit expression of a variant CFH gene. It is preferred that these studies utilize controls that distinguish between antisense gene inhibition and nonspecific biological effects of antisense polynucleotide. It is also preferred that these studies compare levels of the target RNA or protein with that of an internal control RNA or protein. Additionally, it is envisioned that results obtained using the antisense polynucleotide are compared with those obtained using a control antisense polynucleotide. It is preferred that the control antisense polynucleotide is of approximately the same length as the test antisense polynucleotide and that the nucleotide sequence of the control antisense polynucleotide differs from the antisense sequence of interest no more than is necessary to prevent specific hybridization to the target sequence.

20

25

30

Polynucleotides of the invention, including antisense polynucleotides, can be DNA or RNA or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. Polynucleotides of the invention can be modified at the base moiety, sugar moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. Polynucleotides of the invention may include other appended groups such as peptides (e.g., for targeting host cell receptors), or agents facilitating transport across the cell membrane (see, e.g., Letsinger et al., 1989, Proc Natl Acad Sci. USA

86:6553-6556; Lemaitre et al., 1987, Proc Natl Acad Sci. USA 84:648-652; PCT Publication No. W088/09810, published Dec. 15, 1988) or the blood-brain barrier (see, e.g., PCT Publication No. W089/10134, published Apr. 25, 1988), hybridization-triggered cleavage agents. (See, e.g., Krol et al., 1988, BioTechniques 6:958-976) or intercalating agents. (See, e.g., Zon, Pharm. Res. 5:539-549 (1988)). To this end, a polynucleotide of the invention may be conjugated to another molecule, e.g., a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent, etc.

Polymucleotides of the invention, including antisense polymucleotides, may comprise at least one modified base mojety which is selected from the group including but not limited to 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetyleytosine, 5-(carboxyhydroxytriethyl) uracil, 5carboxymethylaminomethyl-2-thiouridine, 5- carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6- isopentenyladenine, 1methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5methylaminomethylaracil, 5-methoxyaminomethyl-2-thiouracil; beta-Dmannosylqueosine, 5-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5oxyacetic acid methyl ester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-20 3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

10

15

25

30

Polynucleotides of the invention may also comprise at least one modified sugar mojery selected from the group including but not limited to arabinose, 2-fluoroarabinose, xylulose, and hexose.

A polynucleotide of the invention can also contain a neutral peptide-like backbone. Such molecules are termed peptide nucleic acid (PNA)-oligomers and are described, e.g., in Perry-O'Keefe et al. (1996) Proc. Natl. Acad. Sci. USA 93:14670 and in Egiom et al. (1993) Nature 365:566. One advantage of PNA oligomers is their capability to bind to complementary DNA essentially independently from the ionic strength of the medium due to the neutral backbone of the DNA. In yet another embodiment, a polynucleotide of the invention comprises at least one modified phosphate backbone selected from the group consisting of a phosphorothioate, a phosphorodithioate, a phosphoramidothioate, a

phosphoramidate, a phosphortiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

In a further embodiment, polynucleotides of the invention, including antisense polynucleotides are -anomeric oligonucleotides. An -anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual -units, the strands run parallel to each other (Gautier et al., 1987, Nucl. Acids Res. 15:6625-6641). The oligonucleotide is a 2*-O-methylribonucleotide (Inoue et al., 1987, Nucl. Acids Res. 15:6131-6148), or a chimeric RNA-DNA analogue (Inoue et al., 1987, FEBS Lett. 215:327-330).

Polynucleotides of the invention, including antisense polynucleotides, may be synthesized by standard methods known in the art, e.g., by use of an automated DNA synthesizer (such as are commercially available from Bioscarch, Applied Biosystems, etc.). As examples, phosphorothicate oligonucleotides may be synthesized by the method of Stein et al. Nucl. Acids Res. 16:3209 (1988)), methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin et al., Proc. Null. Acad. Sci. USA 83:7448-7451 (1988)), etc.

10

20

25

30

While antisense sequences complementary to the coding region of an mRNA sequence can be used, those complementary to the transcribed untranslated region and to the region comprising the initiating methionine are most preferred.

Antisense polynucleotides can be delivered to cells that express target genes in vivo. A number of methods have been developed for delivering nucleic acids into cells; e.g., they can be injected directly into the tissue site, or modified nucleic acids, designed to target the desired cells (e.g., antisense polynucleotides linked to peptides or antibodies that specifically bind receptors or antigens expressed on the target cell surface) can be administered systematically.

However, it may be difficult to achieve intracellular concentrations of the antisense polynucleotides sufficient to attenuate the activity of a variant CFH gene or mRNA in certain instances. Therefore, another approach utilizes a recombinant DNA construct in which the antisense polynucleotide is placed under the control of a strong pol III or pol II promoter. The use of such a construct to transfect target cells in the patient will result in the transcription of sufficient amounts of antisense polynucleotides that will form

complementary base pairs with the variant CFH gene or mRNA and thereby attenuate the activity of CFH protein. For example, a vector can be introduced in vivo such that it is taken up by a cell and directs the transcription of an antisense polynucleotide that targets a variant CFH gene or mRNA. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense polynucleotide. Such vectors can be constructed by recombinant DNA technology methods standard in the art. Vectors can be plasmid, viral, or others known in the art, used for replication and expression in mammalian cells. A promoter may be operably linked to the sequence encoding the antisense polynucleotide. Expression of the sequence encoding the antisense polynucleotide can be by any promoter known in the art to act in mammalian, preferably human cells. Such promoters can be inducible or constitutive. Such promoters include but are not limited to: the SV40 early promoter region (Bernoist and Chambon, Nature 290:304-310 (1981)), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto et al., Cell 22:787-797 (1980)), the herpes thymidine kinase promoter (Wagner et al., Proc. Natl. Acad. Sci. USA 78:1441-1445 (1981)), the regulatory 15 sequences of the metallothionine gene (Brinster et al, Nature 296:3942 (1982)), etc. Any type of plasmid, cosmid, YAC or viral vector can be used to prepare the recombinant DNA construct that can be introduced directly into the tissue site. Alternatively, viral vectors can be used which selectively infect the desired tissue, in which case administration may be accomplished by another route (e.g., systematically).

RNAi constructs - siRNAs and miRNAs

20

25

RNA interference (RNAi) is a phenomenon describing double-stranded (ds)RNAdependent gene specific posttranscriptional silencing. Initial attempts to harness this phenomenon for experimental manipulation of mammalian cells were foiled by a robust and nonspecific antiviral defense mechanism activated in response to long dsRNA molecules. Gil et al. Apoptosis 2000, 5:107-114. The field was significantly advanced upon the demonstration that synthetic duplexes of 21 nucleotide RNAs could mediate gene specific RNAi in mammalian cells, without invoking generic antiviral defense mechanisms. Elbashir et al. Nature 2001, 411:494-498; Caplen et al. Proc Natl Acad Sci 2001, 98:9742-9747. As a result, small-interfering RNAs (siRNAs) and micro RNAs (miRNAs) have become powerful tools to dissect gene function. The chemical synthesis of small RNAs is one avenue that has produced promising results. Numerous groups have

also sought the development of DNA-based vectors capable of generating such siRNA within cells. Several groups have recently attained this goal and published similar strategies that, in general, involve transcription of short hairpin (sh)RNAs that are efficiently processed to form siRNAs within cells. Paddison et al. PNAS 2002, 99:1443-5148; Paddison et al. Genes & Dev 2002, 16:948-958; Sui et al. PNAS 2002, 8:5515-5520; and Brummelkamp et al. Science 2002, 296:550-553. These reports describe methods to generate siRNAs capable of specifically targeting numerous endogenously and exocenously expressed genes.

Accordingly, the present invention provides a polynucleotide comprising an RNAi sequence that acts through an RNAi or miRNA mechanism to attenuate expression of a variant CFH gene. For instance, a polynucleotide of the invention may comprise a miRNA or siRNA sequence that attenuates or inhibits expression of a variant CFH gene. In one embodiment, the miRNA or siRNA sequence is between about 19 nucleotides and about 75 nucleotides in length, or preferably, between about 25 base pairs and about 35 base pairs in length. In certain embodiments, the polynucleotide is a hairpin loop or stem-loop that may be processed by RNAse enzymes (e.g., Drosha and Dicer).

10

2.5

30

An RNAi construct contains a nucleotide sequence that hybridizes under physiologic conditions of the cell to the nucleotide sequence of at least a portion of the mRNA transcript for a variant CFH gene. The double-stranded RNA need only be sufficiently similar to natural RNA that it has the ability to mediate RNAi. The number of tolerated nucleotide mismatches between the target sequence and the RNAi construct sequence is no more than 1 in 5 basepairs, or 1 in 10 basepairs, or 1 in 20 basepairs, or 1 in 50 basepairs. It is primarily important the that RNAi construct is able to specifically target a variant CFH gene. Mismatches in the center of the siRNA duplex are most critical and may essentially abolish cleavage of the target RNA. In contrast, nucleotides at the 3' end of the siRNA strand that is complementary to the target RNA do not significantly contribute to specificity of the target recognition.

Sequence identity may be optimized by sequence comparison and alignment algorithms known in the art (see Gribskov and Devereux, Sequence Analysis Primer, Stockton Press, 1991, and references cited therein) and calculating the percent difference between the nucleotide sequences by, for example, the Smith-Waterman algorithm as implemented in the BESTFIT software program using default parameters (e.g., University

of Wisconsin Genetic Computing Group). Greater than 90% sequence identity, or even 100% sequence identity, between the inhibitory RNA and the portion of the target gene is preferred. Alternatively, the duplex region of the RNA may be defined functionally as a nucleotide sequence that is capable of hybridizing with a portion of the target gene transcript (e.g., 400 mM NaCl, 40mM PIPES pH 6.4, 1 mM EDTA, 50 °C or 70 °C hybridization for 12-16 hours: followed by washing).

Production of polynucleotides comprising RNAi sequences can be carried out by any of the methods for producing polynucleotides described herein. For example, polynnelcotides comprising RNAi sequences can be produced by chemical synthetic methods or by recombinant nucleic acid techniques. Endogenous RNA polymerase of the treated cell may mediate transcription in vivo, or cloned RNA polymerase can be used for transcription in vitro. Polynucleotides of the invention, including wildtype or antisense polynucleotides, or those that modulate target gene activity by RNAi mechanisms, may include modifications to either the phosphate-sugar backbone or the nucleoside, e.g., to reduce susceptibility to cellular nucleases, improve bioavailability, improve formulation characteristics, and/or change other pharmacokinetic properties. For example, the phosphodiester linkages of natural RNA may be modified to include at least one of a nitrogen or sulfur heteroatom. Modifications in RNA structure may be tailored to allow specific genetic inhibition while avoiding a general response to dsRNA. Likewise, bases may be modified to block the activity of adenosine deaminase. Polynucleotides of the invention may be produced enzymatically or by partial/total organic synthesis, any modified ribonucleotide can be introduced by in vitro enzymatic or organic synthesis.

10

15

20

Methods of chemically modifying RNA molecules can be adapted for modifying RNAi constructs (see, for example, Heidenreich et al. (1997) Nucleic Acids Res, 25:776-25 780; Wilson et al. (1994) J Mol Recog 7:89-98; Chen et al. (1995) Nucleic Acids Res 23:2661-2668; Hirschbein et al. (1997) Antisense Nucleic Acid Drug Dev 7:55-61). Merely to illustrate, the backbone of an RNAi construct can be modified with phosphorothioates, phosphoramidate, phosphordithioates, chimeric methylphosphonate-phosphodiesters, peptide nucleic acids, 5-propynyl-pyrimidine containing of gomers or sugar modifications (e.g., 2"-substituted ribonucleosides, a-configuration).

The double-stranded structure may be formed by a single self-complementary RNA strand or two complementary RNA strands. RNA duplex formation may be initiated either

inside or outside the cell. The RNA may be introduced in an amount which allows delivery of at least one copy per cell. Higher doses (e.g., at least 5, 10, 100, 500 or 1000 copies per cell) of double-stranded material may yield more effective inhibition, while lower doses may also be useful for specific applications. Inhibition is sequence-specific in that nucleotide sequences corresponding to the duplex region of the RNA are targeted for genetic inhibition.

In certain embodiments, the subject RNAi constructs are "siRNAs." These nucleic acids are between about 19-35 nucleotides in length, and even more preferably 21-23 nucleotides in length, e.g., corresponding in length to the fragments generated by nuclease "dicing" of longer double-stranded RNAs. The siRNAs are understood to recruit nuclease complexes and guide the complexes to the target mRNA by pairing to the specific sequences. As a result, the target mRNA is degraded by the nucleases in the protein complex or translation is inhibited. In a particular embodiment, the 21-23 nucleotides siRNA molecules comprise a 3' hydroxyl group.

15

20

30

In other embodiments, the subject RNAi constructs are "miRNAs." microRNAs (miRNAs) are small non-coding RNAs that direct post transcriptional regulation of gene expression through interaction with homologous mRNAs. miRNAs control the expression of genes by binding to complementary sites in target mRNAs from protein coding genes. miRNAs are similar to siRNAs. miRNAs are processed by sucleolytic cleavage from larger double-stranded precursor molecules. These precursor molecules are often hairpin structures of about 70 nucleotides in length, with 25 or more nucleotides that are basepaired in the hairpin. The RNAse III-like enzymes Drosha and Dicer (which may also be used in siRNA processing) cleave the miRNA precursor to produce an miRNA. The processed miRNA is single-stranded and incorporates into a protein complex, termed RISC or miRNP. This RNA-protein complex targets a complementary mRNA. miRNAs inhibit translation or direct cleavage of target mRNAs. (Brennecke et al., Genome Biology 4:228 (2003); Kim et al., Mol. Cells 19:1-15 (2005).

In certain embodiments, miRNA and siRNA constructs can be generated by processing of longer double-stranded RNAs, for example, in the presence of the enzymes Dicer or Drosha. Dicer and Drosha are RNAse III-like nucleases that specifically cleave dsRNA. Dicer has a distinctive structure which includes a helicase domain and dual RNAse III motifs. Dicer also contains a region of homology to the

RDEI/QDE2/ARGONAUTE family, which have been genetically linked to RNAi in lower cutaryotes. Indeed, activation of, or overexpression of Dicer may be sufficient in many cases to permit RNA interference in otherwise non-receptive cells, such as cultured cutaryotic cells, or mammalian (non-occytic) cells in culture or in whole organisms.

Methods and compositions employing Dicer, as well as other RNAi enzymes, are described in U.S. Pat. App. Publication No. 2004/0986884.

5

10

1.5

25

30

In one embodiment, the Drosophila in vitro system is used. In this embodiment, a polymelecticle comprising an RNAi sequence or an RNAi precursor is combined with a soluble extract derived from Drosophila embryo, thereby producing a combination. The combination is maintained under conditions in which the dsRNA is processed to RNA molecules of about 2.1 to about 2.3 nucleotides.

The miRNA and siRNA molecules can be purified using a number of techniques known to those of skill in the art. For example, gel electrophoresis can be used to purify such molecules. Alternatively, non-denaturing methods, such as non-denaturing column chromatography, can be used to purify the siRNA and miRNA molecules. In addition, chromatography (e.g., size exclusion chromatography), glycerol gradient centrifugation, affinity purification with artibody can be used to purify siRNAs and miRNAs.

In certain embodiments, at least one strand of the siRNA sequence of an effector domain has a 3' overhang from about 1 to about 6 nucleotides in length, or from 2 to 4 nucleotides in length. In other embodiments, the 3' overhangs are 1-3 nucleotides in length. In certain embodiments, one strand has a 3' overhang and the other strand is either blunt-ended or also has an overhang. The length of the overhangs may be the same or different for each strand. In order to further enhance the stability of the siRNA sequence, the 3' overhangs can be stabilized against degradation. In one embodiment, the RNA is stabilized by including purine nucleotides, such as adenosine or guanosine nucleotides. Alternatively, substitution of pyrimidine nucleotides by modified analogues, e.g., substitution of uridine nucleotide 3' overhangs by 2'-deoxythyinidine is tolerated and does not affect the efficiency of RNAi. The absence of a 2' hydroxyl significantly enhances the nuclease resistance of the overhang in tissue culture medium and may be beneficial in vivo.

In certain embodiments, a polynacleotide of the invention that comprises an RNAi sequence or an RNAi precursor is in the form of a hairpin structure (named as hairpin RNA). The hairpin RNAs can be synthesized exogenously or can be formed by

transcribing from RNA polymerase III promoters in vivo. Examples of making and using such hairpin RNAs for gene silencing in mammalian cells are described in, for example, Paddison et al., Genes Dev, 2002, 16:948-58; McCaffrey et al., Nature, 2002, 418:38-9; McManus et al., RNA 2002, 8:842-50; Yu et al., Proc Natl Acad Sci USA, 2002, 99:6047-52). Preferably, such hairpin RNAs are engineered in cells or in an animal to ensure continuous and stable suppression of a desired gene. It is known in the art that miRNAs and siRNAs can be produced by processing a hairpin RNA in the cell.

In yet other embodiments, a plasmid is used to deliver the double-stranded RNA, e.g., as a transcriptional product. After the coding sequence is transcribed, the complementary RNA transcripts base-pair to form the double-stranded RNA.

Aptamers and small molecules

10

The present invention also provides therapeutic aptamers that specifically bind to variant CFH polypeptides that are associated with AMD, thereby modulating activity of the variant CFH polypeptide. An "aptamer" may be a nucleic acid molecule, such as RNA or DNA that is capable of binding to a specific molecule with high affinity and specificity 15 (Ellington et al., Nature 346, 818-22 (1990); and Tuerk et al., Science 249, 505-10 (1990)). An aptamer will most typically have been obtained by in vitro selection for binding of a target molecule. For example, an aptamer that specifically binds a variant CFH polypeptide can be obtained by in vitro selection for binding to a variant CFH polypeptide from a pool of polynucleotides. However, in vivo selection of an aptamer is also possible. 20 Aptamers have specific binding regions which are capable of forming complexes with an intended target molecule in an environment wherein other substances in the same environment are not complexed to the nucleic acid. The specificity of the binding is defined in terms of the comparative dissociation constants (Kd) of the aptamer for its ligand (e.g., a variant CFH polypeptide) as compared to the dissociation constant of the 25 aptamer for other materials in the environment or unrelated molecules in general. A ligand (e.g., a variant CFH polypeptide) is one which binds to the aptamer with greater affinity than to unrelated material. Typically, the Kd for the aptamer with respect to its ligand will be at least about 10-fold less than the Kd for the aptamer with unrelated material or accompanying material in the environment. Even more preferably, the Kd will be at least about 50-fold less, more preferably at least about 100-fold less, and most preferably at least about 200-fold less. An aptamer will typically be between about 10 and about 300

nucleotides in length. More commonly, an aptamer will be between about 30 and about 100 nucleotides in length.

Methods for selecting aptamers specific for a target of interest are known in the art. For example, organic molecules, nucleotides, amino acids, polypeptides, target features on cell surfaces, ions, metals, salts, saccharides, have all been shown to be suitable for isolating aptamers that can specifically bind to the respective ligand. For instance, organic dyes such as Hoechst 33258 have been successfully used as target ligands for in vitro aptamer selections (Werstuck and Green, Science 282:296-298 (1998)). Other small organic molecules like dopamine, theophylline, sulforhodamine B, and cellobiose have also been used as ligands in the isolation of aptamers. Aptamers have also been isolated for antibiotics such as kanamycin A, lividomycin, tobramycin, neomycin B, viomycin, chloramphenicol and streptomycin. For a review of aptamers that recognize small molecules, see Farmulok, Science 9:324-9 (1999).

10

15

30

Pat. No. 5,756,291.

An aptamer of the invention can be comprised entirely of RNA. In other embodiments of the invention, however, the aptamer can instead be comprised entirely of DNA, or partially of DNA, or partially of other nucleotide analogs. To specifically inhibit translation in vivo, RNA aptamers are preferred. Such RNA aptamers are preferably introduced into a cell as DNA that is transcribed into the RNA aptamer. Alternatively, an RNA aptamer itself can be introduced into a cell.

Aptamers are typically developed to bind particular ligands by employing known in vivo or in vitro (most typically, in vitro) selection techniques known as SELEX (Ellington et al., Nature 346, 818-22 (1990); and Tuerk et al., Science 249, 505-10 (1990)). Methods of making aptamers are also described in, for example, U.S. Pat. No. 5,582,981, PCT Publication No. WO 00/20040, U.S. Pat. No. 5,270,163, Lorsch and Szostak, Biochemistry, 33:973 (1994), Mannironi et al., Biochemistry 36:9726 (1997), Elind, Proc. Nat'l. Acad. Sci. USA 96:3606-3610 (1999), Huizenga and Szostak, Biochemistry, 34:656-665 (1995), PCT Publication Nos. WO 99/54506, WO 99/27133, WO 97/42317 and U.S.

Generally, in their most basic form, in vitro selection techniques for identifying aptamers involve first preparing a large pool of DNA molecules of the desired length that contain at least some region that is randomized or mutagenized. For instance, a common oligonucleotide pool for aptamer selection might contain a region of 20-100 randomized

nucleotides flanked on both ends by an about 15-25 nucleotide long region of defined sequence useful for the binding of PCR primers. The oligonucleotide pool is amplified using standard PCR techniques, although any means that will allow faithful, efficient amplification of selected nucleic acid sequences can be employed. The DNA pool is then in vitro transcribed to produce RNA transcripts. The RNA transcripts may then be subjected to affinity chromatography, although any protocol which will allow selection of nucleic acids based on their ability to bind specifically to another molecule (e.g., a protein or any target molecule) may be used. In the case of affinity chromatography, the transcripts are most typically passed through a column or contacted with magnetic beads or the like on which the target ligand has been immobilized. RNA molecules in the pool which bind to the ligand are retained on the column or bead, while nonbinding sequences are washed away. The RNA molecules which bind the ligand are then reverse transcribed and amplified again by PCR (usually after elution). The selected pool sequences are then put through another round of the same type of selection. Typically, the pool sequences are put through a total of about three to ten iterative rounds of the selection procedure. The cDNA is then amplified, cloned, and sequenced using standard procedures to identify the sequence of the RNA molecules which are capable of acting as aptamers for the target ligand. Once an aptamer sequence has been successfully identified, the aptamer may be further optimized by performing additional rounds of selection starting from a pool of oligonucleotides comprising the mutagenized aptamer sequence. For use in the present invention, the aptamer is preferably selected for ligand binding in the presence of salt concentrations and temperatures which mimic normal physiological conditions.

10

20

The unique nature of the in vitro selection process allows for the isolation of a suitable aptamer that binds a desired ligand despite a complete dearth of prior knowledge as to what type of structure might bind the desired ligand.

The association constant for the aptamer and associated ligand is preferably such that the ligand functions to bind to the aptamer and have the desired effect at the concentration of ligand obtained upon administration of the ligand. For in vivo use, for example, the association constant should be such that binding occurs well below the concentration of ligand that can be achieved in the serum or other tissue. Preferably, the required ligand concentration for in vivo use is also below that which could have undesired effects on the organism.

The present invention also provides small molecules and antibodies that specifically bind to a variant CFH polypeptide that is associated with AMD, thereby inhibiting the activity of a variant CFH polypeptide. Examples of small molecules include, without limitation, drugs, metabolites, intermediates, cofactors, transition state analogs, ions, metals, toxins and natural and synthetic polymers (e.g., proteins, peptides, nucleic acids, polysaccharides, glycoproteins, hormones, receptors and cell surfaces such as cell walls and cell membranes).

Antibodies

10

15

20

25

30

Another aspect of the invention pertains to antibodies. In one embodiment, an antibody that is specifically reactive with a variant CFH polypeptide may be used to detect the presence of a variant CFH polypeptide or to inhibit activity of a variant CFH polypeptide. For example, by using immunogens derived from a variant CFH peptide, anti-protein/anti-peptide antisera or monoclonal antibodies can be made by standard protocols (see, for example, Antibodies: A Laboratory Manual ed. by Harlow and Lane (Cold Spring Harbor Press: 1988)). A mammal, such as a mouse, a hamster or rabbit can be immunized with an immunogenic form of the variant CFH peptide, an antigenic fragment which is capable of eliciting an antibody response, or a fusion protein. In a particular embodiment, the inoculated mouse does not express endogenous CFH, thus facilitating the isolation of antibodies that would otherwise be eliminated as anti-self antibodies. Techniques for conferring immunogenicity on a protein or peptide include conjugation to carriers or other techniques well known in the art. An immunogenic portion of a variant CFH peptide can be administered in the presence of adjuvant. The progress of immunization can be monitored by detection of antibody titers in plasma or serum. Standard ELISA or other immunoassays can be used with the immunogen as antigen to assess the levels of antibodies.

Following immunization of an animal with an antigenic proparation of a variant CFH polypeptide, antisera can be obtained and, if desired, polyclonal antibodies can be isolated from the serum. To produce monoclonal antibodies, antibody-producing cells (lymphocytes) can be harvested from an immunized animal and fused by standard somatic cell fusion procedures with immortalizing cells such as myeloma cells to yield hybridoma cells. Such techniques are well known in the art, and include, for example, the hybridoma

technique (originally developed by Kohler and Milstein, (1975) Nature, 256: 495-497), the human B cell hybridoma technique (Kozbar et al., (1983) Immunology Today, 4: 72), and the EBV-hybridoma technique to produce human monoclonal antibodies (Cole et al., (1985) Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, Inc. pp. 77-96). Hybridoma cells can be screened immunochemically for production of antibodies specifically reactive with a variant CFH polypeptide and monoclonal antibodies isolated from a culture comprising such hybridoma cells.

The term "antibody" as used herein is intended to include fragments thereof which are also specifically reactive with a variant CFH polypeptide. Antibodies can be fragmented using conventional techniques and the fragments screened for utility in the same manner as described above for whole antibodies. For example, F(ab)2 fragments can be generated by treating antibody with pepsin. The resulting F(ab)2 fragment can be treated to reduce disulfide bridges to produce Fab fragments. The antibody of the present invention is further intended to include bispecific, single-chain, and chimneric and humanized molecules having affinity for a variant CFH polypeptide conferred by at least one CDR region of the antibody. In preferred embodiments, the antibody further comprises a label attached thereto and able to be detected (e.g., the label can be a radioisotope, fluorescent compound, onzyme or enzyme co-factor).

In certain embodiments, an antibody of the invention is a monoclonal antibody, and in certain embodiments, the invention makes available methods for generating novel antibodies that bind specifically to variant CFH polypeptides. For example, a method for generating a monoclonal antibody that binds specifically to a variant CFH polypeptide may comprise administering to a mouse an amount of an immunogenie composition comprising the CFH polypeptide effective to stimulate a detectable immune response, obtaining antibody-producing cells (e.g., cells from the spleen) from the mouse and fusing the antibody-producing cells with myeloma cells to obtain antibody-producing hybridomas, and testing the antibody-producing hybridomas to identify a hybridoma that produces a monocolonal antibody that binds specifically to the variant CFH polypeptide. Once obtained, a hybridoma can be propagated in a cell culture, optionally in culture conditions where the hybridoma-derived cells produce the monoclonal antibody that binds specifically to the CFH polypeptide. The monoclonal antibody may be purified from the cell culture.

20

25

30

The term "specifically reactive with" as used in reference to an antibody is intended to mean, as is generally understood in the art, that the antibody is sufficiently selective between the antigen of interest (e.g., a variant CFH polypeptide) and other antigens that are not of interest that the antibody is useful for, at minimum, detecting the presence of the antigen of interest in a particular type of biological sample. In certain methods employing the antibody, such as therapeutic applications, a higher degree of specificity in binding may be desirable. Monoclonal antibodies generally have a greater tendency (as compared to polyclonal antibodies) to discriminate effectively between the desired antigens and cross-reacting polypeptides. One characteristic that influences the specificity of an antibody:antigen interaction is the affinity of the antibody for the antigen. Although the desired specificity may be reached with a range of different affinities, generally preferred antibodies will have an affinity (a dissociation constant) of about 10°4, 10°7, 10°4, 10°9 or less.

In addition, the techniques used to screen antibodies in order to identify a desirable antibody may influence the properties of the antibody obtained. For example, if an antibody is to be used for binding an antigen in solution, it may be desirable to test solution binding. A variety of different techniques are available for testing interaction between antibodies and antigens to identify particularly desirable antibodies. Such techniques include ELISAs, surface plasmon resonance binding assays (e.g., the Biacore binding assay, Bia-core AB, Uppsala, Sweden), sandwich assays (e.g., the paramagnetic bead system of IGEN International, Inc., Gaithersburg, Maryland), western blots, immunoprecipitation assays, and immunopristochemistry.

Screening Assays

10

15

20

In certain aspects, the present invention relates to the use of CFH polypeptides to
identify compounds (agents) which are agonist or antagonists of CFH polypeptides.
Compounds identified through this screening can be tested in cells of the eye, (e.g.,
epithelial and endothelial cells) as well as other tissues (e.g., muscle and/or neurons) to
assess their ability to modulate CFH activity in vivo or in viro. In certain aspects,
compounds identified through this screening modulate the formation of drusen deposits.

Optionally, these compounds can further be tested in animal models to assess their ability
to modulate CFH activity in vivo.

There are numerous approaches to screening for therapeutic agents that target CFH polypeptides. In certain embodiments, high-throughput screening of compounds can be carried out to identify agents that affect activity of CFH polypeptides. A variety of assay formats will suffice and, in light of the present disclosure, those not expressly described herein will nevertheless be comprehended by one of ordinary skill in the art. As described herein, the test compounds (agents) of the invention may be created by any combinatorial chemical method. Alternatively, the subject compounds may be naturally occurring biomolecules synthesized in vivo or in vitro. Compounds (agents) to be tested for their ability to act as modulators of CFH activity can be produced, for example, by bacteria, yeast, plants or other organisms (e.g., natural products), produced chemically (e.g., small molecules, including peptidomimetics), or produced recombinantly. Test compounds contemplated by the present invention include non-peptidyl organic molecules, peptides, polypeptides, peptidomimetics, sugars, homnones, and nucleic acid molecules.

The test compounds of the invention can be provided as single, discrete entities, or provided in libraries of greater complexity, such as made by combinatorial chemistry. These libraries can comprise, for example, alcohols, alkyl halides, amines, amides, esters, aidehydes, ethers and other classes of organic compounds. Presentation of test compounds to the test system can be in either an isolated form or as mixtures of compounds, especially in initial screening steps. Optionally, the compounds may be optionally derivatized with other compounds and have derivatizing groups that facilitate isolation of the compounds. Non-limiting examples of derivatizing groups include biotin, fluorescein, digoxygenin, green fluorescent protein, isotopes, polyhistidine, magnetic beads, glutathione S transferase (GST), photoactivatible crosslinkers or any combinations thereof.

15

20

25

30

In many drug screening programs which test libraries of compounds and natural extracts, high throughput assays are desirable in order to maximize the number of compounds surveyed in a given period of time. Assays which are performed in cell-free systems, such as may be derived with purified or semi-purified proteins, are often preferred as "primary" screens in that they can be generated to permit rapid development and relatively easy detection of an alteration in a molecular target which is mediated by a test compound. Moreover, the effects of cellular toxicity or bioavailability of the test compound can be generally ignored in the in vitro system, the assay instead being focused primarily on the effect of the drug on the molecular target.

In certain embodiments, the subject compounds are identified by their ability to interact with a CFH polypeptide of the invention. The interaction between the compound and the CFH polypeptide may be covalent or non-covalent. For example, such interaction can be identified at the protein level using in vitro biochemical methods, including photocrosslinking, radiolabeled ligand binding, and affinity chromatography (Jakoby WB et al., 1974, Methods in Enzymology 46:1). In certain cases, the compounds may be screened in a mechanism based assay, such as an assay to detect compounds which bind to a CFH polypeptide. This may include a solid phase or fluid phase binding event. Alternatively, the gene encoding a CFH polypeptide can be transfected with a reporter system (e.g., \$galactosidase, luciferase, or green fluorescent protein) into a cell and screened against the library preferably by a high throughput screening or with individual members of the library. Other mechanism based binding assays may be used, for example, binding assays which detect changes in free energy. Binding assays can be performed with the target fixed to a well, bead or chip or captured by an immobilized antibody or resolved by capillary electrophoresis. The bound compounds may be detected usually using colorimetric or fluorescence or surface plasmon resonance.

7. Pharmaceutical Compositions

5

10

20

25

30

The methods and compositions described herein for treating a subject suffering from AMD may be used for the prophylactic treatment of individuals who have been diagnosed or predicted to be at risk for developing AMD. In this case, the composition is administered in an amount and dose that is sufficient to delay, slow, or prevent the onset of AMD or related symptoms. Alternatively, the methods and compositions described herein may be used for the therapeutic treatment of individuals who suffer from AMD. In this case, the composition is administered in an amount and dose that is sufficient to delay or slow the progression of the condition, totally or partially, or in an amount and dose that is sufficient to reverse the condition to the point of eliminating the disorder. It is understood that an effective amount of a composition for treating a subject who has been diagnosed or predicted to be at risk for developing AMD is a dose or amount that is in sufficient quantities to treat a subject or to treat the disorder itself.

In certain embodiments, compounds of the present invention (e.g., an isolated or recombinantly produced nucleic acid molecule coding for a CFH polypeptide or an isolated or recombinantly produced CFH polypeptide) are formulated with a pharmaceutically

acceptable carrier. For example, a CFH polypeptide or a nucleic acid molecule coding for a CFH polypeptide can be administered alone or as a component of a pharmaceutical formulation (therapeutic composition). The subject compounds may be formulated for administration in any convenient way for use in human medicine.

5

25

30

In certain embodiments, the therapeutic methods of the invention include administering the composition topically, systemically, or locally. For example, therapeutic compositions of the invention may be formulated for administration by, for example, injection (e.g., intravenously, subcutaneously, or intramuscularly), inhalation or insufflation (either through the mouth or the nose) or oral, buccal, sublingual, transdermal, uasal, or parenteral administration. The compositions described herein may be formulated as part of an implant or device. When administered, the therapeutic composition for use in this invention is in a pyrogen-free, physiologically acceptable form. Further, the composition may be encapsulated or injected in a viscous form for delivery to the site where the target cells are present, such as to the cells of the eye. Techniques and formulations generally may be found in Remington's Pharmaceutical Sciences, Meade Publishing Co., Easton, PA. In addition to CFH polypeptides or nucleic acid molecules coding for CFH polypeptides, therapcutically useful agents may optionally be included in any of the compositions as described above. Furthermore, therapeutically useful agents may, alternatively or additionally, be administered simultaneously or sequentially with CFH polypeptides or nucleic acid molecules coding for CFH polypeptides according to the methods of the invention.

In certain embodiments, compositions of the invention can be administered orully, e.g., in the form of capsules, cachets, pills, tablets, lozenges (using a flavored basis, usually sucrose and acacia or tragacanth), powders, granules, or as a solution or a suspension in an aqueous or non-aqueous liquid, or as an oil-in-water or water-in-oil liquid emulsion, or as an elixir or syrup, or as pastilles (using an inert base, such as gelatin and glycerin, or sucrose and acacia) and/or as mouth washes and the like, each containing a predetermined amount of an agent as an active ingredient. An agent may also be administered as a bolus, electuary or paste.

In solid dosage forms for oral administration (capsules, tablets, pills, dragges, powders, granules, and the like), one or more therapeutic compounds of the present invention may be mixed with one or more pharmaceutically acceptable carriers, such as

sodium citrate or dicalcium phosphate, and/or any of the following: (1) fillers or extenders, such as starches, lactose, sucrose, glucose, mannitol, and/or silicic acid; (2) binders, such as, for example, carboxymethylcellulose, alginates, gelatin, polyvinyl pyrrolidone, sucrose, and/or acacia; (3) humectants, such as glycerol; (4) disintegrating agents, such as agaragar, calcium carbonate, potato or tapioca starch, alginic acid, certain silicates, and sodium carbonate; (5) solution retarding agents, such as paraffin; (6) absorption accelerators, such as quaternary ammonium compounds; (7) wetting agents, such as, for example, cetyl alcohol and glycerol monostearate; (8) absorbents, such as kaolin and bentonite clay; (9) lubricants, such a tale, calcium stearate, magnesium stearate, solid polyethylene glycols, sodium lauryl sulfate, and mixtures thereof, and (10) coloring agents. In the case of capsules, tablets and pills, the pharmaceutical compositions may also comprise buffering agents. Solid compositions of a similar type may also be employed as fillers in soft and hard-filled gelatin capsules using such excipients as lactose or milk sugars, as well as high molecular weight polyethylene glycols and the like.

10

15

20

25

30

Liquid dosage forms for oral administration include pharmaceutically acceptable emulsions, microemulsions, solutions, suspensions, sytups, and elixirs. In addition to the active ingredient, the liquid dosage forms may contain inert diluents commonly used in the art, such as water or other solvents, solubilizing agents and emulsifiers, such as ethyl alcohol, isopropyl alcohol, ethyl carbonate, ethyl acatac, benzyl alcohol, benzyl benzoate, propylene glycol, 1,3-butylene glycol, oils (in particular, cottonseed, groundnut, corn, germ, olive, castor, and sesame oils), glycerol, tetrahydrofuryl alcohol, polyethylene glycols and fatty acid esters of sorbitan, and mixtures thereof. Besides inert diluents, the oral compositions can also include adjuvants such as wetting agents, emulsifying and suspending agents, sweetening, flavoring, coloring, perfuming, and preservative agents.

Suspensions, in addition to the active compounds, may contain suspending agents such as ethoxylated isostearyl alcohols, polyoxyethylene sorbitol, and sorbitan esters, microcrystalline cellulose, aluminum metahydroxide, bentonite, agar-agar and tragacanth, and mixtures thereof.

Certain compositions disclosed herein may be administered topically, either to skin or to mucosal membranes. The topical formulations may further include one or more of the wide variety of agents known to be effective as skin or stratum corneum penetration enhancers. Examples of these are 2-pyrrolidone, N-methyl-2-pyrrolidone,

dimethylacetamide, dimethylformamide, propylene glycol, methyl or isopropyl alcohol, dimethyl sulfoxide, and azone. Additional agents may further be included to make the formulation cosmetically acceptable. Examples of these are fats, waxes, oils, dyes, fragrances, preservatives, stabilizers, and surface active agents. Keratolytic agents such as those known in the art may also be included. Examples are salicylic acid and sulfur.

Dosage forms for the topical or transdermal administration include powders, sprays, ointments, pastes, creams, lotions, gels, solutions, patches, and inhalants. The active compound may be mixed under sterile conditions with a pharmaceutically acceptable carrier, and with any preservatives, buffers, or propellants which may be required. The ointments, pastes, creams and gels may contain, in addition to a subject compound of the invention (e.g., an isolated or recombinantly produced nucleic acid molecule coding for a CFH polypeptide or an isolated or recombinantly produced CFH polypeptide), excipients, such as animal and vegetable fats, oils, waxes, paraffins, starch, tragacanth, cellulose derivatives, polyethylene glycols, silicones, bentonites, silicic acid, talc and zinc oxide, or mixtures thereof.

Powders and sprays can contain, in addition to a subject compound, excipients such as lactose, tale, silicic acid, aluminum hydroxide, calcium silicates, and polyamide powder, or mixtures of these substances. Sprays can additionally contain customary propellants, such as chlorofluorohydrocarbons and volatile insubstituted hydrocarbons, such as butane and propane.

15

20

25

30

It is understood that the dosage regimen will be determined for an individual, taking into consideration, for example, various factors which modify the action of the subject compounds of the invention (e.g., an isolated or recombinantly produced nucleic acid molecule coding for a CFH polypeptide or an isolated or recombinantly produced CFH polypeptide), the severity or stage of AMD, route of administration, and characteristics unique to the individual, such as age, weight, and size. A person of ordinary skill in the art is able to determine the required dosage to treat the subject. In one embodiment, the dosage can range from about 1.0 ng/kg to about 100 mg/kg body weight of the subject. Based upon the composition, the dose can be delivered continuously, or at periodic intervals. For example, on one or more separate occasions. Desired time intervals of multiple doses of a particular composition can be determined without undue experimentation by one skilled in the art. For example, the compound may be delivered

hourly, daily, weekly, monthly, yearly (e.g. in a time release form) or as a one time delivery.

5

20

25

30

In certain embodiments, pharmaceutical compositions suitable for parenteral administration may comprise a CFH polypeptide or a nucleic acid molecule coding for a CFH polypeptide in combination with one or more pharmaceutically acceptable sterile isotonic aqueous or nonaqueous solutions, dispersions, suspensions or emulsions, or sterile powders which may be reconstituted into sterile injectable solutions or dispersions just prior to use, which may contain antioxidants, buffers, bacteriostats, solutes which render the formulation isotonic with the blood of the intended recipient or suspending or thickening agents. Examples of suitable aqueous and nonaqueous carriers which may be employed in the pharmaceutical compositions of the invention include water, ethanol, polyois (such as glycerol, propylene glycol, polyethylene glycol, and the like), and suitable mixtures thereof, vegetable oils, such as olive oil, and injectable organic esters, such as ethyl oleate. Proper fluidity can be maintained, for example, by the use of coating materials, such as locithin, by the maintenance of the required particle size in the case of 15 dispersions, and by the use of surfactants.

The compositions of the invention may also contain adjuvants, such as preservatives, wetting agents, emulsifying agents and dispersing agents. Prevention of the action of microorganisms may be ensured by the inclusion of various antibacterial and antifungal agents, for example, paraben, chlorobutanol, phenol sorbic acid, and the like. It may also be desirable to include isotonic agents, such as sugars, sodium chloride, and the like into the compositions. In addition, prolonged absorption of the injectable pharmaceutical form may be brought about by the inclusion of agents which delay absorption, such as aluminum monostearate and gelatin.

In certain embodiments, the present invention also provides gene therapy for the in vivo production of CFH polypeptides. Such therapy would achieve its therapeutic effect by introduction of CFH polymicleotide sequences into cells or tissues that are deficient for normal CFH function. Delivery of CFH polynucleotide sequences can be achieved using a recombinant expression vector such as a chimeric virus or a colloidal dispersion system. Targeted liposomes may also be used for the therapeutic delivery of CFH polynucleotide sequences.

Various viral vectors which can be utilized for gene therapy as taught herein include adenovirus, herpes virus, vaccinia, or an RNA virus such as a retrovirus. A retroviral vector may be a derivative of a murine or avian retrovirus. Examples of retroviral vectors in which a single foreign gene can be inserted include, but are not limited to: Moloney murine leukemia virus (MoMuLV), Harvey murine sarcoma virus (HaMuSV), murine mammary tumor virus (MuMTV), and Rous Sarcoma Virus (RSV). A number of additional retroviral vectors can incorporate multiple genes. All of these vectors can transfer or incorporate a gene for a selectable marker so that transduced cells can be identified and generated. Retroviral vectors can be made target-specific by attaching, for example, a sugar, a glycolipid, or a protein. Preferred targeting is accomplished by using an antibody. Those of skill in the art will recognize that specific polynucleotide sequences can be inserted into the retroviral genome or attached to a viral envelope to allow target specific delivery of the retroviral vector containing the CFH polynucleotide. In one preferred embodiment, the vector is targeted to cells or tissues of the eye.

Alternatively, tissue culture cells can be directly transfected with plasmids encoding the retroviral structural genes gag, pol and env, by conventional calcium phosphate transfection. These cells are then transfected with the vector plasmid containing the genes of interest. The resulting cells release the retroviral vector into the culture medium.

15

20

Another targeted delivery system for CFH polynucleotides is a colloidal dispersion system. Colloidal dispersion systems include macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. The preferred colloidal system of this invention is a liposome. Liposomes are artificial membrane vesicles which are useful as delivery vehicles in vitro and in vivo. RNA, DNA and intact virions can be encapsulated within the aqueous interior and be delivered to cells in a biologically active form (see e.g., Fraley, et al., Trends Biochem. Sci., 6:77, 1981). Methods for efficient gene transfer using a liposome vehicle, are known in the art, see e.g., Mannino, et al., Biotechniques, 6:682, 1988. The composition of the liposome is usually a combination of phospholipids, usually in combination with steroids, especially cholesterol. Other phospholipids or other lipids may also be used. The physical characteristics of liposomes depend on pH, ionic strength, and the presence of divalent cations.

Examples of lipids useful in liposome production include phosphatidyl compounds, such as phosphatidylgtycerol, phosphatidylcholine, phosphatidylserine, phosphatidyltehanolamine, sphingolipids, cerebrosides, and gangliosides. Illustrative phospholipids include egg phosphatidylcholine, dipalmitoylphosphatidylcholine, and distearoylphosphatidylcholine. The targeting of liposomes is also possible based on, for example, organ-specificity, cell-specificity, and organelle-specificity and is known in the art.

Moreover, the pharmaceutical preparation can consist essentially of the gene delivery system in an acceptable diluent, or can comprise a slow release matrix in which the gene delivery vehicle is imbedded. Alternatively, where the complete gene delivery system can be produced intact from recombinant cells, e.g. retroviral packages, the pharmaceutical preparation can comprise one or more cells which produce the gene delivery system. In the case of the latter, methods of introducing the viral packaging cells may be provided by, for example, rechargeable or biodegradable devices. Various slow release polymeric devices have been developed and tested in vivo in recent years for the controlled delivery of drugs, including proteinacious biopharmaceuticals, and can be adapted for release of viral particles through the manipulation of the polymer composition and form. A variety of biocompatible polymers (including hydrogels), including both biodegradable and non-degradable polymers, can be used to form an implant for the sustained release of the viral particles by cells implanted at a particular target site. Such embodiments of the present invention can be used for the delivery of an exogenously partitied virus, which has been incorporated in the polymeric device, or for the delivery of viral particles produced by a cell encapsulated in the polymeric device.

10

20

25

30

A person of ordinary skill in the art is able to determine the required amount to treat the subject. It is understood that the dosage regimen will be determined for an individual, taking into consideration, for example, various factors which modify the action of the subject compounds of the invention, the severity or stage of AMD, route of administration, and characteristics unique to the individual, such as age, weight, and size. A person of ordinary skill in the art is able to determine the required dosage to treat the subject. In one embodiment, the dosage can range from about 1.0 ng/kg to about 100 mg/kg body weight of the subject. The dose can be delivered continuously, or at periodic intervals. For example, on one or more separate occasions. Desired time intervals of multiple doses of a

particular composition can be determined without undue experimentation by one skilled in the art. For example, the compound may be delivered hourly, daily, weekly, monthly, yearly (e.g. in a time release form) or as a one time delivery. As used herein, the term "subject" means any individual animal capable of becoming afflicted with AMD. The 5 subjects include, but are not limited to, human beings, primates, horses, birds, cows, pigs, dogs, cats, mice, rats, guinea pigs, ferrets, and rabbits. In the preferred embodiment, the subject is a human being.

Samples used in the methods described herein may comprise cells from the eye, ear, nose, teeth, tongue, epidermis, epithelium, blood, tears, saliva, mucus, urinary tract, urine, muscle, cartilage, skin, or any other tissue or bodily fluid from which sufficient DNA or RNA can be obtained.

The sample should be sufficiently processed to render the DNA or RNA that is present available for assaying in the methods described herein. For example, samples may be processed such that DNA from the sample is available for amplification or for hybridization to another polynucleotide. The processed samples may be crude lysates where available DNA or RNA is not purified from other cellular material. Alternatively, samples may be processed to isolate the available DNA or RNA from one or more contaminants that are present in its natural source. Samples may be processed by any means known in the art that renders DNA or RNA available for assaying in the methods described herein. Methods for processing samples may include, without limitation, mechanical, chemical, or molecular means of lysing and/or purifying cells and cell lysates. Processing methods may include, for example, ion-exchange chromatography, size exclusion chromatography, affinity chromatography, hydrophobic interaction chromatography, gel filtration chromatography, ultrafiltration, electrophoresis, and immunoaffinity purification with antibodies specific for particular epitopes of the polynentide

Kits

10

20

25

30

Also provided herein are kits, e.g., kits for therapeutic purposes or kits for detecting a variant CFH gene in a sample from an individual. In one embodiment, a kit comprises at least one container means having disposed therein a premeasured dose of a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of AMD in humans. In another embodiment, a kit

comprises at least one container means having disposed therein a premeasured dose of a polynucleotide primer that hybridizes, under stringent conditions, adjacent to one side of a variation in the CFH gene that is correlated with the occurrence of AMD in humans. In a further embodiment, a second polynucleotide primer that hybridizes, under stringent conditions, to the other side of a variation in the CFH gene that is correlated with the occurrence of AMD in humans is provided in a premeasured dose. Kits further comprise a label and/or instructions for the use of the therapeutic or diagnostic kit in the detection of CFH in a sample. Kits may also include packaging material such as, but not limited to, ice, dry ice, styrofoam, foam, plastic, cellophane, shrink wrap, bubble wrap, paper, cardboard, starch peanuts, twist ties, metal clips, metal cans, drierite, glass, and rubber (see products available from www.papermart.com. for examples of packaging material).

The practice of the present methods will employ, unless otherwise indicated, conventional techniques of cell biology, cell culture, molecular biology, transgenic biology, microbiology, recombinant DNA, and immunology, which are within the skill of the art. Such techniques are explained fully in the literature. See, for example, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory (2001); DNA Cloning, Volumes I and II (D. N. Glover ed., 1985); Oligonucleotide Synthesis (M. J. Gait ed., 1984); Mullis et al. U.S. Patent No: 4,683,195; Nucleic Acid Hybridization (B. D. Hames & S. J. Higgins eds. 1984); Transcription And Translation (B. D. Hames & S. J. Higgins eds. 1984); Culture Of Animal Cells (R. I. Freshney, Alan R. Liss, Inc., 1987); Immobilized Cells And Enzymes (IRL Press, 1986); B. Perbal, A Practical Guide To Molecular Cloning (1984); the treatise, Methods In Enzymology (Academic Press, Inc., N.Y.); Gene Transfer Vectors For Mammalian Cells (J. H. Miller and M. P. Calos eds., 1987, Cold Spring Harbor Laboratory); Methods In Enzymology, Vols. 154 and 155 (Wu et al. eds.), Immunochemical Methods In Cell And Molecular Biology (Mayer and Walker, eds., Academic Press, London, 1987); Handbook Of Experimental Immunology. Volumes I-IV (D. M. Weir and C. C. Blackwell, eds., 1986); Manipulating the Mouse Embryo, (Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1986).

EXAMPLES

10

15

20

25

30

The following examples are for illustrative purposes and are not intended to be limiting in any way.

EXAMPLE 1: Whole genome SNP association for genes correlated with AMD.

Described herein is a whole-genome case-control association study for genes involved in AMD. Two crucial factors were used in designing this experiment; clearly defined phenotypes were chosen for cases and controls. The definition of a case was based on both a quantitative photographic assessment of the presence of at least some large drusen combined with photographic evidence of sight-threatening AMD (geographic atrophy or neovascular AMD). The definition of a control was based on the study participant having either no drusen or only a few small drusen. Data was analyzed using a statistically conservative approach to correct for the large number of SNFs tested, thereby guaranteeing that the actual probability of a false positive is no greater than the reported p-values.

10

15

25

A subset of individuals who participated in the Age-Related Eye Disease Study (AREDS) (AREDS Research Group, Arch Ophthamol 119, 1417, (2001)) were used in the association study. From the AREDS sample, 96 case subjects were identified who, at their most recent study visit, had either uniocular choroidal neovascularization (50 cases) or geographic atrophy either central or non-central to the macula (46 cases). The fellow eye of these case subjects was required to have at least one large drusen (>125 µm in diameter), and total drusen area equivalent to a circle of at least 1061 µm in diameter. The group of study participants who had both large drusen and sight-threatening AMD was selected because there can be many precursors to the development of either choroidal neovascularization or geographic atrophy. Controls were 50 individuals from the AREDS sample who had few or no drusen (<63 µm in diameter in each eye) for the duration of their participation in AREDS. All individuals identified themselves as "White, not of Hispanic origin." To the extent possible, the proportions of gender and smoking status were kept the same in cases and controls. Controls were purposely chosen to be older than the cases to increase the probability that they will remain without AMD (Table 1).

Table 1 Summers of cample phenotypes

	Cases (n=96)	Controls (n=50)
Males (%)	44	54
Never smoked (%)	36	52
Formerly smoked (%)	58	48

Currently smoke (%)	5	0
Mean age (± s.d.) (years)	79±5.2	82±2.2
Age range (years)	65-89	78-87
One eye with neovascular AMD, other eye with at least one large drusen (%)	52	0
One eye with geographic atrophy AMD, other eye with at least one large drusen (%)	48	0
Both eyes with few or no drusen (%)	0	100

EXAMPLE 2: Genotyping and SNP identification of individuals in study population

5

10

15

20

25

Each individual was genotyped using the Affymetrix GeneChip Mapping 100K Set of microarrays (H. Matsuzaki et al., Nat Methods 1, 109 (2004)). This mapping assay consists of two chips (XbaI and HindIII) with approximately 50,000 SNPs each that are used for each individual. About 250 ng of genomic DNA was digested with two restriction enzymes XbaI and HindIII and processed according to the Affymetrix protocol (H. Matsuzaki et al., Nat Methods 1, 109 (2004)). The images were analyzed using GDAS software (Affymetrix). For the data obtained from each chip, two internal quality control measures were used: the call rate always exceeded 95% and heterozygosity on the X chromosome correctly identified the gender of the individual. Thirty-one identical SNPs were placed on both chips and checked that they yielded the same genotype for the same individual to ensure that no samples were confused.

Three experiments were performed to test the reproducibility of this system. First, 4 samples were processed twice with the Xba chips. Next, 2 replicates of a reference DNA positive control provided by Affymetrix were run on Xba chips alongside the samples. Finally, results for 3 individuals were compared with genotyping using the Affymetrix 10K SNP platform to test the accuracy of this assay (H. Matsuzaki et al., Genome Res 14, 414 (2004)).

An assessment of the percentage of the individuals producing a genotype call for each SNP was made in order to examine the genotyping quality for each individual SNP. A SNP with a call rate of 100% means every individual is successfully assigned a genotype for this SNP and there is no missing data. Call rates were required to be at least 85% to remove SNPs for which genotyping was consistently problematic. SNPs which are

monomorphic in the data were also removed, since these SNPs are uninformative. SNPs in which genotype frequencies deviated from the Hardy-Weinberg equilibrium expectation (HWD $\chi^2 > 25$, P = 0.05, 1df, after Bonferroni correction) were removed as being likely to contain genotyping errors rather than real disequilibrium. SNPs for which no homozygotes were observed in the entire sample were also likely due to errors and removed. Altogether, of the 116,204 SNPs genotyped, 105,980 SNPs with a call rate of at least 85%, both alleles observed, at least one homozygote observed, and a HWD $\chi^2 \le 25$ were found and considered. Of these, the 103,611 SNPs that lie on the 22 autosomal chromosomes were analyzed. A summary of genotyping quality can be found in Table 2.

5

Table 2. Genotyping quality control and informativeness.

Per-chip data quality						
Median call rate per chip	99.1%					
Minimum call rate per chip						
Chips for which gender matches						
Per-individual data quality	***************************************					
Median call rate per individual						
Minimum call rate per individual	96.7%					
Average number of matches for common SNPs between two chips	30.7/31					
vinimum number of matches for common SNPs between two chips	* 28/31					
Reproducibility						
Xba Repeat concordance (4 replicates)						
Xba Positive control concordance (2 replicates)						
10K concordance (3 replicates)						
Call rate (per-SNP)						
Fotal number of SNPs	116204					
SNPs with 100% call rate						
SNPs with call rate between 85% and 100%						
SNPs with call rate less than 85%						
Locus Polymorphism	·····					
Number of SNPs with no polymorphism observed	8538					
Number of SNPs with minor allele frequency < 0.01						
Number of SNPs with only heterozygotes observed						
Number of polymorphic SNPs with no heterozygotes observed						
Hardy-Weinberg Equilibrium						
Number of SNPs significantly out of equilibrium	231					

^{*}For the most part, when SNPs do not match it is due to one of the SNPs not being called. In only 3 out of 4485 comparisons is a mismatch observed, which is equivalent to 99.93% concordance.

5

EXAMPLE 3: Statistical analysis of SNP association with disease status

10

15

Allelic association with disease status was tested for each SNP. A 2x2 contingency table of allele frequencies was constructed. The Pearson χ^2 value and a P-value were calculated, based on the central χ^2 distribution under the null hypothesis of no association with 1 degree of freedom. This nominal P-value was corrected for multiple testing by applying the Bonferroni correction, in which only SNPs with a p-value less than 0.05/103,611 = 4.8x10⁻⁷ were considered. This produced a Bonferroni-corrected P-value This correction is known to be conservative and thus may "overcorrect" the raw p-values (L. M. McIntyre, E. R. Martin, K. L. Simonsen, N. L. Kaplan, Genet Epidemiol 19, 18 (2000)). While this technique may overlook real associations, it adjusts for the large number of multiple comparisons and yields p-values that do not underestimate the false positive rate.

Two methods of genomic control were used to look for population stratification, GC and GCF (B. Devlin, S. A. Bacanu, K. Roeder, Nat Genet 36, 1129 (2004)). In the first method, the median χ^2 value was taken for allelic association with a number of SNPs assumed to be unassociated with the disease (null SNPs). The test statistic $\chi^2_{(1)}$ values were divided by this median, and tested for significance using the χ^2 distribution. Alternatively, for the GCF method, the mean rather the median of the null χ^2 statistics was used; significance of the quotient was tested using the F(1,L) distribution, where L is the number of null SNPs used (B. Devlin, S. A. Bacanu, K. Roeder, Nat Genet 36, 1129 (2004)). Two different sets of unassociated SNPs were used: all the SNPs successfully genotyped except the two significant (see below) ones, and the set of 31 SNPs that are in common between the two oblips used in the assay (see Example 2 above).

The candidate region was defined by looking for adjacent SNPs in which all four
gametes were observed (R. R. Hudson, N. L. Kaplan, Genetics 111, 147 (1985)) and
bounding the region there. To look at linkage disequilibrium between SNPs in the
candidate region, haplotype frequencies in the region were inferred using PHASE version
2.1 (M. Stephens, P. Donnelly, Am J Hum Genet 73, 1162 (2003); M. Stephens, N. J.
Smith, P. Donnelly, Am J Hum Genet 68, 978 (2001)). Based on the inferred haplotype
frequencies across the entire region, pairwise linkage disequilibrium was calculated by first
computing the two-locus haplotype frequencies implied by the overall haplotype

frequencies. The measure of linkage disequilibrium, D', was then calculated using standard equations (D. L. Hartl, A. G. Clark, Principles of Population Genetics (Sinauer Associates, Sunderland, MA, ed. Third, 1997)) and plotted using the program GOLD (G. R. Abecasis, W. O. Cookson, Bioinformatics 16, 182 (2000)).

To define the smaller haplotype blocks within the 4-gamete region, the HapMap data website was used (http://www.hapmap.org). Genotypes for SNPs in the region between SNPs rs10494744 and rs10484502 were downloaded. Genotypes for the CEU population (CEPH Utah population of northern and western European ancestry) were downloaded and visualized using Haploview version 3.0. Haplotype blocks were then defined using the method and parameters of Gabriel et al (S. B. Gabriel et al., Science 296, 2225 (2002)).

5

10

15

20

Haplotypes across the narrower region defined by the HapMap block were also inferred using PHASE version 2.1. Haplotypes with an estimated frequency of at least 1% were considered for further analysis. Phylogenetic trees were built using the maximum parsimony of PHYLIP 3.62 ("dnapars" program). The odds ratio in a nested cladistic framework was calculated for the haplotypes (P. Armitage, G. Berry, Statistical Methods in Medical Research (Blackwell Scientific Publications, Oxford, ed. Second, 1987); A. R. Templeton, B. Boorwinkle, C. F. Sing, Genetics 117, 343 (1987)).

Odds ratios, confidence intervals, and population attributable risk were calculated as described in P. Armitage, G. Berry, Statistical Methods in Medical Research (Blackwell Scientific Publications, Oxford, ed. Second, 1987). The population frequency of the alleles of interest (see Example 4 below) is relatively high, 23% for and 41% for homozygous rs380390 and rs1329428, respectively. Therefore, the odds ratios necessarily calculated from the case control design study used here will over-estimate (without changing the significance levels) the equivalent relative risk estimate needed to calculate lifetime risk. A prospective cohort study design will provide valid estimates of lifetime risk in persons who have and have not inherited the alleles.

FXAMPLE 4: Polymorphisms in the Complement Factor H gene are associated with AMD

Of the autosomal SNPs, only two, rs380390 and rs10272438, are significantly associated with disease status (Bonferroni corrected p=0.0043 and p=0.0080, respectively; 5 Figure 1A). One criticism of case-control association studies such as this one is that population stratification can result in false positive results. If the cases and controls are drawn from populations of different ancestry, with different allele frequencies, it is possible to detect these population differences instead of loci associated with the disease. All individuals in this study self-identify their ethnicity as non-Hispanic white and all of the case and control individuals are drawn from the same AREDS population. There was some differential recruiting of cases from office practices and recruiting of controls from radio and newspaper advertising (AREDS Research Group, Ophthamology 107, 2224 (2000)). Finding two SNPs out of >100,000 implied no genetic stratification, but genomic control methods were used to control for this possibility (B. Devlin, S. A. Bacanu, K. Roeder, Nat Genet 36, 1129 (2004)). It was consistently found that the significance of the 15 tests was not inflated and that, therefore, these two SNPs are significantly associated with disease.

10

20

30

SNP rs380390 was successfully genotyped in all individuals. In 21 individuals, no genotype was determined for SNP rs10272438, and it appears to be excessively out of Hardy-Weinberg equilibrium (HWEx²=36), indicating possible genotyping errors. Missing genotypes were determined by resequencing. After including these additional genotypes, the association was no longer significant after Bonferroni correction. Furthermore, the SNP with the third lowest p-value, rs1329428 (Bonferroni corrected p=0.14), is located 1.8 kb away from rs380390 on the same chromosome. The genotype frequencies at these two neighboring loci clearly vary between the case and control populations (Figure 1B). Homozygotes for the C allele of rs380390 and the C allele at rs1329248 clearly have an increased risk of developing AMD (Table 1). The risk conferred by these genotypes accounts for approximately 45% (rs380390) to 61% (rs1329248) of the cases observed in the population (Table 3). Therefore, we decided to focus on these two SNPs as marking our most promising locus.

Table 3. Risk ratios and population attributable risks for various genotypes and hanlotypes.

bred beer		
	rs380390 (C/G)	rs1329428 (C/T)
Risk allele	C	С
Allelic Association x2 nominal p-value	4.1e-08	1.4e-06
Odds ratio (dominant) (95% CI)	4.6 (2.0-11)	4.7 (1.0-22)
PAR (95% CI)	70% (42%-84%)	80% (0%-96%)
Frequency in HapMap CEU	0.70	0.82
Odds ratio (recessive) (95% CI)	7.4 (2.9-19)	6.2 (2.9-13)
PAR (95% CI)	46% (31%-57%)	61% (43%-73%)
Prequency in HapMap CEU	0.23	0.41

Dominant and recessive refer to the risk factor consisting of having at least one copy (dominant) or two copies (recessive) of the risk allele. PAR is the population attributable risk. The dominant odds ratio and PAR compare likelihood of AMD in individuals with one copy of the risk allele versus individuals with no copy of the risk allele. The recessive odds ratio and PAR compare likelihood of AMD in individuals with two copies of the risk allele. The recessive odds ratio and PAR compare likelihood of AMD in individuals with two copies of the risk allele. The population frequencies for the risk genotypes are taken from the CEU HayMap population (CEPH collection of Utah residents of northern and western European ancestry).

5

10

15

20

25

m380390 and rs1329248 lie in an intron of the gene for complement factor H (CFH). As both of these SNPs are noncoding and neither appears to alter a conserved sequence, these two SNPs may be in linkage disequilibrium with a corresponding functional mutation. To circumscribe the region in which the functional mutation may lie, the linkage disequilibrium throughout this region was unalyzed (Figure 2A). The two associated SNPs lie in a region of high linkage disequilibrium that is around 500 kb long. As this region is longer than other typically observed blocks of high linkage disequilibrium (S. B Gabriel et al., Science 296, 2225 (2002)) and there are long stretches in this region where there are no SNPs in our dataset (Figure 2B), other data sources with denser SNP coverage were used to narrow down the region.

Data from the International HapMap project was used to analyze patterns of linkage disequilibrium in a population of residents of Utah with ancestry from northern and western Europe (the CEPH sample) (The International HapMap Consortium, Nature 426, 789 (2003)). In the 500 kb region of interest, there are 152 SNPs in the HapMap data set. Using a standard definition of linkage disequilibrium blocks (S. B Gabriel et al., Science

296, 2225 (2002)), it was found that the two associated SNPs lie in a block that is 41 kb long and entirely contained within the CFH gene (Figure 2C).

There are six SNPs from the present study's data set in this 41 kb region. These SNPs form four predominant haplotypes with a frequency greater than 1% (Table 4).

- 5 Combined, these four haplotypes represent 99% of the chromosomes in this study. Reconstructing inferred haplotypes and building a phylogenetic tree allowed assessment of the evolutionary relationship between haplotypes (Figure 2D). Using inferred haplotypes for each individual, the odds ratio of disease in a nested cladistic framework under both dominant and recessive models were computed (A. R. Templeton, E. Boerwinkle, C. F.
 - Sing, Genetics 117, 343 (1987)). The highest risk is conferred by haplotype N1, which is the only haplotype containing the risk allele at SNP rs380390.

Table 4 Hanlotones in the hanlotone block that harbors the putative disease variant.

Name	rs2019727	rs10489456	rs3753396	rs380390	rs2284664	rs1329428	Frequency
NI	A	C	T	С	С	G	0.59
Nl	A	С	T	G	С	G	0.0068
N3	A	C	T	G	T	Λ	0.12
N4	A	T	С	G	С	G	0.15
N5	T	C	T	G	С	A	0.12
N6	T	С	T	G	C	G	0.0071

Haplotype frequencies are estimated using the program PHASE (M. Stephens, P. Donnelly, Am J Hum Guent 73, 1162 (2003); M. Stephens, N. J. Smith, P. Donnelly, Am J Hum Genet 68, 978 (2001)). The SNPs used to construct the Explicitypes are the SNPs from the mapping microcrarys found in the 41 kb haplotype block defined by the Hapshap data. Prequencies are the estimated frequency of each haplotype in the combined case and control population. The two SNPs that show association in the tinitial analysis are indicated in bodiface.

15

20

Having at least one copy of this haplotype increases the risk for AMD 4.6-fold (95% Cl 2.0-11). Having two copies of this haplotype increases the risk for AMD 7.4-fold (95% Cl 3.0-19). Therefore, functionally relevant mutation should be found in the context of haplotype N1. This mutation will occur somewhere in the CFH gene, as the 41kb haplotype block is entirely within CFH.

EXAMPLE 5: Resequencing confirms that variations in CFH are correlated with AMD

To identify the functional mutation underlying susceptibility to AMD, 96 individuals (66 cases and 30 controls) were chosen for exonic resequencing, including the exon/intron junctions. Most of these individuals were selected either because SNP rss86930 was homozygous (representing opposite risk groups) or SNP rs10272438 was not successfully genotyped (the same plates were used to re-sequence this SNP for genotyping). Three additional individuals were randomly selected to get a total of 96 for a full plate. Primer design, PCR amplification, bi-directional sequencing of PCR products, and mutation analyses were performed by Genaissance (New Haven, CT).

All CFH exons were sequenced, including those outside of the 41kb block, as well as the region of SNP rs380390 as a control. Priority was given to sequencing homozygotes at SNP rs380390 to make it easier to determine haplotypes. SNP rs380390 was successfully resequenced in 93 individuals; the genotype derived from rosequencing matched the original genotype in all cases. A total of 50 polymorphisms were identified; 17 of these have a minor allele frequency of at least 5% (Table 5). Of these 17, three represent non-synonymous mutations. If these SNPs are ranked based on the allelic association χ^2 measure, SNP rs 1061170 is the most associated among the non-synonymous SNPs. This SNP represents a mutation between tyrosine and histidine. This SNP is located in exon 9 of CFH, only 2 kb upstream of the 41 kb haplotype block. Adding this SNP to the haplotype analysis reveals that 97% of the chromosomes with the highest-risk haplotype (N1) also have the risk allele (His).

Table 5. New polymorphisms identified through resequencing.

10

15

Region	Position	Change	Type	MAF	AA Chango	15 Number
promoter	120992	A/G	noncoding	0.005263		
promoter	120865	A/G	noncoding	0.010526		
promoter	120546	C/T	noncoding	0.242105		rs3753394
promoter	120410	T/C	noncoding	0.005263		
promoter	120294	A/G	noncoding	0.005263		
intron 1	99391	C/T	noncoding	0.117021		rs511397
exon 2	99242	T/G	nonsynonomous	0.005319	Ser 58 Ala	
exon 2	99230	O/A	nonsynonomous	0.117021	Val 62 Ile	rs800292
intron 2	99114	G/A	noncoding	0.005319		
intron 3	98283	T/C	noncoding	0.005263		

intron 3	98188	T/G	noncoding	0.005263		
exon 4	96315	G/A	nonsynonomous	0.005263	Arg 127 His	1
exon 7	87139	A/C	synonomous	0.415789		rs1061147
intron 7	83059	T/C	noncoding	0.005263		
intron 7	82966	G/T	noncoding	0.430526		rs482934
intron 7	82957	A/G	noncoding	0.005263		1
exon 9	82232	C/A	nonsynonomous	0.005208	Gln 400 Lys	
exon 9	82226	C/T	nonsynonomous	0.414894	His 402 Tyr	rs1061170
intron 9	58652	T/C	noncoding	0.605319		
exon 10	58516	G/A	synonomous	0.22043		rs2274700
intron 10	58319	A/G	noncoding	0.005319		rs203678
intron 10	58260	C/G	noncoding	0.005319		
intron 10	56838	G/T	noncoding	0.367021		rs203674
exon 12	47084	G/A	nonsynonomous	0.005263	Val 609 fle	
intron 12	46992	T/G	noncoding	0.005208		
exon 13	45721	A/G	synonomous	0.143617		rs3753396
exon 15	43875	A/G	synonomous	0.005376		
intron 15	40549	A/G	noncoding	0.215054		rs7514261
intron 15	40445	C/T	noncoding	0.021277		
intron 15	40412	G/C	noncoding	0.365591		rs380390
intron 15	40335	G/C	noncoding	0.605319		rs380060
intron 15	40179	C/T	noncoding	0.215054		rs/7540032
intron 15	35577	T/G	noncoding	0.005208		rs435628
intron 15	35537	C/A	noncoding	0.357895		rs375046
intron 16	35263	C/T	noncoding	0.005263		rs428060
exon 17	34821	C/T	synonomous	0.026316		
exon 17	34786	G/T	nonsynonomous	0.005263	Ser 890 Ile	rs515299
intron 17	31825	A/C	noncoding	0.005319		
exon 18	31689	G/T	nonsynonomous	0.154255	Głu 936 Asp	rs1065489
intron 18	30673	T/G	noncoding	0.605556		rs385892
intron 18	30547	T/C	noncoding	0.111702		rs16840522
intron 18	30546	A/G	noncoding	0.005319		rs385543
exon 19	30396	G/T	nonsynonomous	0.005319	Val 1007 Leu	rs534399
intron 19	28886	T/C	noncoding	0.154255	****	rs513699
ехов 26	28877	C/T	synonomous	0.154255		rs513729
exon 20	28867	A/T	нопаунопонина	0.015957	Asn 1050 Tyr	
intron 20	28592	A/G	noncoding	0.012987		

intron 20	26589	G/C	noncoding	0.005618		 1
exon 22	25219	C/A	nonsynonomous	0.005556	Pro 1166 Gln	 · second
exon 22	25088	C/T	вопзуноногноиз	0.005618	Arg 1210 Cys	

Location of each polymorphism refers to the position on GenBank accession AL049744.8 (SEQ ID NO: 9), or the complementary DNA strand of GenBank accession AL049744.8. MAF is minor allele frequency.

Other data support the finding that mutations in CFH are correlated with AMD. The gene for CFH is located on chromosome 1q31, a region that had been previously identified by six independent linkage scans to be involved in AMD (J. Majewski et al., Am J Hum Genet 73, 540 (2003); J. M. Seddon, S. L. Santangelo, K. Book, S. Chong, J. Cote, Am J Hum Genet 73, 780 (2003); D. E. Weeks et al., Am J Hum Genet 75, 174 (2004); G. R. Abecasis et al., Am J Hum Genet 74, 482 (2004); S. K. Iyengar et al., Am J Hum Genet 74, 20 (2004);and D. W. Schultz et al., Hum Mol Genet 12, 3315 (2003)). In one of these linkage studies, using a single large pedigree the authors concluded that mutations in a different gene in this region (HEMICENTIN-1), was responsible for AMD (D. W. Schultz et al., Hum Mol Genet 12, 3315 (2003)). This conclusion was based on the observation that of all the polymorphisms tested, only the HEMICENTIN-1 mutation perfectly cosegregated with disease status. Mutations in HEMICENTIN-1, however, have not been found to be generally associated with AMD in three separate, independent population-15 based association studies (G. R. Abecasis et al., Am J Hum Genet 74, 482 (2004); M. Hayashi et al., Ophthalmic Genet 25, 111 (2004); and G. J. McKay et al., Mol Vis 10, 682 (2004)). Mutations in CFH, as disclosed herein, are therefore more likely to be the cause of linkage signals observed at chromosome 1q31.

20 Example 6: Immunolocalization of C5b-9 complex in the eyes of patients suffering from AMD

Various components of the complement cascade, including the terminal C5b-9 complex, have been identified as components of drusen in the eyes of patients with AMD (L. V. Johnson, W. P. Leitner, M. K. Staples, D. H. Anderson, Exp Eye Res 73, 887 (2001); R. F. Mullins, S. R. Russell, D. H. Anderson, G. S. Hageman, FASEB J 14, 835 (2000)). The eyes of four patients with AMD were examined to look for the presence of C5b-9 (Figure 4). Post-mortem retinas from four donors were examined. Three were obtained through the Foundation Fighting Blindness (FFB) eye donor program. All of these had a clinical diagnosis of dry AMD. One pair of eyes embedded in paraffin was

obtained from an 86 year old Caucasian female through the autopsy service of the Yale School of Medicine. No clinical history was available. Histologically, these retinas have multiple large or coalescing drusen with minimal RPE and photoreceptor loss consistent with a diagnosis of early AMD. Approval for research on human post mortem donor eyes was obtained from the Yale School of Medicine.

Upon enucleation, eyes were fixed in 4% paraformaldehyde, 0.5% glutaraldehyde in 0.1 M phosphate buffer for several days. The fixed eyes were transferred to 2% paraformaldehyde for storage. Six 0.5 cm circular punches were taken from each of the AMD donor eyes. Three of these were selected from the central retina at the junction of atrophic and more normal retina, and the remaining three from peripheral retina. Retinal pluss were embedded in paraffin and sections cut at Sum.

Following deparaffinization and rehydration, antigen retrieval was performed by boiling sections in a microwave oven for 10 minutes in 10 mM sodium citrate (pH 6.0). Sections were allowed to cool for 20 minutes, prior to a 5-minute endogenous peroxidase block in 5% H₂O₂. Immunohistochemistry was performed using a mouse monoclonal antibody against human activated complement C5b-9 (Quidel Corporation, San Diego, CA, catalogue #A239). Primary antibody was applied at a concentration of 1:250 in 1X PBS. Biotinylated goat anti-mouse (cat # BA9200) secondary antibody (Vector, Burlingame, CA) was used at a concentration of 1:200. Nickel enhanced diaminobenzidine (DAB; cat # SK4100; Vector) was used to visualize bound antibody. Negative controls were obtained by omission of the primary antibody. Images were obtained with a Zeiss Axioplan microscope equipped with differential interference contrast lenses and a Zeiss Axiocam digital camera.

Immunofluorescence Microscopy for CFH

5

10

15

20

25

30

Donor eyes were embedded in optimal cutting temperature compound (OCT; Miles Laboratory, Elkhart, IN), snap frozen, and stored at ~70°C. Frozen retina sections were cut at 8 to 10 µm and placed on slides (Superfrost/Plus; Fisher Scientific, Fair Lawn, NJ). All human eyes were obtained with the informed consent of the donors, and the research with human eyes was performed in accordance with the tenets of the Declaration of Helsinki and the Institutional Review Board (IRB).

For immunofluorescence labeling, frozen sections of human retina were fixed in 4% paraformaldehyde in phosphate buffer saline (PBS) for 10 minutes. The tissue sections were blocked for 30 minutes with 5% normal donkey serum (Jackson Immunoresearch, West Grove, PA), diluted in IC buffer (PBS, containing 0.2% Tween-20, 0.1% sodium azide), and incubated for I hour at room temperature with a goat anti-human Factor H antibody (Quidel, Santa Clara, CA) diluted 1:200 in staining buffer (IC buffer plus 1% normal donkey serum). Sections were washed repeatedly in IC buffer and incubated for 1 hour with the nuclear dye 4',6'-diamino-2 phenylindole (DAPI; 1 µg/mL) and Alexa-488 Donkey anti-goat antibodies (Molecular Probes, Eugene, OR) diluted 1:250 in staining buffer. After repeated washing with IC buffer, sections were covered in mounting medium 10 (Gel Mount: Biomeda, Foster City, CA) and coverslipped. For the control, the same concentration of anti-human factor H antibody was preincubated for 1 hour with purified human factor H protein (Calbiochem, La Jolla, CA) at the ratio of 3 µg for 1 µl of antibodies. The pretreated antibodies were then used to stain tissue sections as just described. Specimens were analyzed on a laser scanning confocal microscope (model SP2; 15 Leica Microsystems, Exton, PA) equipped with Nomarski optics. Immunolabeled and negative control sections were imaged under identical scanning conditions. Images were processed with Photoshop (Adobe Systems, San Jose, CA).

In all patients, deposition of activated complement C5b-9 was noted in Bruch's membrane. Immunostaining frequently extended to include the intercapillary pillars, and was strongly present within drusen. Staining was rarely noted in the istroma vascularis. However, when it was present, it was invariably located in the inner (toward the retina) walls of choroidal veins, and in severe cases, arteries. No immunostaining for C5b-9 was noted in the retina or elsewhere in sections. The negative control failed to exhibit any staining. These and other biochemical analyses of the composition of drusen may indicate that AMD results from an aberrant inflammatory process in which inappropriate complement activation plays a role (G. S. Hageman et al., Prog Retin Eye Res 20, 705 (2001)). This is supported by a mouse model of AMD in which complement components are found in the drusen (J. Ambati et al., Nat Med 9, 1390 (2003)).

20

25

30

Moreover, both age and smoking, two significant risk factors for AMD, influence plasma levels of complement factor H (J. Esparza-Gordillo et al., Immunogenetics 56, 77 (2004)). CFH sequences have also been observed in an EST library derived from human

RPE and choroid (G. Wistow et al., Mol Vis 8, 205 (2002)). Immunofluorescence experiments confirm that CFH is present in this region of the eye (Figure 3). The fluorescent images and their corresponding DIC images obtained from two different areas of human retina sections show strong staining in choroid vessels and area close to RPE

- (likely to be underneath the Bruch's membrane) (Figure 3). This finding is consistent with the observation that the RPE and choroid produce mRNA for several complement components found in drusen (R. F. Mullins, S. R. Russell, D. H. Anderson, G. S. Hageman, FASEB J 14, 835 (2000)). Drusen of similar composition to that found in AMD are found in the eves of patients with membranoproliferative glomerulonephritis type II (MPGNII), a kidney disease (R. F. Mullins, N. Aptsiauri, G. S. Hageman, Eye 15, 390 (2001)); factor H 10 deficiency can cause MPGNII (S. R. D Cordoba, J. Esparza-Gordillo, E. G. d. Jorge, M. Lonez-Trascasa, P. Sanchez-Corral, Mol Immunol 41, 355 (2004)). Our immunostaining experiments (Figures 3 and 4) suggest a pathogenesis of AMD in which loss, impairment, or deficiency of factor H results in complement deposition in choroidal capillaries (more severe) and choroidal vessels (less severe) with subsequent leakage of plasma proteins in to 15 Bruch's membrane. Finally, nutritional supplementation with zinc at 80 mg/day decreases the risk of AMD; biochemical studies have shown that factor H function in sensitive to zinc concentration (AREDS Research Group, Arch Ophthamol 119, 1417, (2001); A. M. Blom, L. Kask, B. Ramesh, A. Hillarp, Arch Biochem Biophys 418, 108 (2003)).
 - The present invention provides among other things polynucleotides useful for identifying or aiding in identifying individuals at risk for developing AMD, as well as for diagnosing or aiding in the diagnosis of AMD. While specific embodiments of the subject invention have been discussed, the above specification is illustrative and not restrictive. Many variations of the invention will become apparent to those skilled in the art upon review of this specification. The full scope of the invention should be determined by reference to the claims, along with their full scope of equivalents, and the specification, along with such variations.

20

30

All publications and patents mentioned herein are hereby incorporated by reference in their entirety as if each individual publication or patent was specifically and individually indicated to be incorporated by reference. In case of conflict, the present application, including any definitions herein, will control.

Also incorporated by reference in their entirety are any polynucleotide and polypeptide sequences which reference an accession number correlating to an entry in a public database, such as those maintained by The Institute for Genomic Research (TIGR) (www.tigr.org) and/or the National Center for Biotechnology Information (NCBI)

5 (www.ncbi.nlm.nib.gov).

Table 6. Primer sequences used in resequencing.

Region	Forward primer sequence	Reverse primer sequence
promoter	AGAATCGTGGTCTCTGTGTGTGG	AGCAGCTGGTGATATCCTCTGG
promoter	TCAAATGAGAGTGAGCCAGTTGC	CTGTTCACAACGTCCAGTTCTCC
exon l	GTGGGAGTGCAGTGAGAATTGG	AACTCAACAATGTCAAAAGCC
exon 2	GATAGACCTGTGACTGTCTAGGC	GGCAATAGTGATATAATTCAGGC
exon 3	ACCTCAGCCTCCCAAAGTGC	TGCATACTGTTTTCCCACTCTCC
ехов 4	AAGGAGGAGGAGGAAGG	CAGGCTGCATTCGTTTTTGG
exon 5	CCACTCCCATAGAAAAGAATCAGG	ACTICITIGCACCAGTCTCTTCC
скоп б	GATAAATCATTTATTAAGCGG	GAACCTTGAACACAGAAAATGC
exon 7	GGATGACTTTGGAGAAGAAGG	FATGAGTTTCGGCAACTTCG
exon 8	TCATCTTCATTAACAAAGACC	AGATCTATTTTGGTCACTTTGC
exon 9	CTTTGTTAGTAACTTTAGTTCG	TTATACACAGTTGAAAAACC
exon 10	GGCAACTCTGAGCTTATTTTCC	AGAGTAGGAAAAGCCTGAATGG
exon 11	CATAGATTATTTTTGTACGG	CAAAACTCCCTTCTTTTCCC
exon 12	ATCTGATGCCCCTCTGTATGACC	ATTCAGTACTCAATACATGTCC
вхов 13	CACCATTCTTGATTGTTTAGG	GAATCTCCATAGTAATAAGG
exon 14	CAATGTGTTGATGGAGAGTGG	ATTGAATTATAAGCAATATGC
exon 15	CATTICAGCGACAGAATACAGG	arararararararara
intron 15	AAGGCAGGAAAGTGTCCTTATGC	GTCAAATTACTGAAAATCACC
exon 16	AACTGTTACACAGCTGAAAAG	GTGGTGATTGATTAATGTGC
exon 17	GGTGGAGGAATATATCTTIGC	ATAGAATAGATTCAATCATGC
exon 18	CGATAGACAGACAGACACCAGAAGG	CAGCTATAATITCCCACAGCAGTCC
exon 19	GTGTAATCTCAATTGCTACGGCTACC	CAAGTAGCTGGGACTTCAGATGC
exon 20	TAGTTTCATGTCTTTTCCTC	GAATTTTAAGCACCATCAGTC
exon 21	CCAGGACTCATTTCTTTCACC	CTTTCTGACAGAAATATTTGG
exon 22	TGATGTTTCTACATAGTTGG	GGAGTAAAACAATACATAAAAAATG

context of its surrounding DNA sequence. Location of each variation refers to the position on GenBank accession ALA49744.8, or the complementary Table 7. Variations in CFH identified through resequencing that may be correlated with the occurrence of AMD. Each variation is shown in the DNA strand of GenBank Accession AL049744.8.

Lossana	Region Position CommuniCommoniCommon/Rare Rare Tare Tog ITW P-value	Common/Rare	RareRare	og HW P-value	Change	Sequence Context
remater 120992	96	-	0	o	SA.	GIACTOGGGTTTTCTGGGATGTAAT [A/Q] ATGTTCAGTGTTTTGACCTTGGTGG
orcanoles 120865	26	٥	-	-2.2764618	AVG	ACAAAGTITTAAAAARCAGCATTIC (AQ) AITIGITGATTITTGGATTATTAAA
orca:10ter 120546	57	30		-0.7739879	cr	AGBOTTIATOAAATCCAGAGGATAT ICTI ACCAGCTGCTGATTTGCACATACCA
romoter 120410	36		0	0	TVC	GARRICACHURACAATTCOGTTTAAC (TIC) TCTICICATTTCTGGGCTTGTGGCTT
sremoter 120294	75.		0	o	AFG	THE REACCAAGITICT TECTION ACTION ATTENTION AND ACCAMINE TO THE ACTION AND ACCAMINE THE ACCAMINE TH
16856	22	22	٥	0.4512837	ςz	TANATATACTEGIACATTANATAGA (CRI ACITTATIXACITATITITA
99242	8	-	0	0	T/G Ser 38 Als	CTATAAATKKCOCKKTOGATATAGA [T/O 8# 58 Ab] CTCTTGGAAATGTAATAATGCTAFG
99230	72	22	0	0.4512837	G/A Vai 62 fie	CCCTGGATATAGATCTCTTGGAAAT 10% Val 62 BRI TAATAATGGTATGCAGGAAGKKUAGA
intron 2 99114	66	-	0	Ð	Ç	GAAAACTAGGIGTAAAAATACTTAA (G/a) ATTTAATATTGTAGGAATTAMGYCT
98485	7.8	20	9	6.2285278	0/LL/-	CATACTAATTCATAACTTTTTTTTTAPPOAAAGGCCCTGTGGACAT
intros 3 98283	86	-	o	0	2/2	ATATA ITITTAAGGTTATTATATTI [170] ICTATGAGCATTTAAAAAAGTAATA
intron 3 98188	g	-	o	٥	2/0	GGATACCATATTATCTCCTTAACATTYGGAAAATTTAAATGAAGTATAACTT
96315	ž		0	0	G/A Arg 127 His	CAATTOCTAGGTGAGATTAATTACC (Q'A Ave 127 BIST TGAATGTGACACAGATGGATGGACC
96211	96	-	o	0	4T/0	AATAAATATCTAAGATTTAAAAAA (4D 0) GTCTTACATTAAAATATCTTAAAG)
87139	99	ŝ	88	7200980.5	A.C. (C) Ala 307 Ala	ATCCTOCAACCCGGGGAAATACAGC TAC (C) Ala 307 Ala 1 AAATGCACAAGTACTGTCTGTATAC
83071	946	-	0	0	ATGAGATATAGAAC	-ANDAGATATAGAAN OJAGACCTIKCTIGOTACATATCTCAGI I-AHBAGATALAGAA/ (I) CATCTGAGTTCTATCATTTGTTTT
05058 7 avata	ž		0	0	2/0	TTACATATCTCAGTCATCTGAGTTC (TIC) ATCATTTTGTTTTTGACCTAGAAACCC
82966	48	\$	31	-10.039955	5	TGATAAAAATTTATCTCTAATATGA (OTT TOTTTATTACAGTAAAATTTCTTTA
82957	ž	-	ů	0	A/G	TITIATCICTAATATGAGIGITTAATI [AAG] CAGTAAAATTTCTTIATACTITTT
82232	55	-	٥	o	C/A Gitt 400 Lys	SCCPATTINGAAAATGGATATAAT ICIA CIB 800 1.ys AAAA1CA IGGAAGAAAGTTTGTACA
82226	46	188	30	-8.6035781	C/T His 402 Tyr	ITTGGAAAATGGATATAAICAAAAT [CT His 102 Tyr] ATGGAAGAAAGIITIGTACAGGGIAA
intron 9 58652	93	-	٥	0	J/C	KATATTTACATATTACTTAAATTCT [FC] ATAAAATGTTATTGATCATATGCTT
91585 01 rexa	36	37	2	-0.8677698	G/A Ala 473 Ala	ATACATATGCCTTAAAAAAAAAAAAAAAAAAAAAAAAAA
58319	63		0	0	A/G	TOGGGGCTGATATATATCATTTCA (AG) AAGATAAGAAAAAAAAACCTGCAGG
intron 10 58260	93	-	o	0	90	AGACATCAATTTTTTTTTTCA (CRI ATTAATTACTCAQATA;TAGTCTGT
intron 10 56838	*	==	29	-13,007309	GAT	TTTGTACGGTACCTATTTAGTA (O/I) ATCTAATCAATAAAGCTTTTTCTTC
exon 12 47084	96	-	0	ō	G/A V21609 lie	ATTEACAATAGTTGGACCTAATTCC (Q/A Val 609 IIa) TTCAGTGCTACCCACTTICGATTGTC
intron 12 46992	55		0	9	9/1.	ATTOCTOAAATAAGAATTAGAACTT [1K] GAATAKKAACTTTTTCCTATTAAT
exon 13 45721	21	63	4	-1.0457792	A/G Gla 572 Gla	TAATGAAGGGACCTAATAAATTCA (AKG GIN 672 GIN) TGTGTTGGATGGAGGACTT
	1286.5		X	2	1	1

exem 15 43875	43875	CZ.	-	٥	o	A/G Gly 783 Gly	CTAACATAAGGTACAGATGTAGAGGTAG GIY TB3 CIY) AAAGAAGGATGGATACACACAGTTCT
inron 15	43549	09	26	7	-0.9218916	C/A	AATCTAGAATTATTICCTTKACAGIT (GA) TTTTCTTTCAGAATTTTGAGTATAT
intron 15	40445	96	4	۰	8	ΞĞ	CITCIGGAAATTCCATTITATGTAA JOTT CATTGCGTTTTCATTGCCTTTTTC
intron 15	40412	X	20	82	13.609594	360	TITICATIGGCITTITICAATACITI (GAC) GICTATAACITITIGATAATITICATI
ston 15	40335	93	-	0	0	35	TICATTAAACTIATTIBATTICCTTI (GC) AGAITTCTGGGTGTGGGTTTCTATT
intron 15	40179	09	26	7	-0.9218916	cvr	CCACATGGTAGTATTCCATCTGGAT (C/T) TTAAGCTATCTTCACTTTTATTTAT
infron 15	33577	95	1	٥	o	176	CATATAAATTATTTCATCAAAA (DG) KTAATTTTAAYATTTTATTTTT
intron 15	35537	S.	12	88	-12.229741	CAA	TITTATITITIATITITIATIAA (CA) ATTAATIAIATITITAATATITIT
intron 16	35263	96	1	0	٥	5	ATGAGGTPAATAITCTCTTCTGCTT ICM GTGTAAACAAGAGAAGATCTTTC
exon 17	34821	96	2	0	0	C/T H5s 878 His	GTTCACAACCACCTCAGATAGAACA [CJT Hs 878 Hs] GQAACCATJAATTCAJCCAGGIEJT
exon 17	34786	36		0	٥	G/T Ser 890 Re	AATTICATICCAGGICTICACAAGAA [G/T Srr 890 No] TIATIGCACATGGGACTAAATTICAGT
theron 1.7	31825	53	1	0	0	ΑĆ	ATTIVITACTIC TCATORE [AC] TAGNAGCICC SCRATICITMATITE
exon 18	31689	70	61	3	-1.4115003	CVT Glu 936 Asp	GOCTIOCTIOTAAATCICCACCIOA (GIT GII 936 ARR) AITTCICATGOTOTIOTAGCICALA
tectron 18	30673	89	~	٥	o	170	RETRACEGET ACCAMPATHET TEMP CHETAATATEATHET ATETATATA
intern 18 30547	30547	78	11	s	-2.5065654	T/C	INGRIGIACAGIA TICATION FINCIA (IX) ATARCOCTATELTAGA A TECATIAC
intron 18	30546	53		c	o	WG.	GTTGTACAGTATTCATTCTAT [A/G] TATCGCTATTTTAGAATCCATTACA
exon 19	30396	93		0	0	G/F Val 1007 Lea	CATACCCATCGGAGAGAAGAAGGAT (GTT Val 1007 f.cm) TGTATAAAGGCGGGTGAGAAGTGAC
61 notati	28886	89	50	0	0.9353138	TÆ	GOTOGRACCACTICITITICIA [TC] ICAGACACCTCCTGTGTGAATCCGC
скон 20	28877	65	23	٥	0.9350138	CT Thr 1646 Thr	ACTICITITITICIATICAGACAC (C/T The 1046 The) TCCTGTGTGTATCCCCCCACAGTAC
exon 20	28867	86	3	0	ο	A/T Asn 1050 Tyr	TETICEATTCAGACACCTCCTGTGTGTATAN 1081 TYPI ATCCGCCACAGTACAAAATGCTTA
intron 20	28592	7.5	2	٥	0	A/G	AATAGATITICAAATOCAAATAAA [AG] TGACIGATGOTGCTTAAAATTCAAT
intron 20	26589	80	-	٥	0	CAC	TIGATATTATATACAGITICTOFICITIT FOR COFFIGOCITATITICAACTITICIATT
ex00 22	25219	89	-	٥	0	C/A Pro 1166 Glts	GITTACTGETTITITATITICADATE (C/A Pro 1166 Ch) GIGIGIAATATECEGAGAATTATU
exed 22 25088	25088	9C		۵	0	C/T Arg 1219 Cys	TARACOGODATATOSTOTTECATCA (CT AUR 1210 C)S) CTTCTCACACATTGCGAACAACATG

Table 8. Variations in CFHL1 that may be correlated with the occurrence of AMD. Each variation is shown in the context of its surrounding DNA sequence. Location of each variation refers to the position on GenBank Accession AL049741.7, or the complementary DNA strand of GenBank Accession AL049741.7.

colon	Posttion	Region Prattian Communicommon Rare Rare Rare Log HW P-value	CommonSare	Rare/Rare	Log HW P-value	Change	Sequence Cantext
sapamore	24634	6†	6	22	-19.77769145	AVG	MANTACCCATTCTCANAGTCCCATC (A/G) GAACAAATTATTTGAAGTAAAAT
promoter	24630	St	74	2	э	c/G	ACCCATICICAAAGBOCCATCAGAA [CAG] AAAATTATTITGAAGTAAAATTTGT
nomoter	24620	8	6	77	-11.71118554	TYC	AAAGTCCCATCAGAACAAATTATT ITICI TGAAGTAAAATTTGTTCAACAATTT
promoter 24607	24607	49	œ	22	-11.37722588	200	AACAAAATTAT; TTGAAGTAAAATT [TQ] GTTCAACAATTTTGGGAACCATTAC
numoter	24558	74	2	0	0	ξģ	ACATACCAAAATTATTCTTGATTT G/T] ACTTTTTATAGTCTAAAAATATGAA
promoter 24543	24543	49	9	20	-11.82719892	400	ICTIGATITIGACITITITATAGICTA 4C: () AAAATATGAAAACTATTAAGAAGTT
promoter 24482	24/82	89	18	s	-1.372873106	CA.	TTITTITTITTITTITTITIOAGA ICAI GGAGICTCCCTCTCTCCCCTGGCT
nomotes 24445	24445	74	61	0	0.229044145	C/A	CHOTCACY CYGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG
rotester 24426	24426	89	20	5	-1 259964884	75	SOBA OFFICIAL CONTRACTOR (CVT) DA ACTENCIO CONDESSA GETTO ACTEN
promoter 24412	24412	74	19	0	0.229044145	5	TEAGETEACTEREBACTECREETER POTT BAGTTEACRECATTETECTECTER
romotes 24494	24484	7.4	12	1	-0.363372133	CA	CTGCGAACTCCGCTCCGAGTTCA (C2) GCATTCTCCTGCCTCAGCTCCCA
promoter 24303	24303	80	14	0	0	27.0	TTICAGTAGAGATGGGGTTTCACCA (TIC) GTTAGCCAGGATGGTCTGAAGTTAC
stormater 24:82	24:82	74	68	-	0	S	CIGATICACCTICACTIOCTIGCCTA (CT) TOATGTAGGTGAAGTCTIGGCTAGA
romoter	24148	92		0	0	5	CTIGGGTAGAAAAAAGGGGCTT JCTI CTCTTTCCTCTCAATGGCCCAITT
exon I	23873	93		0	6	CVG	TCATGCTCATAACTGTTAATGAAAG (CO) AGATTCAAAGCAACACCACCAC
exon 1	23857	93		0	٥	C/A	TAATGAAAGCAGATTCAAAGCAACA [C/A] CACCACCACCAGAAGTATTTTAGTT
ncron 1	23622	77	13	5	-2,667405836	92	ATTERAATGAGTTATAATATTAAT ICKII TATETTATGGAAATACTTTCTAACA
ntron 1	23583	20	13	0	G	ΨC	TACTITICIAACATGCAATTAGCAGG (A/G) AAATAGAATAAAATTAGTTCTCTC
intron i	18334	7.	a	30	-20.56326969	-47/0	AGREATGTACTECTAGITAGTGATG (-TV ()) CTITICATICCTAATTYGTACACTG
intros 1 18264	18264	27	٥	61	-20.20008135	r,	OCATITAAGCTAAATGAAAGAAAA (CII) ACTATAAGTGAGATGATTAAAATAT
Intron 2	87936	7.4	01	7	-4.384231059	G/A.	GAATAGAGAAGGATATGCCAGACAA (GA) ATCATAAGGTCTTGATAATCACAGG
inuon 2	16939	63	17	60	-2.859665123	cr	A TECACITER OF STEER OF STATE
ntron 2	16934	0.9	Ξ	20	-10.15791403	AVG	CTCGCCTCAGCCTCCCAAAGCGCAGFAG] GATTACCAGAGTGAGCCACTTCACC
ntroa 2	16837	68	-	٥	0	20/3	ACTICCATCITICITACATTAATCCOTTEND TITTGGTCCTTIAGGACTGTGTTTCTT
mtron 3 16599	86599	09	3	6)	-9.704247488	C/A	<u>Hatoctottatctattataaagitt (qa) agagaaataaatctttttacaggt</u>
ritron 3	16543	59	11	20	-10.05211275	V/L	AFAGGITTECCACATACTITIATC FIALTTATECATTICATITECACTICAA
niron 4 83277	12227	8.5	s.	٥	0	T/C	ITGATATTATATAAAGTGCTGTGTT [T/C] GTATTTGCCTTATTTGAACTTGTAT
5 coxo	13128	89	-	٥	0	TAC Pro 211 Pro	ATTCTACGGGAAATGTGGGCCCCC [TIC Pio 21] Proj CCACCTATTGACAATGGGGACATTA
exon 5	13002	99	17	7	-2 450785359	G/A Pro 223 Pro	G/A Pro 223 Pro ACAATGGGGACATTACTTCATTXXX [G/A Pro 223 Pro] TTGTCAGTATATGCTCCAGCTTCAT
exm 6 11741	11741	39	Ξ	58	-10.05231275	GiT Arg 302, Arg	GIT ANY SECTION ANY AND ANTICACHORAGE AND ANY SECTION AND SECTION OF A SECTION AND ANY ANY ANY
excm 6 11705	11705	19	11	99	-9.704247488 3	7/A (a) Ang 314 Ang	9.70424788 T/A (s) Any 314 Ang ITTCATCACGTCTCACACATTGCG [T/A (s) Any 314 Any ACAACATEGGGATGGGAAACTGG
exon 6 11593	55533	01	13	9	CO 000 00 000 000 00	***	

Table 9. Variations in CFFLJ that may be correlated with the occurrence of AMD. Each variation is shown in the context of its surrounding DNA sequence. Location of each variation refers to the position on GenBank Accession AL049741.8, or the complementary DNA strand of GenBank Accession AL049741.8.

PGATGGFAGTGGACTTAAATTCAGA [AC] CCACACTTGGTAACTAATGAAA ACTAATAATGAAAGATTTCAAAGC ICAI CAAACAGGGGAACTGAAACTTTTGT
AACTAATAATGAAAGATTTCAAACC ICIAI CAAACAGGGGACTGAAACTTTTGT
22222
-
d.

Table 10. Variations in CFHL4 that may be correlated with the occurrence of AMD. Each variation is shown in the context of its surrounding DNA sequence in Chromosome 7:32512024-33512123.

Region	Position	Rogiun Position Common Common Communi Rare Rare Rarell og HW P-value	Common/Rare	Rare/Rare	Log HW P-value	Change	Sequence Context
promoter, 7013	7013	83		٥	0	rs.	GITTAITITICAACGIGATGICAACA [CIT] GOCTCCTATCTTCATTTTCTTCCC
promoter 7369	7369	91	4	0	0	0,0	AATAGTTIBCABAAGCCTTICCATTCC [CKR] TGTATTAAAACTCTCTTTACTTAAA
promoter 7577	7577	91	\$	0	0	C/A	CTGAACTITGATATTACTAAGTGA [CA] CTAAAAGCCCTAGCTTTGTGGTAGT
promoter 7585	7585	95	1	0	0	9/2	TGATATTIACTAAGTGACCTTAAAG [CA] CCTAGCTTTGTGGTAGTGCACTTAA
CXUE: 2 22144	22144	3	2	٥	8	T/C Asp 76 Asp	TIC AND 76 AND PGOGGATTACATTCACTGCACACAGA (TIC AND 76 AND) GGGTGGTTGCCAACAGTCCCATGCC
exor 3	exor 3 32436	25		0	٥	T/C Ile 132 Ile	TIC BE 132 BE CAGATOGAAATTCTTCAGGTTCAAT FIC BE 132 BELACATGTTFGCAAAATUGATGGTCAG
intron 5 37640	37640	88	4	27	-2.226371993	ъд	GCTAAAGTCAGTATGTAGCACAAAT [170] AATAACTATTAACTATTTGGATTAT
intron 5 37701	37701	69	18	9	-1,933221388	G/A	TATTITATECTAAACTACTCATTAG (GA) ATGCATTTTATTTKKCTCATGAAAGG
exut 6 37884	37884	7.4	61	74	-0.208237586	C/A GBy 306 GBs	-0.208237586 1974 GBy 306 GBs accattgaathtatufgfaaathgg fg/A GBy 306 GBs Atataatgcgaatacatcag

Claims

We claim:

10

15

- An isolated polynucleotide for the detection of a variant CFH gene, in a sample from an individual, comprising a nucleic acid molecule that specifically detects a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans
 - The polynucleotide of claim 1, wherein the polynucleotide is a probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans.
- The probe of claim 2, wherein the variation encodes an amino acid other than histidine at position 402 of the CFH protein.
- 4. The probe of claim 3, wherein the variation encodes tyrosine at position 402 of the CFH protein.
 - 5. The probe of claim 2, wherein the probe is a DNA probe.
- The probe of claim 5, wherein the probe is from about 8 nucleotides to about 500 nucleotides.
 - The probe of claim 5, wherein the probe is from about 10 nucleotides to about 250 nucleotides.
- The probe of claim 5, wherein the probe comprises one or more non-natural or
 modified nucleotides.
 - The probe of claim 8, wherein the one or more non-natural or modified nucleotides are radioactive, fluorescently, or chemically labeled nucleotides.
 - 10. A polynucleotide primer that hybridizes, under stringent conditions, adjacent to a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans.
 - 11. The polynucleotide primer of claim 10, which hybridizes immediately adjacent to a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans.
- 12. A pair of polynucleotide primers that specifically detect a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans,

wherein the first polynucleotide primer hybridizes to one side of the variation and the second polynucleotide primer hybridizes to the other side of the variation.

13. A pair of polynucleotide primers that hybridize to a region of DNA that comprises a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans, wherein the polynucleotide primers hybridize to the region in such a manner that the ends of the hybridized primers proximal to the variation are from about 20 to about 10,000 nucleotides apart.

5

15

25

- 14. The pair of polynucleotide primers of claim 12, wherein the variation encodes an amino acid other than histidine at position 402 of the CFH protein.
- 10 15. The pair of polynucleotide primers of claim 14, wherein the variation encodes tyrosine at position 402 of the CFH protein.
 - 16. The pair of polynucleotide primers of claim 12, wherein the primers are DNA primers.
 - 17. The pair of polynucleotide primers of claim 16, wherein the primers are each from about 8 nucleotides to about 500 nucleotides.
 - 18. The pair of polynucleotide primers of claim 16, wherein the primers are each from about 10 nucleotides to about 250 nucleotides.
 - 19. The pair of polynucleotide primers of claim 16, wherein the primers comprise one or more non-natural or modified nucleotides.
- 20 20. The pair of polynucleotide primers of claim 19, wherein the one or more non-natural or modified nucleotides are radioactive or fluorescently labeled nucleotides.
 - 21. A method of detecting, in a sample obtained from an individual, a variant CFH gene that is correlated with the occurrence of age related macular degeneration in humans, comprising:
 - (a) combining the sample with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans, but not to a wildtype CFH gene; and
 - (b) determining whether hybridization occurs,
 wherein the occurrence of hybridization indicates that a variant CFH gene

that is correlated with the occurrence of age related macular degeneration is present in the sample.

22. A method of detecting, in a sample obtained from an individual, a variant CFH gene that is correlated with the occurrence of age related macular degeneration in humans, comprising:

5

10

15

- (a) combining the sample with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans, thereby producing a combination;
- (b) maintaining the combination produced in step (a) under stringent hybridization conditions; and
- (c) comparing hybridization that occurs in the combination with hybridization in a control, wherein the control is a polynucleotide probe that does not bind to a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans or binds only to a wildtype CFH gene, and the sample is the same type of sample as in (a) and is treated the same as the sample in (a), and wherein the occurrence of hybridization in the combination but not in the control indicates that a variant CFH gene that correlates with age related macular degeneration is present in the sample.
- 23. The method of claim 22, wherein the extent of hybridization is determined in step (c).
- 24. A method of detecting, in a sample obtained from an individual, a variant CFH gene that is correlated with the occurrence of age related macular degeneration in humans, comprising:
 - (a) combining a first portion of the sample with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans:
- 30 (b) combining a second portion of the sample with a polynucleotide probe that hybridizes, under stringent conditions, to a wildtype CFH gene; and

(c) determining whether hybridization occurs,
wherein the occurrence of hybridization in the first portion but not in the
second portion indicates that a variant CFH gene that is correlated with the
occurrence of ace related macular degeneration is present in the sample.

- 5 25. The method of claim 21, wherein the variation encodes an amino acid other than histidine at position 402 of the CFH protein.
 - 26. The method of claim 25, wherein the variation encodes tyrosine at position 402 of the CFH protein.
- 27. The method of claim 21, wherein the sample comprises cells obtained from the eye, car, nose, teeth, tongue, cpidermis, epithelium, blood, tears, saliva, mucus, urinary tract, urine, muscle, cartilage, skin, or any other tissue or bodily fluid.
 - 28. The method of claim 21, wherein the polynucleotide probe is a DNA probe.
 - 29. The method of claim 21, wherein the polynucleotide probe is from about 8 nucleotides to about 500 nucleotides.
- 30. A method of detecting, in a sample obtained from an individual, a variant CFH gene that is correlated with the occurrence of age related macular degeneration in humans, comprising:
 - (a) combining the sample with a pair of polynucleotide primers, wherein the first polynucleotide primer hybridizes to one side of DNA encoding amino acid 402 of the CFH protein and the second polynucleotide primer hybridizes to the other side of DNA encoding amino acid 402 of the CFH protein;
 - (b) amplifying DNA in the sample, thereby producing amplified DNA;
 - (c) sequencing amplified DNA; and

20

25

(d) detecting in the DNA the presence of a variation that encodes an amino acid other than histidine at position 402 of the CFH protein, wherein the presence of the variation indicates that a variant CFH gene that is correlated with the occurrence of age related macular degeneration in humans is detected in the sample.

31. A method of identifying or aiding in identifying an individual at risk for developing age related macular degeneration, comprising assaying a sample obtained from the individual for the presence of a variant CFH gene that is correlated with the occurrence of age related macular degeneration in humans, wherein the presence of a variant CFH gene indicates that the individual is at risk for developing age related macular degeneration.

32. A method of identifying or aiding in identifying an individual at risk for developing age related macular degeneration, comprising:

5

10

15

20

25

- (a) combining a sample obtained from the individual with a polynucleotide probe that hybridizes, under stringent conditions, to a variation in the CFHI gene that is correlated with the occurrence of age related macular degeneration in humans, but does not hybridize to a wildtype CFH gene; and
 - (b) determining whether hybridization occurs, wherein the occurrence of hybridization indicates that the individual is at risk for developing age related macular degeneration.
- 33. A method of identifying or aiding in identifying an individual at risk for developing age related macular degeneration, comprising:
 - (a) obtaining DNA from an individual;
 - (b) sequencing a region of the DNA that comprises the nucleotides that encode amino acid 402 of the CFH protein; and
 - (c) determining whether a variation that encodes an amino acid other than histidine at position 402 of the CFH protein is present in the DNA, wherein the presence of the variation indicates that the individual is at risk for developing age related macular degeneration.
- 34. A diagnostic kit for detecting a variant CFH gene in a sample from an individual, comprising:
 - (a) at least one container means having disposed therein a polyaucleotide probe that hybridizes, under stringent conditions, to a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans; and

(b) a label and/or instructions for the use of the diagnostic kit in the detection of a variant CFH gene in a sample.

35. A diagnostic kit for detecting a variant CFH gene in a sample from an individual, comprising:

5

10

- (a) at least one container means having disposed therein a polynucleotide primer that hybridizes, under stringent conditions, adjacent to one side of a variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans; and
- (b) a label and/or instructions for the use of the diagnostic kit in the detection of CFH in a sample.
- 36. The diagnostic kit of claim 35, additionally comprising a second polynucleotide primer that hybridizes, under stringent conditions, to the other side of the variation in the CFH gene that is correlated with the occurrence of age related macular degeneration in humans.
- 15 37. A composition for treating a subject suffering from age related macular degeneration, comprising:
 - (a) an effective amount of an isolated or recombinantly produced wildtype CFH polypeptide, or a fragment thereof; and
 - (b) a pharmaceutically acceptable carrier.
- 38. The composition of claim 37, wherein the CFH polypeptide or the fragment thereof inhibits the activation of C3.
 - 39. A method of treating a subject suffering from age related macular degeneration, comprising administering to the subject an effective amount of the composition of claim 37.
 - 40. A composition for treating a subject suffering from age related macular degeneration, comprising:
 - (a) an effective amount of an isolated or recombinantly produced nucleic acid molecule coding for a CFH polypeptide, or a fragment thereof; and
 - (b) a pharmaceutically acceptable carrier.

41. A method of treating a subject suffering from age related macular degeneration, comprising administering to the subject an effective amount of the composition of claim 40.

- 42. A method of detecting, in a sample obtained from an individual, a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans, comprising:
 - (a) combining the sample with an antibody that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans; and
 - (b) determining whether binding occurs,
 wherein the occurrence of binding indicates that a variant CFH polypeptide that is
 correlated with the occurrence of age related macular degeneration is present in the sample.
 - 43. A composition for treating a subject suffering from or at risk for age related macular degeneration, comprising:
 - (a) a nucleic acid molecule comprising an antisense sequence that hybridizes to a variant CFH gene or mRNA that is correlated with the occurrence of age related macular degeneration in humans; and
 - (b) a pharmaceutically acceptable carrier.

10

15

25

- 44. The composition of claim 43, wherein hybridization of the antisense sequence to the variant CFH gene reduces the amount of RNA transcribed from the variant CFH gene.
 - 45. The composition of claim 43, wherein hybridization of the antisense sequence to the variant CFH mRNA reduces the amount of protein translated from the variant CFH mRNA, and/or alters the splicing of the variant CFH mRNA.
 - 46. The composition of claim 43, wherein said nucleic acid molecule includes one or more modified nucleotides or nucleosides that enhance in vivo stability, transport across the cell membrane, or hybridization to a variant CFH gene or mRNA.
 - 47. A method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of the composition of claim 43.

48. A composition for treating a subject suffering from or at risk for age related macular deceneration, comprising:

(a) a nucleic acid molecule comprising a siRNA or miRNA sequence, or a precursor thereof, that hybridizes to a variant CFH gene or mRNA that is correlated with the occurrence of age related macular degeneration in humans; and

(b) a pharmaceutically acceptable carrier.

5

10

15

- 49. The composition of claim 48, wherein hybridization of the siRNA or miRNA sequence to the variant CFH gene reduces the amount of RNA transcribed from the variant CFH gene.
- 50. The composition of claim 48, wherein hybridization of the siRNA or miRNA sequence to the variant CFH mRNA reduces the amount of protein translated from the variant CFH mRNA, and/or alters the splicing of the variant CFH mRNA.
- 51. The composition of claim 48, wherein said nucleoic acid molecule includes one or more modified nucleotides or nucleosides that enhance in vivo stability, transport across the cell membrane, or hybridization to a variant CFH gene or mRNA.
 - 52. A method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of the composition of claim 48.
- 53. A composition for treating a subject suffering from or at risk for age related macular degeneration, comprising:
 - (a) an aptamer that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans; and
 - (b) a pharmaceutically acceptable carrier,
- 25 wherein binding of the aptamer to the variant CFH polypeptide reduces the activity of the variant CFH polypeptide.
 - 54. A method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of the composition of claim 53.

55. A composition for heating a subject suffering from or at risk for age related macular degeneration, comprising:

- (a) a small molecule that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans; and
 - (b) a pharmaceutically acceptable carrier,

5


15


wherein binding of the small molecule to the variant CFH polypeptide reduces the activity of the variant CFH polypeptide.

- 56. A method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of the composition of claim 55.
 - 57. A composition for treating a subject suffering from or at risk for age related macular degeneration, comprising:
 - (a) an antibody that binds to a variant CFH polypeptide that is correlated with the occurrence of age related macular degeneration in humans; and
 - (b) a pharmaceutically acceptable carrier,

wherein binding of the antibody to the variant CFH polypeptide reduces the activity of the variant CFH polypeptide.

58. A method for treating a subject suffering from or at risk for age related macular degeneration, comprising administering to the subject an effective amount of the composition of claim 57.





3G. 1B






FIG. 2A

193.70 Mb CHIZ CHIS 193.85 Mb 193.80 Mb [발 = 193.55 Mb SHE SHE 193.50 Mb 467.91 Kb SHE'S 193.45 Mb 193.40 Mb 193.35 Mb E NP 940905 193.30 Mb

FIG. 2B



SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)



FIG. 3C

<u>.</u>



Polypeptide Sequence for Homo sapiens Complement Factor H (GenBank Accession CAA68704)

kcrpgyrelg	vytenegyql	ggavrfvens	erfqykcnmg	tygerngfyp	kyysyycdeh	sidvachpgy	ekakyqck1g	tldyechágy	evikfackpg	hsevveyyon	ygdsvefncs	fdhnsniryr	dgekvsvleg	yangtklayt	ygeevtykcf	geqytyccat	ervrygersp	assveyqcqn	srtgesvefv	
typegtgaiy	gnvfeygvka	amepdreyhf	isqkilyken	rikhrtgdei	rrpyfpvavg	nbgrkfvggk	sesqytyalk	ndftwfklnd	drkkdqykvg	vkektkeeyg	waqlssppyy	leehlknkke	hamtttlnyr	inssrasges	wahmedsyg	mgekkdvyka	srdmskypsg	tefplsvyap	lrwtakqkly	
eiltgswadq	tpfgtft1tg	. apengkivss	kspdvingsp	yipngdyspl	khgglyhenm	fpylengynd	ssidiengfi	ipvfmartk	lpkidvhlvp	gpppellngn	cgdipaleng	kkckssn1ii	cppppqipns	sqppqiehgt	cksppeishg	slpsfenaip	pptvqmayiv	pppiduddi	reimenynia	ы
cnelpprint	gkrpcghpgd	cevvkclpvt	ekpkcveisc	sceekscdnp	tlkpcdypdi	pavpelrkcy	reirvktesk	aqptcikscd	lpicyerece	pickegygac	lpvciveest	lpgcvaidkl	vncsmagigl	iplcvekipc	arppddasa	ppsciktdc1	ptcrdtscvn	qckdstgkcg	pkclhpcvis	gkleyptcak
mlwaicvaed	wwalnplrkc	tdgwtndipi	hesddgfwsk	ctesgwrplp	stgwipapro	hihotqqqws	cmengwaptp	sirogkágws	ivogyngwsd	cyhfglspdl	igevegewet	itcingvwtq	vcingrwdpe	itckdgrwgs	nettcymgkw	akclgekwah	tcinsrwtgr	clngnwtepp	terngqwsep	shtlrttcwd
mrllakiiol	nvimvcrkge	1geinyrecd	gykiegdeem	yeysergdav	atrontakot	fetpagaywd	alpkagttvc	yvtadgetsg	esntgsttgs	ftivgpnavq	prflmkgpnk	esftmighrs	crgkegwiht	enyliqegee	ceggfrisee	egfgldgpai	yykmdgasnv	yemfgdeevm	lyglegnkri	ckrgyrlssr
Н	5.7	121	181	341	301	361	421	481	541	601	661	721	781	841	901	961	1021	1081	1141	1201

1/64

SEQUENCE LISTING

```
<110> Yale University
      Hoh, Josephine
<120> METHODS AND COMPOSITIONS FOR TREATING OCULAR DISORDERS
c130> YII~PWO~038
<150> US 60/629,363
<151> 2004-11-16
c150> US 60/649,479
<151> 2005-02-02
<150> US 60/672,346
<151> 2005-04-18
<160> 59
<170> FastSEO for Windows Version 4.0
<210> 1
<211> 4004
<212> DNA
<213> Homo sapiens
<400> 1
contitutes a casettett corporta teacastet tegasgaga gaactggaeg 60
trotranced agreeding transport citaasagat coasasatt agactictag 120
casagattat ttgccttatg ttatgggcta tttgtgtagc agaagattgc aatgaacttc 180
ctccaagaag aastacagaa attctgacag gttcctggtc tgaccaaaca tatccagaag 240
geacceagge tatetatasa tgeogeootg gatatagate tettggaaat gtaataatgg 300
tatgcaggaa gggagaatgg gttgctctta atccattaag gaaatgtcag aaaaggccct 360
otogacatec togagatact cettttogta entitiacect tacaggagga aatgtgtttg 420
aatatggtgt masagcligtig tatacatigta argaggggta toaattgcta ggtgagatta 400
attaccqtga atgtgacaca gatggatgga ccaatgatat tectatatgt gaagttgtga 540
agtgtttacc agtgacagea ceagagaatg gamamattgt cagtagtgca atggaaccag 600
anngggaaba coattitgga caagcagtac ggtttgtatg teactcaggc tacaagattg 660
aaggagatga agaaatgcat tgttcagacg atggtttttg gagtaaagag aaaccaaagt 720
gtgtggaaat ttcatgcaaa tccccagatg ttataaatgg atctcctata tctcagaaga 780
ttatttataa ggagaatgaa cgatttcaat ataaatgtaa catgggttat gaatacagtg 840
aaagaggaga tgetgtatge actgaatotg gatggegtee gttgeettea tgtgaagaaa 900
astratiging tastecttat attecasaty gigariacte accittagg attasacaca 960
gaactggaga tgaastcacg taccagtgta gaaatggttt ttatootgca accoggggaa 1020
atacagcasa atgcacaagt actggctgga tacctgctcc gagatgtacc trgaaacctt 1080
gtgattatcc agacattasa catggaggto tatatcatga gaatatgcgt agaccatact 1140
ttopagtage tgtaggaaaa tattacteet attactgtga tgaacatttt gagacteegt 1200
caggaagtta ctgggatcac atteattgca cacaagatgg atggtegees gcagtaccat 1260
geoteagaaa atgitattit oottattigg aaaatggata taatcasaat catggaagaa 1320
agtitigtaca gggtaaatot atagacgitg cotgocatco tggctacgct citccaaaag 1380
egeagaccae agttacatgt atggagaatg getggtetee tacteecaga tgcateegtg 1440
tcasaacato ttccasatcs agraragata ttgagastgg gtttatttct gastctcagt 1500
atacatatgo ottasaagaa aaagogaaat atcaatgoaa actaggatat gtaacagcag 1560
atggtgaaac atcaggatca attacatgtg ggaaagatgg atggtcagct caacccacgt 1620
geattaaatc ttgtgatatc ccagtattta tgaatgccag aactaaaaat gacttcacat 1680
ggtttaaget gaatgacaca ttggactatg aatgccatga tggttatgaa agcaatactg 1740
gaageaceae tegitecata gtgtgtggtt acaatggttg gtctgattta cccatatgtt 1800
atgaaagaga atgcgaactt cctaaaatag atgtacactt agttcctgat cgcaagaaag 1860
accagtataa agttggagag gtgttgaaat totootgcaa accaggattt acaatagttg 1920
```

2/64

```
gacctaattc ogttcagtgc taccactttg gattgtctcc tgacctccca atatgtaaag 1980
agcaagtaca atcatgtggt ceacetectg aacteeteaa tgggaatgtt aaggaaaaaa 2040
cquaaqaaqa atatggacac agtgaagtgg tggaatatta ttgcaatcct agatttctaa 2100
tgaagggace taatasaatt castgtgttg atggagagtg gacaacttta ccagtgtgta 2160
ttgtggagga gagtacetgt ggagatatac ctgaacttga acatggetgg geecagettt 2220
ettecectee trattactat ggagatteag tggaatteaa ttgeteagaa teatttacaa 2280
tgattggaca cagatcaatt acgtgtattc atggagtatg gacccaactt coccagtgtg 2340
tggcaataga taaacitaag aagtgcaaat catcaaattt aattatactt gaggaacatt 2400
taaaaaacaa gaaggaatto gatcataatt otaacataag gtacagatgt agaggaaaag 2460
aaggatggat acacacagto tgcataaatg gaagatggga tocagaagtg aactgctcaa 2520
tggcacaaat acaattatgc ccacctccac ctcagattcc caattctcac aatatgacaa 2580
ccacactgaa ttatcgggat ggagaaaaag tatctgttct ttgccaagaa aattatctaa 2640
ttcaggaagg agaagaaatt acatgcaaag atggaagatg gcagtcaata ccactctgtg 2700
ttgaanaaat tocatgittea caaccacete agatagaaca eggaaccatt aarteateea 2760
ggtetteaca agasagttat geacatggga etasattgag ttatacttgt gagggtggtt 2820
toaggatato tgaagaaaat gaaacaacat gotacatggg aaaatggagt totocacoto 2880
agrigrangy cotteettyt anatotocae etgagattte teatggtytt grageteaca 2940
tgtcagacag ttatcagtat ggagaagaag ttacgtacaa atgttttgaa ggttttggaa 3000
ttgatgggee tgeaattgea aaatgettag gagaaaaatg gteteaceet ccatcatgea 3060
taaaaacaga ttgtctcagt ttacctagct ttgasaatgc catacccatg ggagagaaga 3120
aggatgtgta taaggogggt gagcaagtga ottacacttg tgcaacatat tacaaaatgg 3180
atggagccag taatgtaaca tgcattaata gcagatggac aggaaggcca acatgcagag 3240
acacetecty tytgaateeg eccacagtae aamatgetta tatagtyteg agacagatga 3300
gheaatatoo atotggtgag agagtacgtt atcaatgtag gagcoottat gaaatgtttg 3360
gggatgasga agtgatgtgt tranatggaa actggacgga accaectcaa tgcasagatt 3420
ctacaggaaa atgtgggccc cctccaccta ttgacaatgg ggacattact tcattcccgt 3480
tgtcagtata tgctccagct tcatcagttg agtaccaatg ccagaacttg tatcaacttg 3540
agggtaacaa gcgaataaca tgtagaaatg gacaatggtc agaaccacca aaatgcttac 3600
atcogtgtgt aatatoooga gaaattatgg assattataa catagoatta aggtggacag 3660
ccaaacagaa getttatteg agaacaggig aatcagttga atttgtgtgt aaacggggat 3720
atogtotito atcacguiol cacacattgo gaacaacatg tigggalggg aaactggagt 3780 atccaacttg tgcaaaaaga tagaatcaat cataaagtgo acacotttat toagaacttt 3840
agtattasat cagttotosa tricattttt tatgtattgt tttactoott tttattosta 3900
ogtaaaattt tggattaatt tgtgaaaatg taattataag ctgagacogg tggototott 3960
cttamaagca ccatattama tootggaaaa ctamaaaaaa aaaa
<210> 2
<211> 1702
<212> DNA
<213> Homo sapiens
<400> 2
cottttgcag caagttottt cotgcactaa toacaattot tggaagagga gaactggacg 60
ttgtgaacag agttagetgg taaatgteet ettaaaagat ecaaaaaatg agaettetag 120
canagattat tigocitatg thatgggota thigtgtage agaagatige aatgaactte 180
otocaagaag asatacagaa attotgacag gttootggto tgaccasaca tatocagaag 240
gcacccaggo tatotatasa tgccgccotg gatatagato tottggaaat gtaataatgg 300
tatgcaggaa gggagaatgg gttgctctta atccattaag gaaatgtcag aaaaggccct 360
gtggacatco tggagatact cottttggta cttttaccot tacaggagga aatgtgtttg 420
aatatggtgt aaaagctgtg tatacatgta atgaggggta tcaattgcta ggtgagatta 480
attaccgtga atgtgacaca gatggatgga ccaatgatat tectatatgt gaagttgtga 540
agtgtttacc agtgacagca ccagagaatg gaasaattgt cagtagtgca atggaaccag 600
atogogaata coattttgga caagcagtac ggtttgtatg taactcaggc tacaagattg 660
aaggagatga agaaatgcat tgttcagacg atggtttttg gagtaaagag aaaccaaagt 720
gtgtggaaat ttcatgcaaa tccccagatg ttataaatgg atctcctata tctcagaaga 780
ttatttataa ggagaatgaa cgatttcaat ataaatgtaa catgggttat gaatacagtg 840
aaagaggaga tgetgtatge actgaatetg gatggcgtec gttgcettea tgrgaagaaa 900
aatcatgtga taatcettat attecaaatg gtgactacte acctttaagg attaaacaca 960
gaactggaga tgaaatcacg taccagtgta gaaatggttt ttatcctgca acceggggaa 1020
atacagessa atgcacaagt actggctgga tacctgctcc gagatgtacc ttgaaacctt 1080
gtgattatcc agacattana catggaggtc tatatcatga gantatgegt agaccatact 1140
ttccaqtage tgtaggaaaa tartactcc: attactgtga tgeacatrit gagactccgt 1200
```

3/64

caggaagtta ctgggatcac attcartgca cacaagatgg atggtcgcca gcagtaccat 1260

```
gcotcagaaa atgttattst cottatttgg aanatggata taatcaaaat catggaagaa 1320
agtttgtaca gggtaaatet atagaegttg cetgccatce tggetaeget ettecaaaag 1380
ogcagaceae agitacatgt atggagaatg gotggtotco tactoccaga tgcatccgtg 1440
toagotttac cotetgaact tetgategaa ggtcatecot etccagettg agtggateaa 1500
agatgacaag ggccaatgga accaagtitg agtotigcca ggtcaatact tgggtcotga 1560
gtatggtgac tagtatetgt tttgttatgt gtgtattatt ccagecagaa tgggaastge 1620
taattoaget cetecaggsa geccaatggg getggtgget ttgagattat taaactettt 1680
                                                                  1702
ctctcctcca aaaaaaaaaaa aa
<210> 3
<211> 4252
<212> DNA
<213> Mus musculus
<400> 3
aagtotttee etgetgtgae cacagiteat ageagagagg aactggatgg tacageacag 60
attitotottg gagtoagttg gtoccagaaa gatocasatt atgagactgt cagcaagaat 120
tatttgggtt atattatgga ctgtttgtgc agcagaagat tgtaaaggtc ctcctccaag 180
agassattca gasattctet caggetegtg gtcagascaa ctatatccag saggescock 240
ggotacotac aaatgeegee etggataceg ascaettgge actattgtaa aagtatgeaa 300
gaatggaaaa tgggtggcgt ctaacccatc caggatatgt cggaaaaagc cttgtgggca 360
tocoggagac acaccetttg ggtoctttag getggcagtt ggateteaat trgagtligg 420
tgcaaaggtt gtttatacct gtgatgatgg gtatcaacta ttaggtgasa ttgattaccg 480
tgaatgiggt gcagatgget ggatcaatga tattecacta tgtgaagttg tgaagtgtet 540
acctgtgaca gaactogaga atggaagaat tgtgagtggt gcagcagaaa cagaccagga 600
atactatttt ggacaggtgg tgcggtttga atgcaattca ggcttcaaga ttgaaggaca 660
taaggaaatt cattgotcag aaaatggoot ttggagcaat gaaaagccac gatgtgtgga 720
aattetetge acaccacege gagtggaaaa tggagatggt ataaatgtga aaccagtita 780
caaggagaat gaaagstacc actataagtg taagcatggt tatgtgccca aagaaagagg 840
ggargoogte Egcacagget etggatggag tretcageet tretgtgaag aaaagagatg 900
ctcacctcct tatattetaa atggtateta cacacctcac aggattatac acagaagtga 960
tgatgasatc agatatgast gtaattatgg cttctatcct gtaactggat caactgtttc 1020
asagtgtaca cocactgget ggatecetgt tecaagatgt acettgaaac catgtgaatt 1080
tocacaatto asstatggac gtotgtatta tgaagagago otgagacoca acttoccagt 1140
atotatagga aataagtaca gotataagtg tgacaacggg ttttcaccac ottctgggta 1200
thootgggac tacettegtt geacageaca agggtgggag cetgaagtee catgegteag 1260
gaaatgigtt ticcattatg iggagaatgg agactcigca Lacigggaaa aagtatatgi 1320
gragggroup tetttaaaag teragtgtta caatggetat agtetteaaa atggteaaga 1380
cacaatgaca tgtacagaga atggetggte coetcetece aaatgcatce gtatcaagae 1440
atgiticagea teagatatae acatigacaa tggatitett tetgaatett ettetatata 1500
tgototaaat agagaaacat cotatagatg taagcaggga tatgtgacaa atactggaga 1860
aatatcagga tcaataactt geettcaasa tggatggtca cetcaaccet catgeattam 1620
gtottgtgat atgcotgtat ttgagaatto tataactaag aatactagga catggtttaa 1680
geteaatgae saattagaet atgaatgtet egttggattt gaaaatgast atasacatae 1740
casaggetet ataacabgta ettattatgg atggtetgat acacceteat gttatgasag 1800
agaatgeagt gtteccacte tagacegama actagtegtt teccceagam aagaamaata 1860
cagagitgga gatttgttgg aattctcctg coattcagga cacagagitg ggccagattc 1920
agtgcaatgc taccactttg gatggtotoc tggtttccct acatgtaaag gtcaagtagc 1980
atcatgtgca ccacctcttg aaattcttsa tggggaaatt aatggagcaa aaasagttga 2040
atacagecat ggtgaagtgg tgaaatatga ttgcaaacet agattectae tgaagggace 2100
caataaaatc cagtgtgttg atgggaattg gacaaccttg cctgtatgta ttgaggagga 2160
gagaacatgt ggagacatte etgaacttga acatggetet gccaagtgtt etgtteetee 2220
ctaccaccat ggagattcag tggagttcat ttgtgaagaa aacttcacaa tgattggaca 2280
tgggtcagtt tottgcatta gtggaaaatg gacccagctt cctasatgtg ttgcaacaga 2340
ccaactggag aagtgtagag tgctgaagtc aactggcata gaagcaataa aaccaaaatt 2400
gactgaattt acgcataact ccaccatgga ttacaaatgt agagacaagc aggagtacga 2460
acgetcaate tgtatcaatg gaaaatggga teetgaacca aactgtacaa gcaaaacate 2520
otgocotcot ccaccgcaga ttccaastac ccaagtgatt gaaaccaccg tgaaatactt 2580
ggatggagaa aaattatotg ttotttyoca agacaattac otaactcagg acteagaaga 2540
aatggtgtge aaagatggaa ggtggcagtc attacctege tgcattgaaa aaattccatg 2700
ttoccagood cotacastag ascatggate tattaattta cocagatott cagaagaaag 2760
```

4/64

```
qaqaqattcc attgagtcca gcagtcatga acatggaact acattcagct atgtctgtga 2820
tgatggtttc aggatacetg aagaaaatag gataacetge tacatgggaa aatggagcac 2880
tocacctoge tgtgttggac ttccttgtgg acctccacct tcaattcctc ttggtactgt 2940
ttotottgag otagagagtt accascatgg ggaagaggtt acataccatt gttotacagg 3000
ctttggaatt gatggaccag catttattat atgcgaagga ggaaagtggt ctgacccacc 3060
aaaatgcata aaaacggatt gtgacgtttt acccacagtt aaaaatgcca taataagagg 3120
aaagagcaaa aaatcatata ggacaggaga acaagtgaca ttoagatgto aatotootta 3180
tcaaatgaat ggctcagaca ctgtgacatg tgttaatagt cggtggatig gacagccagt 3240
atgcaaagat aattccigtg tggatccacc acatgtgcca aatgctacta tagtaacaag 3300
gaccaagaat aaatatotac atggtgacag agtacgttat gaatgtasta aacctttgga 3360
actatttggg caagtggaag tgatgtgtga aastgggata tggacagsaa aaccasagtg 3420
cogagactea acagggaaat gtgggcetee tecacetatt gacaatggag acateacete 3480
cttgtcatta ccagtatatg aaccattatc atcagttgaa tatcaatgcc agaagtatta 3540
teteettaag ggaaagaaga caataacatg tacaaatgga aagtggtetg agccaccaac 3600
atgettacat gentgigtaa taccagaaaa cattatggaa teacacaata taatteteaa 3660
atggagacac actgaaaaga tttattccca ttcaggggag gatattgaat ttggatgtaa 3720
atatggatat tatanagcaa gagatteacc gecatttegt acaaagtgea ttaatggeac 3780
catcaattat occacttgtg tatassatca taatacattt attagttgat titattgttt 3840
agaaaggeac atgeatgiga ctaatatact tteaattige attgaagtat igittaacte 3900
atgtottoto staastataa acatttttgt tatatggtga ttaacttgta actttassas 3960
ctattgccaa aatgcaaaag cagtaattca aaactcctaa totaaaatat gatatgtcca 4020
aggacaaact atticaatca agaaagtaga tgtaagttot tcaacatotg tttotattca 4080
gaactttete agatttteet ggatacettt tgatgtaagg teetgattta cagtggataa 4140
aggatatatt gactgattet teaaattaat atgattteed aaaggatgta acaaccaaac 4200
tatoatatat tatatgacta atgcatacaa ttaattacta tataatactt to
                                                                  4252
<210> 4
<211> 4250
<212> DNA
<2335 Rattus norvegicus
<400> 4
acagcacata ottotottog agicaacigo toccagatag atocaagaca igagacigio 60
agcaagaatt atttggotta tättatggac tgtttgtgta gcagaagatt gtaaaggtoo 120
tootccaaga gaaaattcag asattetete aggttegtgg tetgaacaac tatattcaga 180
aggeacteag geaacctaca aatgeegeee tggataccga acacttggta ctattgtaas 240
agtatgcaag aatggagaat gggtacette taaccoatca aggatatgte ggaaaaggee 300
atgtgggcat cccggagaca caccetttgg gteetttagg etggeagttg gatetgaatt 360
tgaatttggt gcaaaggttg tttatacatg tgatgaaggg taccaactet taggtgaaat 420
tgattaccgt gaatgigatg cagatgggtg gaccaatgat attccaatat gtgaagttgt 480
gaagtgottg coagtgacag sactggagaa tggaagaatt gtgagtggtg cagoogaacc 540
agaccaggaa tattattttg gacaggtggt acgetttgaa tgcaactccg getteaagat 600
tgaaggacag aaagaaatgc actgctcaga aaatggcotc tggagcaatg aaaagccaca 660
gtgtgtggaa atttettgee tgecaccaeg agttgaaaat ggagatggta tatatetgaa 720
accagtitac aaggagaatg aaagattcca atataaatgt aagcaaggtt ttgtgtacaa 780
agaaagaggg gatgctgtct gcacgggttc tggatggaat cctcagcctt cctgtgaaga 840
aatgacatgi tigactccat atattecaaa tggtatctac acaccicaca ggattaaaca 900
cagaattgat gatgasatca gatatgaatg taasaatggc ttotatcotg caaccogate 950
acctgtttica aagtgtacaa ttactggctg gatecetget coaagatgta gettgaaacc 1020
ttgtgatttt ccacaattca aacatggacg tctgtattat gaagaaagec ggagacccta 1080
ottoccagta cotataggaa aggagtacag ctattactgt gacaacgggt ttacaacgcc 1140
thoacagtea tactgggact accttcgttg cacagtaaat gggtgggage ctgaagttcc 1200
abgeeteagg caabgtattt teeattatgt ggaatatgga gaatetttat actggcaaag 1260
aagatatata gagggtcagt ctgcaasagt ccagtgtcac agtggctata gtcttccasa 1320
tygtchagat acastattat gtacagaaaa tygotggtoo cotoctooca aatgogtoog 1380
tatcaagact tgttcagtat cagatataga aattgaasat gggttttttt ctgaatctga 1440
ttatacatat getetasata gasasacaeg gtatagatgt aaacagggat atgtaacaaa 1500
taccggagaa atatcaggaa taattacttg tettcaagat ggatggtcac ctcgaccetc 1560
atgoattaag tottgtgata tgcctgtatt tgagaatget atgactaaga ataataacac 1620
atggtttaaa ctcsatgaca aattagacta tgaatgtcac attggatatg aaaatgaata 1680
taaacatacc aaaggeteta taacatgtac ttatgatgga tggtetagta cacceteetg 1740
```

ttatgaaaga gaatgcagca ttocccctgtt acaccaagac ttagttgttt ttoccagaga 1800

5/64

agtamamtac ammgttggag attogttgag throtottge egttcaggac acagagttgg 1860

```
agcagattta gtgcaatget accaetttgg atggteeeet aattteecaa egtgtgaagg 1920
ccaagtaaaa tcatgtgacc aacctcttga aatcccgaat ggggaaataa agggaacaaa 1980
aaaagttgaa tacagccatg gtgacgtggt ggaatatgat tgcaaaccta gatttetact 2040
gaagggacce astanaatcc agtgtgttga cgggaagtgg acaaccttgc cgatatgcgt 2100
tgagtatgag agaacatgtg gagacettee tgeacttgag catggetetg tecagttate 2160
tgtccctccc taccaccacg gagattcagt ggagttcact tgtgcagaaa ccttcacaat 2220
gattgggcat geagtagttt tetgeattag tggaaggtgg accgagette eteaatgtgt 2280
tgcaacagat caactggaga agtgtaaagc cccgaagtca actggcatag atgcaattca 2340
tocaaataag aatgaattia atcataactt tagtgtgagt tacagatgta gacasaagca 2400
ggagtatgaa cattcaatct gcatcaatgg aagatgggat cctgaaccaa actgtacaag 2460
aaatgagaaa agattotgoo otootoocoo acagattooa aatgoocaag tgattgaaac 2520
cacagigasa tantiggatg gagagasagt atotgitcht tgccaagatg gitacctaac 2580
tcagggccca gaagaaatgg tgtgtaaaca tggaaggtgg cagtcgttac cacgctgcac 2640
ggaaaaaatt coatgttooc agocccctaa sattgaacat ggatctatta agtcgcccag 2700
greeteagaa gagagagatt taattgagte cagcagttat gaacacggaa ctacattcag 2760
ctatgtotgt gatgatggat traggatate tgaagaaaat agggtaacet graacatggg 2820
aaaatggage tetergeere grtgtgttgg aabacertgt ggaceeccac etteaattee 2880
tottggtatt gtttctcatg aactagaaag ttaccaatat ggagaggagg ttacatacaa 2940
ttgitctgaa ggotttggaa ttgatggacc agcatttatt aaatgtgtag gaggacagtg 3000
grorgaacca cocaaatgca taaaaactga ttgtgacaac ttgcccacat ttgaaattgc 3060
casacogaca gaaaagaaaa aaaaatcata caggicagga gaacaagtga cattcagatg 3120
tocacctoog tatogaatgg atggototga cattgtcaca tgtgttaata cgaagtggat 3180
tggacagecg gtatgeaaag ataatteetg tgtgaateca ccacatgtge caaatgetac 3240
tatactaaca aggcacaaga ctaaatatoc atotggtgac aaagtacgtt atgactgtaa 3300
taaaootttt gaattatttg gggaagtgga agtgatgtgo caaaacggga tttggacaga 3360
accaccgaaa tgcaaagatt caacagggaa atgtgggcct cotocaccta ttgacaatgg 3420
agacateaco teettgicat taccagtata tgcaccatta teatcagtig aatateaatg 3480
coagaactat tatotactta agggaaataa gatagtaaca tgtagaaatg gaaagtggto 3540
teagecacea acetgettae atgestgtgt gataceagaa gatattatgg aaaaacataa 3600
tatagitete agatggaggg aaaatgcaaa gatttattee caatcagggg agaatatiga 3660
attoatgtgt aaacotggat atagaaaatt cagaggatca cotcogttto gtacaaagtg 3720
cattgagggt cacatcaatt atoccacttg tgtataaaat cgctatacaa ttattagtaa 3780
accttatggs tgaacctttg tttagasatg cacatgtata ttactaatac agtttgastt 3840
tacatttgas stattgttta gctostttct tctasteagt atataaactt titttatetg 3900
gtggttaatc agtaacttta cagactgttg ccacaaagca agaacattgc attcaaaact 3960
cotaatocaa aatatgatat gtocaaggac aaactatgto taagcaagaa aataaatgtt 4020
agttottcaa tgtotgtttt tattcaggae tettcagatt ttottggata cottttgttg 4080
traggittetg attendagtg agtggaagac acactgacte tgactteasa tragtattac 4140
ttgccaatac ataacaacca sactatcata atatcacaaa tgtatacagc taattactgt 4200
gtotacett tgtatcaata aagaasteta agaaagttet tgettatgas
<210> 5
<211> 1231
<212> PRT
<213> Homo sapiens
<400> 5
Met Arg Leu Leu Ala Lys Ile Ile Cys Leu Met Leu Trp Ala Ile Cys
                                    10
Val Ala Glu Asp Cys Asn Glu Leu Pro Pro Arg Arg Asn Thr Glu Ile
             20
                                25
                                                    30
Leu Thr Gly Ser Trp Ser Asp Gln Thr Tyr Pro Glu Gly Thr Gln Ala
                            40
Ile Tyr Lys Cys Arg Pro Gly Tyr Arg Ser Leu Gly Asn Val Ile Met
                        55
Val Cys Arg Lys Gly Glu Trp Val Ala Leu Asn Pro Leu Arg Lys Cys
                                        75
Gln Lys Arg Pro Cys Gly Ris Pro Gly Asp Thr Pro Phe Gly Thr Phe
```

Thr Leu Thr Gly Gly Asn Val Phe Glu Tyr Gly Val Lys Ala Val Tyr

6/64

Thr Cys Asn Glu Gly Tyr Gln Leu Leu Gly Glu Ile Asn Tyr Arg Glu 120 Cys Asp Thr Asp Gly Trp Thr Asn Asp Ile Pro Ile Cys Glu Val Val 1.35 140 Lys Cys Leu Pro Val Thr Ala Pro Glu Asn Gly Lys Ile Val Ser Ser 150 155 Ala Met Glu Pro Asp Arg Glu Tyr His Phe Gly Gln Ala Val Arg Phe 165 170 175 Val Cys Asn Ser Gly Tyr Lys Ile Glu Gly Asp Glu Glu Met His Cys 180 185 Ser Asp Asp Gly Fhe Trp Ser Lys Glu Lys Fro Lys Cys Val Glu Ile Ser Cys Lys Ser Pro Asp Val Ile Asn Gly Ser Pro Ile Ser Gln Lys 215 220 Ile Ile Tyr Lys Glu Asn Glu Arg Phe Gln Tyr Lys Cys Asn Met Gly 230 235 Tyr Glu Tyr Ser Glu Arg Gly Asp Ala Val Cys Thr Glu Ser Gly Trp 245 250 Arg Pro Leu Pro Ser Cys Glu Glu Lys Ser Cys Asp Asn Pro Tyr Ile 265 260 Pro Asn Gly Asp Tyr Ser Pro Leu Arg Ile Lys His Arg Thr Gly Asp 280 Glu Ile Thr Tyr Gln Cys Arg Asn Gly Phe Tyr Pro Ala Thr Arg Gly 295 Asn Thr Ala Lys Cys Thr Ser Thr Gly Trp Ile Pro Ala Pro Arg Cys 305 310 320 Thr Leu Lys Pro Cys Asp Tyr Pro Asp Ile Lys His Gly Gly Leu Tyr 325 330 335 His Glu Asn Met Arg Arg Pro Tyr Phe Pro Val Ala Val Gly Lys Tyr 350 340 345 Tyr Ser Tyr Tyr Cys Asp Glu His Phe Glu Thr Pro Ser Gly Ser Tyr 360 Trp Asp His Ile His Cys Thr Gln Asp Gly Trp Ser Pro Ala Val Pro 375 380 370 Cys Lou Arg Lys Cys Tyr Phe Pro Tyr Leu Glu Asn Gly Tyr Asn Gln 390 395 Asn His Gly Arg Lys Phe Val Gln Gly Lys Ser Ile Asp Val Ala Cys 410 405 His Pro Gly Tyr Ala Leu Pro Lys Ala Gln Thr Thr Val Thr Cys Met 425 420 Glu Asn Gly Trp Ser Pro Thr Pro Arg Cys Ile Arg Val Lys Thr Cys 435 440 Ser Lys Ser Ser Ile Asp Ile Glu Asn Gly Phe Ile Ser Glu Ser Glu 455 460 Tyr Thr Tyr Ala Leu Lys Glu Lys Ala Lys Tyr Gln Cys Lys Leu Gly 465 470 475 Tyr Val Thr Ala Asp Gly Glu Thr Ser Gly Ser Ile Thr Cys Gly Lys 490 485 Aso Gly Trp Ser Ala Gln Pro Thr Cys Ile Lys Ser Cys Asp Ile Pro 505 500 Val Phe Met Asn Ala Arg Thr Lys Asn Asp Phe Thr Trp Phe Lys Leu 520 525 Asn Asp Thr Leu Asp Tyr Glu Cys His Asp Gly Tyr Glu Ser Asn Thr 535 Gly Ser Thr Thr Gly Ser Ile Val Cys Gly Tyr Asn Gly Trp Ser Asp 550 555 Leu Pro Ile Cys Tyr Glu Arg Glu Cys Glu Leu Pro Lys Ile Asp Val 570 565 His Leu Val Pro Asp Arg Lys Lys Asp Gln Tyr Lys Val Gly Glu Val 585 580 Leu Lys Phe Ser Cys Lys Pro Gly Phe Thr Ile Val Gly Pro Asn Ser

7/64

Val Gln Cys Tyr His Phe Gly Leu Ser Pro Asp Leu Pro Ile Cys Lys 615 Glu Gln Val Gln Ser Cys Gly Pro Pro Pro Glu Leu Leu Asn Gly Ass 635 630 Val Lys Glu Lys Thr Lys Glu Glu Tyr Gly His Ser Glu Val Val Glu 650 645 Tyr Tyr Cys Asa Pro Arg Phe Leu Met Lys Gly Pro Asa Lys Ile Gla 660 665 Cys Val Asp Gly Glu Trp Thr Thr Leu Pro Val Cys Ile Val Glu Glu 680 685 Sex Thr Cys Gly Asp Ile Pro Glu Leu Glu His Gly Trp Ala Gln Leu 695 700 Ser Ser Pro Pro Tyr Tyr Gly Asp Ser Val Glu Phe Asn Cys Ser 715 710 Glu Ser Phe Thr Met Ile Gly His Arg Ser Ile Thr Cys Ile His Gly 730 725 Val Trp Thr Gln Leu Pro Gln Cys Val Ala Ile Asp Lys Leu Lys Lys 745 Cys Lys Ser Ser Asn Leu Ile Ile Leu Glu Glu His Leu Lys Asn Lys 760 Lys Glu Phe Asp His Asn Ser Asn Ile Arg Tyr Arg Cys Arg Gly Lys 780 775 Glu Gly Trp Ile His Thr Val Cys Ile Asn Gly Arg Trp Asp Pro Glu 790 795 Val Asn Cys Ser Met Ala Gln Ile Gln Leu Cys Pro Pro Pro Pro Gln 805 810 Ile Pro Asn Ser His Asn Met Thr Thr Thr Leu Asn Tyr Arg Asp Gly 820 825 Glu Lys Val Ser Val Leu Cys Gln Glu Asn Tyr Leu Ile Gln Glu Gly 835 840 845 Glu Glu Ile Thr Cys Lys Asp Gly Arg Trp Gln Ser Ile Pro Leu Cys 855 860 Val Glu Lys Ile Pro Cys Ser Gln Pro Pro Gln Ile Glu His Gly Thr 870 375 Ile Asn Ser Ser Arg Ser Ser Gln Glu Ser Tyr Ala His Gly Thr Lys 885 890 Leu Ser Tyr Thr Cys Glu Gly Gly Phe Arg Ile Ser Glu Glu Asn Glu 905 Thr Thr Cys Tyr Met Gly Lys Trp Ser Ser Pro Pro Gln Cys Glu Gly 915 920 925 Leu Pro Cys Lys Ser Pro Pro Glu Ile Ser His Gly Val Val Ala His 940 935 Met Ser Asp Ser Tyr Gln Tyr Gly Glu Glu Val Thr Tyr Lys Cys Phe 950 955 Glu Gly Phe Gly Ile Asp Gly Pro Ala Ile Ala Lys Cys Leu Gly Glu 965 970 975 Lys Trp Ser His Pro Pro Ser Cys Ile Lys Thr Asp Cys Leu Ser Leu 980 985 Pro Ser Phe Glu Asn Ala Ile Pro Met Gly Glu Lys Lys Asp Val Tyr 1000 1005 Lys Ala Gly Glu Gln Val Thr Tyr Thr Cys Ala Thr Tyr Tyr Lys Met 1015 Asp Gly Ala Ser Asn Val Thr Cys Ile Asn Ser Arg Trp Thr Gly Arg 1025 1030 1035 Pro Thr Cys Arg Asp Thr Ser Cys Val Asn Pro Pro Thr Val Gln Asn 1045 1050 1055 Als Tyr Ile Val Ser Arg Gln Met Ser Lys Tyr Pro Ser Gly Glu Arg 1060 1065 1070 Val Arg Tyr Gln Cys Arg Ser Pro Tyr Glu Met Phe Gly Asp Glu Glu 1075 1080 1085 Val Met Cys Leu Asn Gly Asn Trp Thr Glu Pro Pro Gln Cys Lys Asp 1095

8/64

Ser Thr Gly Lys Cys Gly Pro Pro Pro Pro Ile Asp Asn Gly Asp Ile 1110 1115 Thr Ser Phe Pro Leu Ser Val Tyr Ala Pro Ala Ser Ser Val Glu Tyr 1130 1135 3.3.25 Gln Cys Gln Asn Leu Tyr Gln Leu Glu Gly Asn Lys Arg Ile Thr Cys 1140 1145 1150 Arg Asn Gly Gln Trp Ser Glu Pro Pro Lys Cys Leu His Pro Cys Val Ile Ser Arg Glu Ile Met Glu Asn Tyr Asn Ile Ala Leu Arg Trp Thr 1170 \$1175\$Ala Lys Gln Lys Leu Tyr Ser Arg Thr Gly Glu Ser Val Glu Fhe Val Cys Lys Arg Gly Tyr Arg Leu Ser Ser Arg Ser His Thr Leu Arg Thr 1205 1210 1215 Thr Cys Trp Asp Gly Lys Leu Glu Tyr Pro Thr Cys Ala Lys Arg 1225 1220

<210> 6 <211> 449 <212> PRT <213> Homo sapiens

<400> 6 Met Arg Leu Leu Ala Lys Ile Ile Cys Leu Met Leu Trp Ala Ile Cys 10 15 Val Ala Glu Asp Cys Asn Glu Leu Pro Pro Arg Arg Asn Thr Glu Ile 25 20 Leu Thr Gly Ser Trp Ser Asp Gln Thr Tyr Pro Glu Gly Thr Gln Ala 35 4.0 Ile Tyr Lys Cys Arg Pro Gly Tyr Arg Ser Leu Gly Asn Val Ile Net 55 Val Cys Arg Lys Gly Glu Trp Val Ala Leu Asn Pro Leu Arg Lys Cys 70 75 Gln Lys Arg Pro Cys Gly His Pro Gly Asp Thr Pro Phe Gly Thr Phe 85 90 Thr Leu Thr Gly Gly Asn Val Phe Glu Tyr Gly Val Lys Ala Val Tyr 105 100 Thr Cys Asn Glu Gly Tyr Gln Leu Leu Gly Glu Ile Asn Tyr Arg Glu 125 120 Cys Asp Thr Asp Gly Trp Thr Asn Asp Ile Pro Ile Cys Glu Val Val 135 130 140 Lys Cys Leu Pro Val Thr Ala Pro Glu Asn Gly Lys Ile Val Ser Ser 145 150 155 160 Ala Met Glu Pro Asp Arg Glu Tyr His Phe Gly Gln Ala Val Arg Phe 165 170 175 Val Cys Asn Ser Gly Tyr Lys Ile Glu Gly Asp Glu Glu Met His Cys 185 190 Ser Asp Asp Gly Phe Trp Ser Lys Glu Lys Pro Lys Cys Val Glu Ile 200 205 Ser Cys Lys Ser Pro Asp Val Ile Asn Gly Ser Pro Ile Ser Gln Lys 210 215 The The Tyr Lys Glu Asn Glu Arg Phe Gln Tyr Lys Cys Asn Met Gly 235 230 Tyr Glu Tyr Ser Glu Arg Gly Asp Ala Val Cys Thr Glu Ser Gly Trp 245 250 Arg Pro Leu Pro Ser Cys Glu Glu Lys Ser Cys Asp Asn Pro Tyr Ile 265 260 Pro Asn Gly Asp Tyr Ser Pro Leu Arg Ile Lys Ris Arg Thr Gly Asp 275 280 Glu Ile Thr Tyr Gln Cys Arg Asn Gly Phe Tyr Pro Ala Thr Arg Gly

9/64

Asn Thr Ala bys Cys Thr Ser Thr Gly Trp Ile Pro Ala Pro Arg Cys 315 310 Thr Leu Lys Pro Cys Asp Tyr Pro Asp Ile Lys His Gly Gly Leu Tyr 330 325 His Glu Asn Met Arg Arg Pro Tyr Phe Pro Val Ala Val Gly Lys Tyr 350 340 345 Tyr Ser Tyr Tyr Cys Asp Glu His Phe Glu Thr Pro Ser Gly Ser Tyr $_{355}^{\rm C}$ Trp Asp His Ile His Cys Thr Gln Asp Gly Trp Ser Pro Ala Val Pro 375 Cys Leu Arg Lys Cys Tyr Phe Pro Tyr Leu Glu Asn Gly Tyr Asn Gln 385 390 395 400 Asn His Gly Arg Lys Phe Val Gln Gly Lys Ser Ile Asp Val Ala Cys 405 410 415 His Pro Gly Tyr Ala Leu Pro Lys Ala Gln Thr Thr Val Thr Cys Met Glu Asn Gly Trp Ser Pro Thr Pro Arg Cys Ile Arg Val Ser Phe Thr 440

<210> 7 <211> 1234 <212> PRT <213> Mus musculus

<400> 7 Met Arg Leu Ser Al

Met Arg Leu Ser Ala Arg Ile Ile Trp Leu Ile Leu Trp Thr Val Cys 10 Ala Ala Glu Asp Cys Lys Gly Pro Pro Pro Arg Glu Asn Ser Glu Ile 20 25 Leu Ser Gly Ser Trp Ser Glu Gln Leu Tyr Pro Glu Gly Thr Gln Ala 40 45 35 Thr Tyr Lys Cys Arg Pro Gly Tyr Arg Thr Leu Gly Thr Ile Val Lys 55 Val Cys Lys Asn Gly Lys Trp Val Ala Ser Asn Pro Ser Arg Ile Cys 75 70 Arg Lys Lys Pro Cys Gly His Pro Gly Asp Thr Pro Phe Gly Ser Phe 90 Arg Leu Ala Val Gly Ser Gln Phe Glu Phe Gly Ala Lys Val Val Tyr 100 105 110Thr Cys Asp Asp Gly Tyr Gln Leu Leu Gly Glu Ile Asp Tyr Arg Glu 120 125 Cys Gly Ala Asp Gly Tro Ile Asm Asp Ile Pro Leu Cys Glu Val Val Lys Cys Leu Pro Val Thr Glu Leu Glu Asn Gly Arg Ile Val Ser Gly 150 155 Ala Ala Glu Thr Asp Gln Glu Tyr Tyr Phe Gly Gln Val Val Arg Phe 165 3.70 Glu Cys Asn Ser Gly Phe Lys Ile Glu Gly His Lys Glu Ile His Cys 180 185 190 Ser Glu Asn Gly Leu Trp Ser Asn Glu Lys Pro Arg Cys Val Glu Ile Leu Cys Thr Pro Pro Arg Val Glu Asn Gly Asp Gly He Asn Val Lys 220 215 Pro Val Tyr Lys Glu Asn Glu Arg Tyr His Tyr Lys Cys Lys His Gly Tyr Val Pro Lys Glu Arg Gly Asp Ala Val Cys Thr Gly Ser Gly Trp 245 250 Ser Ser Gin Pro Phe Cys Glu Glu Lys Arg Cys Ser Pro Pro Tyr Ile 260

30/64

Leu Asn Gly Ile Tyr Thr Pro His Arg Ile Ile Nis Arg Ser Asp Asp 280 Glu lle Arg Tyr Glu Cys Asn Tyr Gly Phe Tyr Pro Val Thr Gly Ser 300 290 295 Thr Val Ser Lys Cys Thr Pro Thr Gly Trp Ile Pro Val Pro Arg Cys 310 335 Thr Leu Lys Pro Cys Glu Phe Pro Gln Phe Lys Tyr Gly Arg Leu Tyr 325 330 335 Tyr Glu Glu Ser Leu Arg Pro Asn Phe Pro Val Ser Ile Gly Asn Lys Tyr Ser Tyr Lys Cys Asp Asn Gly Phe Ser Pro Pro Ser Gly Tyr Ser 360 355 Trp Asp Tyr Leu Arg Cys Thr Ala Gln Gly Trp Glu Pro Glu Val Pro 375 380 370 Cys Val Arg Lys Cys Val Phe His Tyr Val Glu Asn Gly Asp Ser Ala 395 390 Tyr Trp Clu Lys Val Tyr Val Gln Gly Gln Ser heu Lys Val Gln Cys 41.0 405 Tyr Asn Gly Tyr Ser Leu Gln Asn Gly Gln Asp Thr Met Thr Cys Thr 425 420 Glu Asn Cly Trp Ser Pro Pro Pro Lys Cys Ile Arg Ile Lys Thr Cys 440 Ser Ala Ser Asp Ile His Ile Asp Asn Gly Phe Leu Ser Glu Ser Ser 455 Ser Ile Tyr Ala Lou Asn Arg Glu Thr Ser Tyr Arg Cys Lys Gln Gly 475 470 Tyr Val Thr Asn Thr Gly Glu Ile Ser Gly Ser Ile Thr Cys Leu Gln 485 490 4.95 Asn Gly Trp Ser Pro Gln Pro Ser Cys Ile Lys Ser Cys Asp Met Pro 505 Val Phe Glu Asn Ser Ile Thr Lys Asn Thr Arg Thr Trp Phe Lys Leu 520 Asn Asp Lys Leu Asp Tyr Glu Cys Leu Val Gly Phe Glu Asn Glu Tyr 535 Lys His Thr Lys Gly Ser Ile Thr Cys Thr Tyr Tyr Gly Trp Ser Asp 550 555 Thr Pro Ser Cys Tyr Glu Arg Glu Cys Ser Val Pro Thr Leu Asp Arg 570 Lys Leu Val Val Ser Pro Arg Lys Glu Lys Tyr Arg Val Gly Asp Leu 585 580 Leu Glu Phe Ser Cys His Ser Gly His Arg Val Gly Pro Asp Ser Val Gln Cys Tyr His Phe Gly Trp Ser Pro Gly Phe Pro Thr Cys Lys Gly 610 615 620 Gln Val Ala Ser Cys Ala Pro Pro Leu Glu Ile Leu Asn Gly Glu Ile 630 635 Asn Gly Als Lys Lys Val Glu Tyr Ser His Gly Glu Val Val Lys Tyr 650 645 Asp Cys Lys Pro Arg Phe Leu Leu Lys Gly Pro Asn Lys Ile Gln Cys 660 665 Val Asp Gly Asn Trp Thr Thr Leu Pro Val Cys Ile Glu Glu Glu Arg 680 Thr Cys Gly Asp Ile Pro Glu Leu Glu His Gly Ser Ala Lys Cys Ser 695 700 Val Pro Pro Tyr His His Gly Asp Ser Val Glu Phe Ile Cys Glu Glu 715 710 Asn Phe Thr Mct Ile Gly His Gly Ser Val Ser Cys Ile Ser Gly Lys 725 730 Trp Thr Gln Leu Pro Lys Cys Val Ala Thr Asp Gln Leu Glu Lys Cys Arg Val Leu Lys Ser Thr Gly Ile Glu Ala Ile Lys Pro Lys Leu Thr

11/64

Glu Phe Thr His Asn Ser Thr Met Asp Tyr Lys Cys Arg Asp Lys Gln 775 Glu Tyr Glu Arg Ser Ile Cys Ile Asn Gly Lys Trp Asp Pro Glu Pro 790 795 Asn Cys Thr Ser Lys Thr Ser Cys Pro Pro Pro Pro Gla Ile Pro Asn 810 805 Thr Gln Val Ile Glu Thr Thr Val Lys Tyr Leu Asp Gly Glu Lys Leu 820 825 Ser Val Leu Cys Gln Asp Asn Tyr Leu Thr Gln Asp Ser Glu Glu Met 845 840 val Cys Lys Asp Gly Arg Trp Gln Ser Leu Pro Arg Cys Ile Glu Lys 855 860 Ile Pro Cys Ser Gln Pro Pro Thr Ile Glu His Gly Ser Ile Asn Leu 875 870 Pro Arg Ser Ser Glu Glu Arg Arg Asp Ser Ile Glu Ser Ser Ser His 890 885 Glu His Gly Thr Thr Phe Ser Tyr Val Cys Asp Asp Gly Phe Arg Ile 905 900 Pro Glu Glu Asn Arg Ile Thr Cys Tyr Met Gly Lys Trp Ser Thr Pro 925 920 Pro Arg Cys Val Gly Leu Pro Cys Gly Pro Pro Pro Ser Ile Pro Leu 935 Gly Thr Val Ser Leu Glu Leu Glu Ser Tyr Gln His Gly Glu Glu Val 950 955 Thr Tyr His Cys Ser Thr Gly Phe Gly Ile Asp Gly Pro Ala Phe Ile 965 970 The Cys Glu Gly Gly Lys Trp Ser Asp Pro Pro Lys Cys Ile Lys Thr 985 Asp Cys Asp Val Leu Pro Thr Val Lys Asn Ala Ile Ile Arg Gly Lys 995 1000 Ser Lys bys Ser Tyr Arg Thr Gly Glu Gln Val Thr Phe Arg Cys Gln 1015 1020 Ser Pro Tyr Gln Met Asn Gly Ser Asp Thr Val Thr Cys Val Asn Ser 1025 1036 1035 Arg Trp Ile Gly Gln Pro Val Cys Lys Asp Asn Ser Cys Val Asp Pro 1045 1050 Pro His Val Pro Asn Ala Thr Ile Val Thr Arg Thr Lys Asn Lys Tyr 1060 1065 1070 Leu His Gly Asp Arg Val Arg Tyr Glu Cys Asn Lys Pro Leu Glu Leu 1075 1080 Phe Gly Gln Val Glu Val Met Cys Glu Asn Gly Ile Trp Thr Glu Lys 1095 1100 Pro Lys Cys Arg Asp Ser Thr Gly Lys Cys Gly Pro Pro Pro Pro 1120 1115 1120 Asp Asn Gly Asp Ile Thr Ser Leu Ser Leu Pro Val Tyr Glu Pro Leu 1125 1130 1135 Ser Ser Val Glu Tyr Gln Cys Gln Lys Tyr Tyr Leu Leu Lys Gly Lys 1140 1145 1150 Lys Thr Ile Thr Cys Thr Asn Gly Lys Trp Ser Glu Pro Pro Thr Cys 1155 1160 1165 Leu His Ala Cys Val Tle Pro Glu Asn Ile Met Glu Ser His Asn Ile 1175 1180 Ile Leu Lys Trp Arg His Thr Glu Lys Ile Tyr Ser His Ser Gly Glu 1190 1195 Asp Ile Glu Phe Gly Cys Lys Tyr Gly Tyr Tyr Lys Ala Arg Asp Ser 1205 1210 1215 Pro Pro Phe Arg Thr Lys Cys Ile Asn Gly Thr Ile Asn Tyr Pro Thr 1220 1225 Cys Val

12/64

<210> 8 <211> 1235 <212> PRT <213> Rattus norvegious

Met Arg Leu Ser Ala Arg Ile Ile Trp Leu Ile Leu Trp Thr Val Cys 1.0 Val Ala Glu Asp Cys Lys Gly Pro Pro Pro Arg Glu Asn Ser Glu Ile 20 25 Leu Ser Gly Ser Trp Ser Glu Gln Leu Tyr Ser Glu Gly Thr Gln Ala Thr Tyr Lys Cys Arg Pro Gly Tyr Arg Thr Leu Gly Thr Ile Val Lys 55 60 Val Cys Lys Asn Gly Glu Trp Val Pro Ser Asn Pro Ser Arg Ile Cys 70 75 Arg Lys Arg Pro Cys Gly His Pro Gly Asp Thr Pro Phe Gly Ser Phe 90 Arg Leu Ala Val Gly Ser Glu Phe Glu Phe Gly Ala Lys Val Val Tyr 105 100 Thr Cys Asp Glu Gly Tyr Gin Leu Leu Gly Glu Ile Asp Tyr Arg Glu 120 Cys Asp Ala Asp Gly Trp Thr Asn Asp Ile Pro Ile Cys Glu Val Val 135 Lys Cys Leu Pro Val Thr Glu Leu Glu Asn Gly Arg Ile Val Ser Gly 145 150 155 160 Ala Ala Glu Pro Asp Gln Glu Tyr Tyr Phe Gly Gln Val Val Arg Phe 165 170 175 Glu Cys Asn Ser Gly Phe Lys Ile Glu Gly Gln Lys Glu Met His Cys 190 180 185 Ser Glu Asn Gly Leu Trp Ser Asn Glu Lys Pro Gln Cys Val Glu Ile 200 205 Ser Cys Leu Pro Pro Arg Val Glu Asn Gly Asp Gly Ile Tyr Leu Lys 215 220 210 Pro Val Tyr Lys Glu Asn Glu Arg Phe Gln Tyr Lys Cys Lys Gln Gly 230 235 Phe Val Tyr Lys Glu Arg Gly Asp Ala Val Cys Thr Gly Ser Gly Trp 245 250 Asn Pro Gln Pro Ser Cys Glu Glu Met Thr Cys Leu Thr Pro Tyr Ile 265 Pro Asn Gly Ile Tyr Thr Pro His Arg Ile Lys His Arg Ile Asp Asp 280 Glu Ile Arg Tyr Glu Cys Lys Asn Gly Phe Tyr Pro Ala Thr Arg Ser 295 300 Pro Val Ser Lys Cys Thr Ile Thr Gly Trp Ile Pro Ala Pro Arg Cys 315 310 Ser Leu Lys Pro Cys Asp Phe Pro Gln Phe Lys His Gly Arg Leu Tyr 325 330 Tyr Glu Glu Ser Arg Arg Pro Tyr Phe Pro Val Pro Ile Gly Lys Glu 345 340 Tyr Ser Tyr Tyr Cys Asp Asn Gly Phe Thr Thr Pro Ser Gln Ser Tyr 360 365 355 Trp Asp Tyr Leu Arg Cys Thr Val Asn Gly Trp Glu Pro Glu Val Pro 380 375 Cys Leu Arg Gln Cys Ile Phe His Tyr Val Glu Tyr Gly Glu Ser Leu 390 395 Tyr Trp Gln Arg Arg Tyr Ile Glu Gly Gln Ser Ala Lys Val Gln Cys 410 405 His Ser Gly Tyr Ser Leu Pro Asn Gly Gln Asp Thr Ile Leu Cys Thr 420 425 430 Glu Asn Gly Trp Ser Pro Pro Pro Lys Cys Val Arg Ile Lys Thr Cys

440

13/64

Ser Val Ser Asp Ile Glu Ile Glu Asn Gly Phe Phe Ser Glu Ser Asp 455 Tyr Thr Tyr Ala Leu Asn Arg Lys Thr Arg Tyr Arg Cys Lys Gln Gly 470 475 Tyr Val Thr Asn Thr Gly Glu Ile Ser Gly Ile Ile Thr Cys Leu Gln 485 490 Asp Gly Trp Ser Pro Arg Pro Ser Cys Ile Lys Ser Cys Asp Met Pro Val Phe Glu Asn Ala Met Thr Lys Asn Asn Asn Thr Trp Phe Lys Leu 515 520 Asn Asp Lys Leu Asp Tyr Clu Cys His Ile Gly Tyr Glu Asn Glu Tyr 535 540 Lys His Thr Lys Gly Ser Ile Thr Cys Thr Tyr Asp Gly Trp Ser Ser 550 555 Thr Pro Ser Cys Tyr Glu Arg Glu Cys Ser Ile Pro Leu Leu His Gln 565 570 Asp Leu Val Val Phe Pro Arg Glu Val Lys Tyr Lys Val Gly Asp Ser 585 590 hen Ser Phe Ser Cys Arg Ser Gly His Arg Val Gly Ala Asp heu Val 600 595 Gln Cys Tyr His Phe Gly Trp Ser Pro Asn Phe Pro Thr Cys Glu Gly 620 615 Gin Val Lys Ser Cys Asp Gin Pro Leu Glu Ile Pro Asn Gly Glu Ile 630 635 bys Gly Thr Lys Lys Val Glu Tyr Ser His Gly Asp Val Val Glu Tyr 645 650 Asp Cys Lys Pro Arg Phe Leu Leu Lys Gly Pro Asn Lys Ile Gln Cys 665 660 Val Asp Gly Lys Trp Thr Thr Leu Pro Ile Cys Val Glu Tyr Glu Arg Thr Cys Gly Asp Leu Pro Ala Leu Glu His Gly Ser Val Gln Leu Ser 695 Val Pro Pro Tyr His His Gly Asp Ser Val Glu Phe Thr Cys Ala Glu 715 710 Thr Phe Thr Met Ile Gly His Ala Val Val Phe Cys Ile Ser Gly Arg 725 730 Trp Thr Glu Leu Pro Gln Cys Val Ala Thr Asp Gln Leu Glu Lys Cys 745 740 Lys Ala Pro Lys Ser Thr Gly Ile Asp Ala Ile His Pro Asn Lys Asn 760 Glu Phe Asn His Asn Phe Ser Val Ser Tyr Arg Cys Arg Gln Lys Gln 775 Glu Tyr Glu His Ser Ile Cys Ile Asn Gly Arg Trp Asp Pro Glu Pro 790 795 Asn Cys Thr Arg Asn Glu Lys Arg Phe Cys Pro Pro Pro Pro Gln Ile 810 865 Pro Asn Ala Gln Val Ile Glu Thr Thr Val Lys Tyr Leu Asp Gly Glu 820 825 830 Lys Val Ser Val Leu Cys Gln Asp Gly Tyr Leu Thr Gln Gly Pro Glu 840 Glu Met Val Cys Lys His Gly Arg Trp Gln Ser Leu Pro Arg Cys Thr 855 Glu Lys Ile Pro Cys Ser Gla Pro Pro Lys Ile Glu His Gly Ser Ile 870 875 Lys Ser Pro Arg Ser Ser Glu Glu Arg Asp Leu Ile Glu Ser Ser Ser 890 885 Tyr Glu His Gly Thr Thr Phe Ser Tyr Val Cys Asp Asp Gly Phe Arg 905 910 900 lle Ser Glu Glu Asn Arg Val Thr Cys Asn Met Gly Lys Trp Ser Ser 920 Leu Pro Arg Cys Val Gly Ile Pro Cys Gly Pro Pro Pro Ser Ile Pro

14/54

Leu Gly Ile Val Ser His Glu Leu Glu Ser Tyr Gln Tyr Gly Glu Glu 955 950 Val Thr Tyr Asn Cys Ser Glu Gly Phe Gly Ile Asp Gly Pro Ala Phe 970 965 Ile Lys Cys Val Gly Gly Gln Trp Ser Glu Pro Pro Lys Cys Ile Lys 985 980 Thr Asp Cys Asp Asn Leu Pro Thr Phe Glu Ile Ala Lys Pro Thr Glu 995 1000 1005 bys Lys Lys Lys Ser Tyr Arg Ser Gly Glu Glu Val Thr Phe Arg Cys 1015 1020 Pro Pro Pro Tyr Arg Met Asp Gly Ser Asp Ile Val Thr Cys Val Asn 1030 1035 Thr Lys Trp Ile Gly Gln Pro Val Cys Lys Asp Asn Ser Cys Val Asn 1050 1045 Pro Pro His Val Pro Asn Ala Thr Ile Leu Thr Arg His Lys Thr Lys 1065 1060 1070 Tyr Pro Ser Gly Asp Lys Val Arg Tyr Asp Cys Asn Lys Pro Phe Gln 1080 1085 1075 Leu Phe Gly Glu Val Glu Val Met Cys Oln Asn Gly Ile Trp Thr Glu 1095 7700 Pro Pro Lys Cys Lys Asp Ser Thr Gly Lys Cys Gly Pro Pro Pro Pro 1110 1115 Ile Asp Asn Gly Asp Ile Thr Ser Leu Ser Leu Pro Val Tyr Ala Pro 1125 1136 Leu Ser Ser Val Glu Tyr Gln Cys Gln Asn Tyr Tyr Leu Leu Lys Gly 1140 1145 1150 Asn Lys Ile Val Thr Cys Arg Asn Gly Lys Trp Ser Gln Pro Pro Thr 1155 1160 1165 Cys Leu His Ala Cys Val Ile Pro Glu Asp Ile Met Glu Lys His Asn 1170 1175 Ile Val Leu Arg Trp Arg Glu Asn Ala Lys Ile Tyr Ser Gln Ser Gly 1190 1195 Glu Asn Ile Glu Phe Met Cys Lys Pro Gly Tyr Arg Lys Phe Arg Gly 1205 1210 1215 Ser Pro Pro Phe Arg Thr Lys Cys Ile Glu Gly His Ile Asn Tyr Pro 1225 Thr Cys Val 1235

<210> 9 <211> 150626 <212> DNA

<213> Homo sapiens

<400> 9 gatcateatg gtatacaaca attaacatca gaataaaact tggaaacttt acaaacactt 60 ggaaattaaa caacatgtac atttasaacc satggetcaa tgaaggaact aaaaaaaatt 120 tggamagttt ttgagacaan tgacaatgga agcacagcat actataatag atgagataca 180 gcaaaaccag ttctsagagg aaattttata acaataaatg ccttatcaaa aagaataaat 240 ctotcaaata aacaaccaaa cattgcacct taaggagcta aaaatttaag aacaacatta 300 ctaaaaacaa gtogaaaaag aaatsataaa gatoagagca gaaacaaaca acgcagagac 360 tasatgtaag tatgacaasa toagtaaago saagattita aasaasattg acasacattt 420 tettagacta agaassatsa gggagacgat ccasataast saastcagag aggaasaggg 480 agacattaca totggttota cagaaacaca aaggatcata aaaactataa ggaacaattg 540 tttgccaata aattggtata cctggaagaa atggacaaat ttttggacac atacaacata 600 ccaagatiga attaggaata aatagaaatc taaacagaca aataatgagt aagttgatta 660 satcagtaat aasattcacc catcassass goccassacc tgttatcgtc actgctgast 720 totaccasat attaaaaaaa asaaaactca gagtaatttt totcaaacta tgccaaaagc 780 asagaaaatg gaattittcc aacttattgt agcatgooag cattgooctg ataccasaac 840 caaacaagga aacaacacaa aaagaaaact acaggetgat gteeetgttg aacagaggtg 900 ttaaaattot taataaaata cacaaaaaag tgaattotg ttootttgtt tgtttgtttt 960

tgagaagagg	teteteteta	scancecagt	tqqaacgcag	gggtgccatc	ctggctggct	1020
chahechega	cetettagge	ressocaate	ctttcacctc	atcctccaqa	qtaqctqqqa	1080
chahaggoot	gggtgaagag	acccagetaa	ctcaaaaqct	aactgcagtt	tttaaaaata	1140
gagtataatt	aaaacaaqqt	ttgtatgtac	aatqttqaat	catacaactt	aaaacgtgga	1200
gggctcacaa	cacatcaact	cttctacccc	cacccccgac	atagggcaat	atccgtatag	1260
gtgagagttt	tagaaaatca	cttgacctct	gattcgatgt	tggataatac	tgttacctgc	1320
tteactgact	gtgacagtcc	tcatcaaaaq	ctaacttact	cccctcata	aatgttttga	1380
astatotosa	gagagtgatt	ataatgetat	aactctatct	ttttgcatgc	ttcttatgct	1440
abaatttctt	taactcttca	actatctata	tattctcttc	tatgccatga	tagttggaaa	1500
ccaatcattt	taaaacqtqq	taggctaagt	acggtatatt	attacagaca	tgatatttgg	1560
tagggaaaaca	scacaattas	gagtactttg	ttgacactga	aaaacatcat	ttoctcatga	1620
addctdaaad	agatagatgt	tetectcagt	accaccattg	tctattaata	ttagggttat	1680
taabqaaaat	cttcattttc	ctccacttaa	tttactttta	aagctaaata	caaatgttgt	3740
ttccactaaq	taaatctqcc	aacaaaaaaa	taaaaattct	tttttgactt	gaatgcctca	1800
tosstoattt	atctqttctt	aacaqataaa	taaaaaaqac	ttttttttt	ttttgagaca	1860
pastettect	cacttoccca	aactaaaata	caqtqactcq	atctccgctc	actgcaagct	1920
atacctecta	gattcacgca	ataacccccc	ctcaccetcc	cgagtagctg	ggactacaga	2.980
coccoccac	cacqcccaqa	raatttttt	tgtatatttt	ttagtagaga	cggggtttcg	2040
cockattage	caggatggtc	ttgatctcct	qacctcqtga	teagacatac	teggeeteee	2100
assatactaa	gattagaggt	otgagecact	atacccaacc	asaaagacat	ttttgaagga	2160
anttagastt	traattaaaa	acatottoct	gatttcttt	qctttqaaqa	ttagttetet	2220
rcacatasat	ggtatagagt	aatattcttt	gaatgtatat	gtgaatttca	gtatagacat	2280
aggittacta	taataactat	tttcqctqaq	tcagctataa	aaatattcca	tgctctattt	2340
ortcataara	tagtaattat	hosesgaaca	ttttttqqqq	gaaattcatg	tcaatcattc	2400
teattacese	tctcaataat	aactgaactt	ctqcaattqt	ggtgttccct	ttcactcaat	2460
ttttttctqt	caaaacgaac	aaacaaacag	gcgcaaaaaa	accetggcaa	taacctttga	2520
taaacatcgt	ctctcaacca	ttttcttctq	agattgcagc	aatcataact	agtttcctga	2580
tectgacete	tcatctttgt	aatctatttc	cctgtgtata	aattaatgac	ctttcatctg	2640
qtcattttat	ttctccactt	aaaatcttta	atggatctca	agtcagctaa	caggacaaga	2700
acctcatttc	actttctcta	cttctactaa	catagtatgg	tetetteage	aattetggag	2760
gttttatcag	cattaattta	aactgagctt	atctacaact	ataccaagtt	aagctcaagc	2820
tgccagttca	gggtgcacgc	attagcaatg	attgttttt	ggaaaagaga	gacaagaaat	2880
atgactgtaa	cataaaaaat	ctgatatgta	gcaaattatc	tecagatata	aaacattttg	2940
tttagttttg	tagcatttta	tttgtatgcg	atggcatgca	ttcttaccat	agttagaatt	3000
catgtgtcag	ataagatata	ttattgacat	aaaaaataag	tgcatagacg	aatgtacaaa	3060
tatgtatata	ttuttacatt	ctataggtat	gtatacctat	agaatgttga	acaacatcac	3120
astttaaata	gcatatcatt	tatgtttact	ctataattat	ggsacaagtg	atagaaaata	3180
gtatttacat	totatttgtt	atgasasctt	aagaatataa	ttaaataaaa	gttaagtttg	3240
aatcatcata	aaccagagag	aactagaaag	acgctagtgg	cacaacaget	ttagtgtgca	3300
gatgagaaga	ctasgttcag	agaagtgaca	totttacttt	gagggaagcg	tttgctagtt	3360
acagaactgg	atccagaggc	ttgttgggcg	acgcatgaca	cottetetga	cccagtocct	3429
caagcatgga	tgcacagttt	tctgctgagt	gtotoctccg	tattggaaaa	tegaaactte	3480
coggoootgt	gtaacctcct	gagatactct	tacattttct	tatgattgca	ggatatttag	3540
tecgaggtag	aaagggacat	aaactaaagg	aaatcattta	aatctttctt	rettettea	3500
tttttattt	tatttttaat	agtettgete	tgtctccaaa	gctagagtgc	agtggcacta	3550
tattggctca	cgtcaacctc	tgtctcccgg	gttcaagtga	ttetectgce	teagteteet	3720
gtgaagotgg	aattacaggt	gtgtgccgcc	acatccaget	attttttaa	actittagea	3/80
gagacagcat	ttcatcatgt	tggccaactc	ctggcctcaa	gtgatctgcg	egeettggee	3840
ctcgaaagtg	ctgggattaa	tgtgtgagcc	atcctgctcg	gccaaaaatt	attettetta	3900
gtcaacgata	atttcgaacc	tgaagtgagt	ttttcatggt	ttaggtttgt	ttctaaaaat	3960
eghtettece	actaaaaggc	actggaattt	caragagaaa	ttattgaaac	ttagtcugta	4020
gtaggaaaag	tcaaggaaag	tatgggctct	tatgttatge	caaagcttaa	tdääääcaca	4080
tgaaatatac	acagaagcca	tettettagt	gagatgtgaa	acaaanttca	gcatcccaaa	1140
gaagtacaat	ggeaattaac	tgtaatgcat	ttggtactgt	aatgatcagt	ttaaaaggga	4200
tttaaaagca	accetgetet	acaatgttaa	rrgreactet	tgacactttg	ctarggcaac	4200
tctagtagat	gaatataaaa	tttatacaat	totgaaagga	tattcataat	tasasataat	4320
gttattgaca	acctatttt	aaataagtat	aaataactta	tgacttgatg	gaagaaataa	4.580
tggccaatac	aaattcaatg	aacattataa	taggttacaa	tracaaattt	tetgtcaagt	4440
ttgtctttca	aatagcgtgg	tttccaaaag	aattggtgtg	ccgattttat	tgttcagaac	4500
tgaaatatca	actaccatta	aaaaaatttt	attagcataa	gcaattcaca	wadtstätee	4.500
ttcattaatg	atatgaaaaa	tetttettag	atttgattta	ctagattetg	aacacagacg	4020
aatacagata	tatatacaca	taaagtattc	aacaagacaa	aaatcagcag	gaaaatacac	*550

ccaagatgta	attaccaaat	tctgatgaat	agcetetaaa	atctgtgtgg	tggctacata	4740
catatatata	tattcttgag	taaaaaqtaa	aaaattattt	ttagttatta	atgttctttt	4800
aataaattot	gtaaatatca	tootattcat	ctoctagage	taccataaca	aagtaccact	4850
gatttoptog	pastitattt	teteseagtt	ctogacccta	atagtttgag	atagagetet	4920
caacaggatt.	ggatrettet	gagacetett	cctttqcctt	gtaaatggtt	gtattettte	4980
rargochtge	afigatettte	tctatatqqt	gtgttcttat	tttctcttcc	tatatagaca	5040
ccaottatac	tagagtagga	cccacctgaa	teattggeet	ttaacttaat	tacatcttta	5100
aggactcott	ctccaaatgc	agteacatte	tcaggtattg	ggaatttgga	ctttaacaaa	53.60
boaabbbbog	coggatocaa	ttgagccaat	cctactgaat	acacaaagat	gtttetetet	5220
annonagact	ttgaaagtaa	cccaatgagt	tactttctcc	tttgagaaat	ataggtgcga	5280
cccaaattta	casoscattt	tgctcaagtt	tactcttaca	aagagttcat	tggaggagac	5340
pacttttcss	choosatate	agataaggaa	gaatttgtca	tcattcttt	ctatagtgct	5400
titaagaaag	taagtaagaa	agtatagtgc	atatectttt	ctaattccag	tcatttcaga	5400
atootactac	ttttcttctt	thoattotac	tttaatctat	ttaatcttta	tttgaaaaaa	5520
atotacetet	atcagtteag	ttaacaaagg	aaataacaqq	agaatttcct	tttttttcca	5580
hhhhaggaga	gatcaagttt	gattttgcac	aacaaasaaa	actagcazat	catgtgatag	5640
staatactor	aaaacctaaa	getetttace	tacaatcaaa	taaaqtqqca	tagctttgag	5700
aacacacact	gacccaaaag	atactctcat	aaattgataa	ttggatttcc	agtattaccc	5760
tocactacat	ttattaaaat	attatgaagt	tttggataat	tacaaaattt	gtattcttca	5820
ttaatoocca	caaaccttog	attotocato	acatttqacc	catgtggttc	cactgctaat	5880
otthacqatab	agttgttaa	tatqcaaqqc	ctgcattcaa	aaaggtagtt	aatatagaaa	5940
atstatoact	gttgaggaga	aaacaaatca	qtqaacaata	acataaagct	ataasaaata	5000
attatotatt	raftfattga	acatttocta	atasactesa	aaatqcaaaa	tttactgtca	5050
tttaaaaata	agttaaccat	atagtctact	ttttgattat	atteatetee	tgatttacat	6120
chtctcattt	acatottoct	aatcttqttq	aaatattaag	ttcatattaa	tgttaattca	2180
ttttaggagg	tttcttaagg	tattatagaa	ataaaagaaa	ctgcagaatt	taaaatgtat	5240
tatttgatgt	tttgatatat	gaatetataa	aasatcacca	totgtaagat	tatgaaaata	5300
teagteacte	cccttgcatt	acasatasga	aacttctgaa	cattttaagg	ttagaatctg	5350
totagtgaca	tgtttcctac	ttaaagtttc	atgagtatat	teacatatet	ccataatcaa	5420
tattaaatgt	cttttacact	gtagaactta	tazaacaaag	aaaatattat	teattgttta	6480
agttaaaatg	agataatatt	tcataaaatt	aatttctgtt	atagtettae	aaaatatget	5540
atttctacta	gcatagtgaa	taaatootot	ttggttcata	aaaaattgta	gacatggaga	5500
cataggaagc	tagatattac	atgaagttac	atttaagatg	ggagctgagt	grrragatet	6660
ctttcaattt	accttgtcca	ttagcatagg	aaacccacaa	ggttagaatg	acattaatta	6720
gtaacaacat	gttagatatt	ctcagtagta	tagtaatgca	aaagtttcag	regeactget	5780
tggagtttga	aatotttcat	tattagttac	caagggtgat	teegaatttg	aggaaactac	5000
cacgaagcta	ggcctttaag	gtcacttagt	aaatatcaaa	gttcagagag	cccgcaaaa	6900
tgcttcaata	attccagtta	gtggtttcac	aaccatctgt	ggaattgatt	ccctgaaatg	2020
tacttgtaaa	atattattta	gggacagtaa	rggactgaar	ccaaaagtaa	Cacaaaaaa	7020
taatttatt	tatctctcat	tttttgagta	aagagagcac	caacaaaaggg	aacgaaaggc	7140
ttctgcaact	actggaagaa	ctgagggaac	asaggtests	aacgocaccc	LUAGAGGGC	7220
ccgaagttca	ggaatettag	tgatgeecca	ctaattatcc	attgtactgc	agragarare	7260
tottaggaaa	acttccagaa	gcaaggaaag	ctactgttgg	Egatotoago	egecastage	7200
agctgctacc	agataatgcc	ttgcctttca	cttggtecaa	geeteeteta	ggcacacaccc	7320
atgggggaat	ctaagggaga	agcaagctaa	aatacaaata	cagetacasa	thootester	7440
agctaaaaat	aaaatagctt	gtaaaataca	datacadatt	mantanahaa	attesttess	2500
agatogtatt	aggaataaat	agaaaatcaa	aacaaacaaa	taatgagtaa	teeterate	7560
tcagtaataa	aatteaccta	tcaaaaaagc	ecaaegeetg	atatagataa	antanametr	7620
aaccaaacag	tataaaaaac	tggtagtatt tagatgtaac	ceeccoaaa	ccacgcacaa	accasagacg	7680
agcagacata	cacaaaccaa	actaaaaaca	tekananan	httenentth	attentants	7740
argarcattt	ccacagaage	actannanca	tttgagaaac	garagaga	caccaaccat	7800
aagagtotoo	acaaattagg	cagagcagag ttaacaacta	tatagacaga	Gaaraggaga	ascarcttca	7860
tccccttcaa	agataccaag	ttaacaacta	cgcacacaga	addadadada	catateceta	7920
taaaatgaaa	acattatcag	attageacte	tottoactas	geceeaacte	cetttecees	
aaagaggcac	graagagata	ggtcagacaa	LULLYAGICA	ant at acces	chasamasaa	8040
creceacae	rrgcagetgt	gccatgatgt	acagageerr	gucutayyca	22949999999	8100
gagaacatag	caattgtgag	gcattgaaca ccccttccca	togradas	atttaaacca	abactaggaaa	8160
gccaaaccaa	actcagetaa	ggggtctgaa	atosacttcc	cacasatett	accected	8220
tgacggtatt	getgacegea	tototaaata	accaagecee	acactetec	acataaccag	8280
getacetace	acgeattgtg	agtgctgaac	tagggtga	nactatorac	tagaggaana	8349
uguadacata	tangagecee	caactgcacc	aactaaacca	poceaggages	tactageste	8400
cacagaatat	readadacse	- waccycacc	-areanagea	2-0412912914	- 30-33-400	

20000 20000	taaccccacc	cttcacattt	racageteca	aaagaaaccc	cttccttctq	8460
attangana	dagagagaga	gaacgoggaa	pectitotot	tacatcttgg	atatcacctc	8520
ceegaggaga	ggagagggaa	actotcasao	gaatgaggcc	cctgctttaa	gccctagctc	8580
agacaaagca	bbbabbaaaa	tracetarie	2000200000	cccaatgccc	tgaaggaaat	8640
ccagacgaca	CCCCCCGaca	cacceegaac	anotasaaaa	cccttggccc	trastaarct	8700
gatgeagree	rggeageact	cacceageer	aaccgaagag	deterande	ttactacett	8760
gcagtgatac	ccagatacta	rgrrgaggge	cccaggcgag	cctctgagac	tagetggett	0000
caggtaccag	catggccaca	ggggatagag	aaccaccegg	geteccaggg	cccccagecc	0020
etggacttga	ctggtgggtg	gcatttttgg	acataccatg	gaccagatgg	gagoocagcc	0000
cccagaaggg	tgaatcctag	gctagccagc	attcaccaca	aactgactta	ggagcacoca	8940
saccttaagg	gaacatcage	agttgtctgg	cagtactcct	catggcctgg	agrggrgrra	9000
gaccataggg	tgaggctcct	ctgactttgg	aaaggggagg	gaacagtgag	gaggactttt	9060
ttttattatt	stactttaag	atttagggta	catqtqcaca	acgtgaaggt	tagttaccta	9120
totatacata	taccatatta	gtgtgctgaa	cccaqtaact	cgtcatttaa	cattaggtat	3180
atctccsast	octatoccto	cccctccca	ccaccccacc	ccacaacatt	ttaacttgca	9240
atatractor	cagcccagat	acagraccat	ataacatcaa	qcaqacatet	aaggtttttg	9300
agactootec	cctggasacc	accetqqtee	aggggggcctc	atcactctga	atteteteag	9360
atcatotoca	agaccaticaa	tagagtaccc	ccagaagtet	gcaagaacca	ctgcattggt	9420
accetttta	caccctotaa	agaagttaca	gettaggtca	caacacccaa	gtcctttcaa	9480
gggaccccga	catottacca	agaagrahoo	tracaettaa	gcccagacag	tgaagsasac	9540
acacgcggaa	taratettea	atacccaase	acagaagaat	atotgotago	attaacgcca	9600
aacaaacacc	Caaccccca	gegeeeagae	taragrapage	accagggaac	aatootagag	9660
tocaggaaaa	cccgacccca	ccaaatgaac	catacaaagc	agttttgttg	asgasactos	9720
aaactgagtt	argreacert	teaaacaacg	aatttaaaat	agacaagaag	ttgaacasaa	9780
aagaaaatca	agataacaca	gagaaggaat	torgaacter	atcagataaa	acouttages	9940
agattgaaat	aattttaaaa	aarcaagcag	agattettgga	gccgaaacat	gcancegaca	2040
tactgaagaa	gatattacac	gtgctattct	ttaatagcag	satagatcaa	gcagaagaaa	2200
gaattgttga	gcttgaagac	aagctatgtg	aaaatacaca	gtcagaggag	acasasasac	7700
aaagaattaa	aaacaatgaa	gtatgcctac	aggatctaaa	aaataacete	caaaaagcaa	10020
atctaagagt	atteacctta	aggaagaagt	agagaacgag	ataggagtag	asagtttatt	10080
casatgoata	ahcacaaaga	acttcccaaa	cctagagaat	gatatetata	reaggracta	すりてそれ
assauttata	ggatgggaag	cagatttaac	ccaaaqaaqa	ctacctcaac	tcatttaata	3.0200
atrassttrt	chaaggteaa	ggataaagag	actattctaa	aatcaqtaaq	aacaaagaaa	10250
fasarancat	areatomann	accaatacat	ctggtagcag	actttttaga	ggaatcctta	10320
anamantmat	atracaratr	ctgacagasa	aataacqttt	atcctagagt	agaararcrg	10380
dedecement.	coottasaca	tasacaaqaa	ataaaqacat	teteaqataa	gcaaaaggrg	70440
geganantet	ttetaccece	cetatectae	aagaaatoct	aaagggaata	tttcaatcaa	10500
aggaarrera	*catgoodga	tastcaccto	aagacacaaa	totcactggt	aatagtaagt	10560
adaar taaar	concentrate a	thananagach	assetaaat	tgtgtaaget	astatectaa	10620
acatagaaaa	atacagaata	nathantana	cetestesct	acagattttc	aagagatagt.	10680
gragaaagac	cuantaatga	actaatgaaa		aagcagaagg	needteeen	10740
ctgtacaata	agataaaaac	agaaacaaca	anangecega	tageagaagg	atteacttat	10800
gr.ggagagta	tttatgagtt	EFCFFFGGGC	egenegeeea	tgcasacagt	general contract	10060
tttctggtta	taagatagta	tttgcaatce	ttatggcaag	ttgaaacaaa	adattadaya	10000
atctggaaat	taaagaatat	geceetgaat	gcacagtgga	tcaatgaaga	aattaaaata	10320
ttttgtgaaa	caaatgataa	tggaaacaca	assectatgg	gatatagcag	cuttaguace	10980
aagagaaaaa	tttatagcta	taagtgacta	cataaaaaag	aaaggaaaaa	cttcaaataa	11040
anaatttmat	cetttatott	aaagaactag	aaaaggaagg	qcastccaaa	tccaaaatta	77700
essonanti-	ataaataata	satatcacaq	cagataaact	tqaaattgaa	argaaraaaa	111100
reconnete	aargaagat.	asottottat	tttaaaatat	taaacatgct	gatcaacctt	11220
tatocagact	aagagaaaaa	gagtgagaat	tcaaataaat	aaaatcagaa	argaaaagga	11790
aacattacat	chastactac	agaaattcaa	agaatcatta	ttggccacta	tgtggaatga	11340
hatteesats	aattooaaaa	tictagaagaa	atqqacaaat	tectagacac	ataaaaccta	11400
ataaaattaa	2002333304	aatrosasas	ctgaacagat	caattattaa	tacaaqtaat	11460
craagacega	ageagaaaga	ageteteata	otasagasaa	gctcaggaca	tattogcttc	11520
gagattaaag	retogetase	2444222022	geactagtac	caattctact	ctaactattt	11580
actgttgaac	ECCCCCAAC	acccaaagaa	ottocastat	gaggctaata	traccotgaa	11640
cgaaaaacag	addaddadga	yyayuaaata	amantage	aggtcaatat	ctctmacaaa	11700
aagaaaatca	gacaaagaca	Carradaaaa	agaacactac	2535555555	tactacan	11760
tgtaattgta	aaaattotos	acaaaagaat	agcaaacaaa	tttaacagca	rancagaaag	22820
atcattcaac	atgaccaaat	gggatttatc	cutgagatgo	aaagatggct	castatatat	11000
aactcaatca	atgtaataca	tcataccaac	acaatgaagg	atataaacca	cargattatt	11000
teaatteatt	ccaaaaaaaaa	atttqataaa	attcaaaatc	cttcatgata	gaacactaaa	11340
casaactgas	gatagaagga	acacacccas	acataatcaa	agetgeattt	gacagacaca	12000
carchactet	caaactgaat	ggagaaagtg	tqaaataatt	teeteaaagt	actggaacat	12000
gacaaggata	gccacttcac	cactgttatt	caacataata	ctggaagtcc	tggctacage	12120
5 -35		-				

cottogggg	adannanara	tasaccitate	caaactoaaa	agaaagaagc	caaattatot	1.2180
agecagacaa	atamananaa	++++++cca	taaacgtaag	gtaatcacca	gaeaactatt	12240
cegeeegeag	acggcacaag	atasagatac	aadatatast	stcsacataa	aaaaccagta	12300
agaaccgaca	aacdaaccca	casacastet	casasaatc	ctasaggtas	teccatttac	12360
gearrigear	angungacag	astastrage	tattaaccaa	agaagtcaaa	gatetetata	12420
agraaccaca	bacaaaaaaa	agadacaga	rrossosoca	caccaaaaat	aaaaagata	12480
agaaaaacag	atamataca	aggatesate	ttottataat	otccatacta	cccaaggcaa	12540
tttcatgatc	arggarrgga	ayyaccaata	annangaraca	ttetteanag	taatagagas	12600
cecaeagacc	caagaaatta	tratagenese	asagggasa	ghacccaaaa	tagctaaagc	12660
aaacaacccc	addattttta	223020000	antancatta	notgactica	aattatacta	12720
raccccaage	adsendadaua	anaccgaagg	atrarretees	ascacata	cagtctaatg	12780
cagageegea	graaccaaaa	titeceness	acacatctac	agtgaatgca	tttttgacaa	12840
gaacagaaca	gagaacacag	*atatatata	attaacaatt	ctappaaaac	tggattttca	12900
h-k-a-a-a-a-a-a-a-a-a-a-a-a-a-a-a-a-a-a-	******	anacet etate	rttcaccata	rccaaaaarc	aaaccaaacq	12300
catgoagaag	tanguatana	agetceeacg	atragactto	тассадавава	cattggggaa	13020
gataaagact	nathtattat	acccennat	ttcttcsgcs	ataactcaca	agcacaggca	13080
aateteaagg	accergence	et mamatrac	atcaacttaa	asatottcto	cacagcasag	13140
agcaaagcag	aaatggacaa	argagacoac	hoadhoddac	assatattoc	aaactaccca	13200
gacacaacga	acaaagcgaa	gaaacaacac	**************	aacaactcta	tcagaaatca	13260
totgacaagg	gattanana	cagaacaacc	stotgaatat	agathtetta	aaaggataca	13320
tecaataate	agaccaaaaa	atassasas	catceacata	actgatcatc	agagasatgo	13380
cccaaacgga	hamadagacac	tateatetes	checagtess	aatgggttat	atggasasgs	13440
gagaaaataa	cagatgotaa	egaggacgeg	gagaacagttta	canatttett	agaaaactaa	13560
gggaatgtaa	accaacacaa	ccaccacgga	tastastata	tatacaacac	cagtgtacgg	13620
aaattgaget	acctuatgat	tetebesess	natabathta	traceteact	gtatacaata	13680
aaatcagtgt	arggaagegg	randedeca	teascadata	aatgaataaa	taaaatgtgg	13740
getacgattt	ggaagccacc	anagigicea	*testassos	atrospaticca	atcatttgca	13800
CACACATACA	caacggagta		traactcaus	thanceanne	acagaaatac	13860
acaacatgga	tggaactggs	gaccaccacc	*habaaaaa	cessacastt	gaactettgg	13920
aaacctcaca	Egtteteact	caccegegge	actoragaa	ataatataaa	gctagagggg	13980
acatagaaag	EEgaaggatg	gecaceagag	actorganasa	neereeere	ccatctattt	14040
agatggggat	ggccaatgtg	CacGaaaaaa	ancagaaaaa	rotacatttr	aaaataactt	14300
gacagcacaa	teggetgget	teenteteen	acconstants	cttoaccoca	tgtatacccc	14160
atacagtatt	accegacege	ttenenttet	atacetatat	casascatto	taagtactoc	14220
attecceatg	acgegocoac	teenestete	atgecegeae	manastrtas	aaacatatgt	14280
atcaatacat	acacctactg	tacacccas	acceptatate	acaaacccat.	aggtaacttt	14340
aragaagaaa	agraceceaa	accaratett	attoggatto	accagagtag	aataaaacac	14400
catattecat	ggorgreace	acaacgcgcc	ccccatattt	agaagaaaaa	gatctatcaa	14460
caccagatat	grasagaage	ayaaaatatg	factacaccc	agraaaacct	cetccataac	14520
taatgetaaa	gacaaaccat	tageaaaca	atottcamaa	asatatatac	gtaaatgttg	14580
cccaaaacaa	Ctgcaaaaca	taagacanso	esettagees	actataacac	gttactgaaa	14640
aagagaggtg	gaatttcagt	- the bearing	atetetaset	entattenta	aaaactttat	14700
acatttttag	ccacaucgaa	andhattatt	actogenage	agataattat	ttttgaaatt	14760
aaaagtattg	caatttttaa	aaccaccgcc	httatttt.	cascistes	aaccttttgc	3.4820
CLELEAGEGE	attantette	antatagata	programant	ttaaaataca	gcacaaggtg	14880
aacatctgtg	actggccaga	and a constant	anagattant	Geccesoges	cttagtgaag	14940
ttttcaaagt	ceccogeaca	a kkett and	atactettee	cassassas	gtcagcccct	15000
aacaccagga	atccaccaac	accoccaage	cassassect	roactaticca	aaatgacaca	15060
teattaatta	cuttedadg	paragrates	taggagttte	tatgacttta	tgtattagtt	15120
caaaagtaag	Eaggreece	ageggerace	caggageees	tossatacco	aaactgaaac	15180
gatagratte	-ththatath	tttttacata	anathteter	tatogaataa	ttttagattt	15240
atgetteata	CCCCCCCCC	attendatas	agtetttatt	aatctgaaaa	tcaataaaac	15300
acataaaagt	egraaagage	acceagacaa	tosacttatt	rrrrotaaga	taagcatact	15360
aaagattaga	- cclastacat	tatttatata	ateatteres	aggetagent	taaatatatt	15420
cacaaaagac	acttagette	annotation and	aatatataat	attatcacts	ttattattat	15480
aaacagaata	Latgractca	guadiailya stantatas	at arratants	aaatotatto	ototagtota	15540
cattattaag	Lytgaacacc	acgctgtgaa	toctagasagua	accordated	cttcagette	15600
actgaaaatt	cacacccccc	tascettate	tasatttos	httettagat	tccacatatc	15660
radtasccsc	- uaccocactc	++at+tatat	tractttati	ttagatagca	taatgtccac	15720
aataagatca	Lycayyattt	ctattcacas	aattototo	: tttttagttt	gtatagtatt	15780
cagatteate	. catguettec	- stattetet	trtatasaca	ttttcattta	ttttttattg	15840
urautgtgta	Locacaccac	TALEAL COLOR	СССБСИНИСС			

trocatatat	ttattatota	aaacatattg	tottqaaata	tqtatacatt	15900
trantonno	testesatat	atactttcct	tracatactt	ctcatttttg	15960
cadaccaage	astotsdact	partporttt	caagaaraca	acatattatt	16020
gaccgcccatat	tttacaacac	attocatota	taagtgcaat	catgtggttt	16080
attagaagta	acttastata	ctccctattt	attobatott	cttgaaaatg	16240
ACCUCACCCA	accentige	attacattot	atatatagac	cacattttct	16200
CECLLUCAAA	getgaatage	ttoattocat	attttaacta	trataaataa	16260
atctgtaatg	gacacttaag	togatteeat	acticaggica	ttttatttat	16320
aagatgggaa	tgcagataac	coccegacac	heboahhhh	atttttaaga	16360
agtagtagga	ttactggatt	gaccacacgc	hhannton	acceegaca	16440
tattttccat	aatggctata	craatacaca	cccccaccaa	whiten thanks	16500
ttetecacat	grrrgaraac	accogatget	ecceptace	gregaraara	16560
gocattggta	cgtcttettt	rgagaaatgt	ccattcaggt	acactgoota	16630
ggttaattcc	tttttattag	ccattgagtt	gageroccea	Catattttga	10020
tttatcagat	atatggcttg	caaatatttt	tecasecear	gageegeece	70000
gcattgttta	ethtgetgtg	cagaagcttt	ttagtttgat	graatacaar	16740
ttccttttgt	tgcctatgct	tggggaacca	atccaagaaa	ccatagecca	19800
atgtattttt	ttctctttta	ttttcctcta	gcagttttat	agtttcaagc	16860
agtettacat	atattctgag	tagttttatg	tagtgtgaaa	cagtggatca	16920
tetatetete	aatateeqat	tttcccagca	agatgtattg	aagagactat	19980
atotoactto	ttctcatctt	tattqaaaat	atattgaatt	ctattctgtt	17040
cttgttttat	gccaatgtca	tgctatcgtg	cctataatag	cattatatca	17100
tttagaagtg	tastocctcc	agetttatte	tttttaatca	aaattacttt	17160
storertate	arrrcataca	tatttttqaa	ctotttttta	tttttctgtg	37220
traggatttt	gatggggact	qcattqaatc	cttacatctt	tttgtgtaat	17280
tatocatatt	nantcttqca	atecetaaae	atqqqctatt	tttctgttta	17340
cttcsatttq	tttcatcaat	attqtattqt	ttaaaatata	tagatttttg	17400
traaatttac	tcctaatttt	attttttqqt	gttatcagaa	aaggaataga	T1400
tetttttaa	acactttatt	attagtatat	aaqaaaqaaa	aaagcaaaat	17520
agaagagaag	tosasattas	tatacaactc	tatqqattcq	gtaatagggt	17580
taagaagtat	franatoatt	tttgaaaaga	agattcacac	tcagagtcaa	37640
ccassastasa	Cacasagaaa	ttttastttt	cacttagtag	tttaactact	3.7700
trtmattaga	ctttttaacat	tttcatcaat	gagtgagtaa	acacaaatca	17760
tottactaca	maragacat	atanttanat	agaataaata	agatotagta	17820
cacceacga	antatantos	peographt	attocacatt	thasastasc	17880
caacagggtg	tasassasa	anagentates	tactacacat	gatgastacc	17940
ggactgcttg	Caacacaaag	add Cacana	atrassatat	trtatgtacc	18000
tgatgtgatt	attacacctt	grargeergr	ascatotata	tactasaght	18060
atagacgtag	catatactca	caasastqaa	aacatgtata	tactaaagtt	18060
atagacgtac	catatactca	caasastgas	aacatgtata	acaaactttt	18120
atagacgtac atgtattatt tatatttcaa	catatactca aaatttgaat agattttacc	caasastgaa tgtaaaatcc accaaaaatc	aacatgtata agtgagaaca cctgaaaata	acaaacttit attatattic	18120 18180
atagacgtac atgtattatt tatatttcaa	catatactca aaatttgaat agattttacc tctattacca	caasastgaa tgtaaaatcc accaaaaatc atacttcatc	aacatgtata agtgagaaca cctgaaaata cttcttqaqt	acaaactttt attatatttc bctaaatttt	18120 18180 18180 18240
atagacgtac atgtattatt tatatttcaa gacattccca	catatactca aaatttgaat agattttacc totattacca agactttcta	caasastgas tgtaasatcc accaasaatc atacttcatg	aacatgtata agtgagaaca cctgaaaata gttcttgagt abqattttga	acaaacttit attatattic botaaattti atgttgggca	18120 18180 18240 18300
atagacgtac atgtattatt tatatttcaa gacattccca aaaaataatc	catatactca aaatttgaat agattttacc totattacca agactttcta	caasastgaa tgtaaaatcc accaaaaatc atacttcatg ggaaaggtgt tatgctgaaa	aacatgtata agtgagaaca cotgaaaata gttottgagt abgattttga aaaaaaqaga	tactaaagtt acaaacttit attatatttc totaaatttt atgttgggca gaaatactca	18120 18120 18180 18240 18300 18350
atagacgtac atgtattatt tatatttcaa gacattccca aaaaataatc aaagtgaact	catatactca aaatitgaat agatttacc totattacca agactttota tagaacatgt gaaccastga	caasastgaa tgtaasatcc accaasaatc atacttcatg ggasaggtgt tatgctgasa qqaqccaqtt	aacatgtata agtgagaaca cctgaaaata gttcttgagt abgattttga aaaaaagaga tccagagata	tactaaagtt acaaactttt attatatttc totaaatttt atgttgggca gaaatactca tccagattga	18060 18120 18180 18240 18300 18360 18420
atagacgtac atgtattatt tatatttcaa gacattccca aaaaataatc aaagtgaact gggcacatga atacacgact	catatactca aaatttgaat agatttacc tctattacca agacttcta tagaacatgt gaagcaatga ccaagotgat	caasatgaa tgtaaaatcc accaaaaatc atacttcatg ggaaaggtgt tatgctgaaa ggagccagtt acaaacaact	aacatgtata agtgagaaca cctgaaaata gttcttgagt abgattttga aaaaagaga tccagagata acaacaaca	tactamagit acamacttit attatatte botamattit atgitggca gamactca tccagattg ammacttit	18060 18120 18180 18240 18300 18360 18420 18480
atagacgtac atgtattatt tatatttcaa gacattccca aaaaataatc aaagtgaact gggcacatga atacacgacat	catatactca aaatttgaat agattttacc tctattacca agactttcta tagaacatgt gaagcastga ccaaggtgat atttatatt	caasatgaa tgtaaaatcc accaaaaatc atacttcatg ggaaaggtgt tatgctgaaa ggagccagtt acaaacaact caaaacctaq	aacatgtata agtgagaaca cotgaaaata gttottgagt abgattttga aaaaagaga tocagagata acaacaaca aagtaatatt	tactamagit acamactitit attatatite botamattiti atgitgggca gammattga tccmgattga mammacctiti ttggtccati	18060 18120 18180 18240 18300 18360 18420 18480 18540
atagacgtac atgtattatt tatatttcaa gacattccca aaaaataatc aaagtgaact gggcacatga atacacgact aaaaagacat	catatactca aaatttgaat agattttacc tctattacca agectttcta tagaacatgt gaagcaatga ccaaggtgat attatattt aatctaatca	cassastgas tgtasastca accasasatc atacttcatg ggaaaggtgt tatgctgasa ggagcagtt acasaccasact acasaacctas attititas	aacatgtata agtgagaaca cotgaaaca gttottgagt atgattttga aaaaaagaga tccagagata acaacaaca aagtaatatt coctataaaaa	tactaaagtt acaaactttt attatatttc bctaaatttt atgttgggoa gaaatactca tccagattga aaaaacctt ggtccatt gtatoattgg	18060 18120 18180 18240 18300 18350 18420 18480 18540 18600
atagacgtac atgtattatt tatattcaa gacattcaca aaaaataatc aaagtgaact gggcacatga atacacgact aaaaagacat tttactgatt	catatactca aaatttgaat agatttacc tctattacca agactttota tagaacatgt gaagcaatga ccaaggtgat atttatattt aatgtaatca	caasatgaa tgtaaaatcc accaaaaatc atacttcatg ggaaaggtgt tetgctgaaa ggagcagtt acaaacaact caaaacatag attittcac accatattat	accatgtata agtgagaaca cctgaaaata gttettgagt atgattttga aaaaaagaga tccagagata acaacaaaca aagtaatatt tccatataaaa	tactaaagtt acaaactttt attatatttc tctaaatttt atgttgggca tccagattga aaaaccttt ttggtccatt ttggtcattgt	18060 18120 18180 18240 18350 18350 18420 18480 18540 18560
atagacgtac atgtattatt tatattcaa gacattcaa aaaaataatc aaagtgaact gggcacatga atacacgact aaaaagacat tttactgatt ttttatatt	catatactca asalttysat agatttacc tctattacca agactttcta tagaacatgt gaagcaatga ccaaggtgat atttatattt aatgtaatca cacgttatac	caasaatgaa tgtaaaatcc accaaaaatc atacttcatg ggaaaggtgt tatgctgaaa ggagccagtt acaaacaact caaaacctag attittcac acaatatta	acoatgtata agtgagaaca cotgaanata gttottgagt atgattttga aaaaagagat accagagata acaacaaaca aagtaatatt ccctataaaa ctcgatatac	tactaaagtt actaaactttt attatatttc tctaaatttt atgttgggca gaaatactca accagattga aaaaacttt ttggtccatt gtatoattgg ataacacttt	18050 18120 18180 18240 18350 18350 18420 18480 18540 18560 18660 18720
atagacgtac atgtattatt tatattcaa gacattccca aaaataaatc aggcacatga atacacgact aaaaagacat titactgatt ttttatatt tcataatgac	catatactca agatttgaat agattttacc tctattacca agactttcta tagagcaatga ccaaggtgat atttatatt aatgtaatca cacgttatac gctaatcaac	caasatgaa tgtaaaatcc accaaaaatc atacttcatg ggaaaggtgt tatgctgaaa ggagccagtt acaaacaact caaaacaact caaaacatag attiticac acatattat tatccaatat tatcctttqta	accatgtata agtgagaaca cctgaamata gttottgagt atgattttga aasaasagaga tccagagata acaacaaca aagtaatatt ccctataaaa tttgatatac ctcaacttga attcaaata	tactaaagtt actaaacttit attatattic bolaaattit atgttgggoa gasatactca tccagattga aaaaacctti gtatoattgg atsacatttt tasacatttt tasacatttt	18060 18120 18180 18240 18300 18420 18420 18420 18540 18600 18680 18720
atagacgtac atgtattatt tatatttcaa gacattcac aaaataac gagcacatga atacacgact aaaagacat tttactgatt tttttatatt tcataatgaa tcagascact tatattatt	catatactca agatitgaat agatittacca tctattacca agactitcta tagaacatgt gaagcaatga ccaaggtgat atttatattt aatgtaatca gctaatcaaa taagaactat taagaacatat atctttaca	caasatgaa tgtaaaatca accaaaaatc atacttcatg ggaaaggtgt tetgctgaaa ggagcagtt accaacaact caaacctag attittcac accatattat tatccaatat tetetttgta ctaqgtctc	accatgtata actgagaaca cctgaaaata gttcttgagt abgatttga acaacaaca acaacaaca aagtaatatt ccctataaac ttcgatatac ctcaccttgt atttcaaata acgaaatatat acacaacaaca	tactaaagtt actaaacttt actaactttt colaaacttt acgtogca gaaatactca tccagattga aaaaacttt ttggccatt gtatoattg atsacatttt tacctttgt tacatttg tataatata tgccttaaaa	18060 18120 18140 18240 18300 18350 18420 18480 18540 18600 18600 18720 18720 18780
atagacgtac atgtattatt tatatttcaa gacattcoca aaaataatoc aaagtgaact gggcacatga atacacgact aaaaagacat tttactgatt tttttatatt tcataatgaaa tcagaacact tatagtcatc	catatactoa agattttacc totattacca agactttota tagaacatgt gaagcaatga ccaaggtgat atttatatt aatgtaatca cacgttatao gctaatcaat tagaactat atgcttatat tagaactat	caasatgaa tgtaaaatcc accaaaaatc atacttcatg ggaaaggtgt tatgctgaaa ggagccagtt acaaaccatg attittcac aacatattat tatccaatat tgtctttgta ctaggictcc	aacatgtata agtgagaaca gtgtagaaca gttcttgagt abgattttga acaacaaca acaacaaca agtaatatt ccctataaaa tttgatatac ctcaccttgt attcaaata agaaatatt	tactasagitt actatattic belasattii attatattii telegegea gaastactea teegattya aaaaccetti tetooteatig atsacattii tacettitig tataatatat tgetettaaaa qgtasetata	18060 18120 18180 18240 18350 18420 18540 18600 18600 18720 18720 18840 18840 18840
atagacgitac atgitattatt tatatttoaa gacattocaa aaaataatc aaagtgaact gggcactga atacacgact aaaaagacat tttettatatt tcataatgaa tcagaacact tcagaacact ctgactgaca ccafaigtat	catatactoa agatttacat agatttacat tacaa agatttota tagaacatga gaagcatga tattatattt aatgaacatga caogttata atgattata atgattata atgattaca atgattacat atgattacat atgattacat	caasaatgaa tgtaaaatcc accaaaaatc atacttcatg ggaaagftgt tatgctgaaa ggagcagtt acaaacaact caaaacatag attittcac accatattat tatccaatatt tatccaatat cycttgac ctaggtctcc tctcccactg critititaca	aacatgtata agtgagaaata gttottgagt atgattttga aaaaagaga tocagagata acaacaaaa agtaatatt cnctataaaaa tttgatatac ctcaccttgt atttcaaata agaaattatt tgcaaccat ttccaaacat	tactaaagút acaaactit attatattc cotaaatit atgttgggg gaaatactca tccagattga aaaaacctit ttggtcoatt gatacattg taccititg taccititgt taccititgt tacaaaa tgtaacaata ggtaacaata	18060 18120 18120 18120 18240 18350 18420 18480 18540 18560 18560 18720 18780 18880 18890 18960
atagaagtaa atgtattatt tatatttaa gasattocaa gasattocaa asaaataatc aagtgaact aggcacatga atacacgact aaaaagacat tttattatatt tcataatgaa tcagaacact tatagtcatc ctgactgaca ccatatctat correstects	catatactoa aaatttyaat agattttaca tattacaa agattttota tagaacatga caaggtgat aatttatattt aatgatataaa tagattataa tagattagagttagagt tagattagagttaggt tagattagagttaggttag	caasaatgaa tghaaaatcc accaaaaatc ggaadagtht tatgctgaaa ggagcagtt acaaacacta tatttoac aacatattat tatccaatat tgtctttgta ctaggtcttttaga ctaggtctt tctcccactg gttttttaga acttcactta	aacatgtata agtgagaaata gttcttgagt atgattttga aaaaagaga tccgagagaa acaacaaaa agtaatatt ccctataaaa tttgatatac ctcaccttgt atttcaaata agaaattatt tgcaacocct ttccaaatat	tactasagitt actaatitt tetatattte tetasattit tetgteggea gasatactea tecagattiga aaaaacottt tetgeteeattig tacattitg tacattitg tacattitg tataatataa tgettaaaa ggtascataa aatgacate getasegatta getasegatta aaatgacate	18060 18120 18120 18130 18350 18420 18480 18540 18560 18560 18720 18780 18940 18960 18960
atagaagtaa tagtattatt tatattcaa gasattcoca aasaataatc aagtgaact gagcacatga atacacgact taaaaggacat tttttatatt tcataatgaa tcagascact tcagascact ctgactgaca ccatatctat tgtcttctg	catatactoa agatttaca testatacca agactttaca tagacattga agacattga caaggtgat atttatatt atgtataca cacgttataca gctaatcaa tagacattga atgtataca gctaatcaa tagactatac tagactacatga tagactataca tagactacaggt tagattgact	caasaatgaa tghaaaatca accaasaatca tgaacatcag ggaaaggtgt tstgctgaaa ggagcaagtt acaaaacaact acatttat tatocaatattat tatocaatatt tgtctttgta ctaggtcttc tocccactg gttttttaga acttoactta	aacatgtata agtgagaaata gttcttgagt atgattttga aaaaaagaga tccagagata acaacaaaaa agtaatatt crciataaaa ttgatatac ctcaacttgi attcaaata agaaattat tgcaaccet ttgcaaccet ttccaaata cttcaaata	tactaaagtt atatatttt atgattgggaa gaaatactca tcagattga aaaaacottt tcagtcoaat gtatoattgg tatoattgg tataacattt tacctittgt tataatatt tgtcttaaaa ggtaactaaa aggtaactaaa aaatgaact cgcatgtta	18060 18120 18180 18240 18350 18350 18480 18480 18540 18600 18600 18720 18720 18780 18960 18960 19920
atagaagtaac atgtattatt tatatttaa gasattoosa aaaaataatc aaagtgaact gagcaatga atacaogact aaaaagacat tttatatat tcataatgaa tcatagaa tcatagaa cagaacact tatagtaat ctgactgaca catactat tgtcttct tatact tgtcttct tatact tgccttcct taaaaagaca	catatactoa agattttaca testtacca agattttcta tagaacatga ccaaggtgat atttatatta atttatattt aatgtaatca cacgttatac gctaatcaa taagactat aatgctatac tagactata tagactata tagactata tgagctagat tgagttagat tgagttagat	caasaatgaa tgtaaaatcc accaaaaatc atacttratig ggaaaggtgt tatgctgaaa ggagcagtt acaaacaatc caaaacctag attititoac aacatattat tgtctttgta ctaggettcc tctccactg gttttttaga acttcattat tcttttttaaa acttactat tcttttttaaa acttcattat	aacatgtata agtagaaaa cutgaaaata gttcttgaga tatgattttga aaaaaagaga tccagagata ccagagata cctactagt atttcaaaaa tttgaataca ctcacctsgt atttcaaata tgcaaaca ttgcaacccct ttccaaatat tgcaaacccct ttccaaatat tugcaagaatttat tggcagaattt	tactaaagtt acaaacttt attatattt belaaattt tetgteggea gaaatactca tetgecoatt gatoattga aaaaacttt gatoattgg ataacattt tacctttgt tacattttgt tataatatat tgcttaaa ggtaactata aatgaact gcoatgitta aadgattgatta aatgaatt	18060 18120 18180 18300 18300 18420 18420 18480 18540 18600 18600 18720 18780 18780 18960 18960 19020 19040
atagacgtac atgitattatt tatattcaa gacattcoca aaaaataatc aaagtgaact gagcacatga atacacgact tatactgatt tctttatatt tcataatgaa tcagaacact atatagtcatc ctgactgaca ccatatctat tgtcttctg taaaaagac tgaccacat	catatactoa agattttacc totattacca agactttota tagaacatga ccaagggat atttatatt aatttattt aatttattt aatttattt aatttatatt aatgtaatca tagacttatac gctaatcasa tagacttatac tctottatt gagctsaggt tgtotggtt agatttgcct tttottatt	caasaatgaa tgtaasatcc accaasaatc accaasaatc ggaaaggtgt tstgctgaaa ggagcagit acaaacaact acttittcac accatttat tstccattat tstcctttgt ctaggtetc tctcccactag actttttaga acttcactta tctttttaga acttcactta tctttttaga caacaacct	aacatgtata agtgagaaca cdgaaaata gtcattaga atgattttga aaaaaagaga tccagagata acaacaaaaa ttccctataaaa tttgatatac cccaacttgt atttcaaata agaaattat tgcaacocct ttccaaataa ctcaacatat cctaaatat tgcaacocct tgcaacocct tgcaacocct tgcaacocct ttcaaataa tccaatagaaataa	tactaaagtt atatatte tatatatte totaaatti tatytyggoa gaaatactoa totaagattya aaaaacotte tacctittyg tataatte tacattit tacctittyg tataattat tytottaaaa ggtaactata ggtactata ggtactata aatgaatte cocatgttta aatgtatte aatgtatte aatgtattta tatattta	18060 18120 18180 18240 18300 18450 18420 18480 18540 18540 18720 18780 18780 18960 19020 19080 19140
atagaagtaa tatatttat tatatttat gaatttoca aaaataato daagtgaact ggoacatga atacagact tatactgatt tetttatatt tettaatata tatagtcatc ctgactgaca catatctat tgtetttetg taaaaagaca tgactacaca tgcatattgg tgcatattgg	catatactoa anatttyant agattttacc tetattacca agacttttcta tagaacatga caaggtgat atttatatt aatgtantca gctantcaa tagacttatac taggtettaca tetettatt gagctaggtt tgtttgat tgtttgat tgtttgat tgtttgat tagatttgcat tagattgcat tagatttgcat tagattgcat tagatttgcat tagatttgcat tagatttgcat	caasaatgaa tgtaaaatcc accaaaatc catacttcatg ggaaagftgt tatgctgaaa ggagcagtt tacaaacaact caaaactag attiticac accatattat tatcocattat tatcocattat totcocactg gttttttaga acttcattat tctttttaa cattactta tcttttttaa cattactta tcttttttaa cattactta tcttttttaa cattactta tctttttaa cattactta tcaaaaaacaaa	aacatgtata agtgagaaca cotgaaaata gtcottagagattega tagasttttga tccagagata acaacaaca aagtaatatt crctataaaca atttcatacaca atttcaactag atttcaactag atttcaactag tccaactat tgcaacocct ttccaacta ctcsaatat tgcaacocct ttgcaacocct ttgcaacaca ctgagaattat tgacagaattat tgacagaattat	tactaaagit acaaacttlt attatattc bcleaattit atgttgggoa gasatactca tccagattya tacaattit ttggtcoatt gtatoattg gtatoattit tacattitgt tataatekat tgtcttaaaa agtaacotata aaatgacatc gccatgttta aadtatte aatgattta aatgattta aatgattta aatgattta aatgattta ataagattta aatgattta	18060 18120 18240 18350 18420 18420 18420 18540 18660 18720 18780 18780 18900 18960 19960 19140 19260
atagaagtaa atgiattatt tatatttcaa gacattcoa aaaaataatca aagtgaact gagcacatga atacacgact ttettatatt tcataatgaa tcataatgaa tcagaacact tatagtcatc ccatactat tgrettctg taaaaaga tgrattcta tgrattctct tgaaaaagac tgaacacacat agcaatatat tgrattctct taaaaagac tgaacacacat tgrattctct taaaaagac tgaacacacat tgrattctct tgaaaaagac tgaacacacat agcaatatga tcttgtttct tcttgtttct tcttgtttgtttc	catatactoa agattttacc totattacca agacttttacca agactttcta tagaacatgt ccaaggtgat atttattt aatgtaatca dcagttatac gctaatcaagttatac gctaatcaa tagacttatac gctatacagttatac tctctatat agagttagat tgtttaca tctctattt agatttgcct tttcttatt tttgttata	caaaaatgaa tgtaaaatcc accaaaaatc atacttcaig ggaaaggtgt tgtgctgaaa ggagcagtt acaaaacaact acatttat tatcoattat tgtctttgta ctaggtccc tctcccactag tcttttaga acttcactta tcttcactta acatcactat cacacagaag tcaaaacaact	accatgtata aggagaaca cdgaaaata gtgagaaca cdgaaaata atgagata acaacaaoa aaggaataat ccctataaaa tttgatatac ctcaacttgt atttcaaata agaaattatt gcaaacat tgcaaatat tgcaaatat tgcaaatat tgcaaatat tgcaaatat tgcaaatat tgcaaatat tgcaaatat tgcaaatat tttgaaaca tttgaaaca tttgaaaca tttgaaaca tttgaaaca tttgaaaca tttgaaaca ttttaaatt tttgaaagaac tgcaagaatgc tggaaatgct tttctacaat	tactaaagit acaaacttlt acgtacttlt acgtogoog gaaatactoc tocagattga aaaaacottt ttogooatt gtatoattgg atsacattt tacctittgt tacatttt tacattttt tacattat ggtacotata agaaacacat cocatgttta aatgactc ocatgttta aatgactc ataatttc acatgttta atgactc ataagitgt atgactca	18060 18120 18240 18300 18350 18420 18420 18540 18600 18720 18780 18900 18960 19920 19940 19940 19920 19920 19260
atagaogtao tagtattatt tatattcaa gacattcoca aaaataatc caagtgaact gagcacatga atacacgact tttttatatt tcataatgaac tatagtcatc ctgactgaca catatctat tgtetttctg taaaaagaca tttattttatatt tgtetttctg taaaaagac tgtattttg tatattttc tgtatttctg tataatttat tgtetttctg tataatgtat tgtetttctg tataatgtat tgtetttctg tataatgtat tgtetttctg tataaaagac tttattgtg ttttgtttc tgtttaatatt tgtettaatatt tgtettaat	catatactoa agattttacc tetattacca agacttettac tagaacttgt gaagcastga ccaaggtgat tetatatt astgtaatca acgettatac gctaatcag taatactat tagaactat tagagtacta tagagtacta tagagtacta tetetatat gagettaca tgagettagat tgatttaca tgagettagat tacatactag tttettata tagagtacca tttettata tagagaacc tttettata tagaggaacc tttegaggaacc tcgagagacc tcgagagaacc tcgagaacc tcgagagaacc tcgagaacc t	caasaatgaa tgtaaaatcc accaasaatc catacttcatg ggaaagftgt tatgctgaaa ggaccagtt tacaacaact caaaacttag attittcac accatattat tatccaattat tatccaattat tatccaattat tettettgta casgattcc tocccaactg gttttttaga acttcatta tctttttaaa acttcatta tctttttaaa caatcattct caaaaaacttct caaaaaacatct caccaagaag tccattatgt tttccttttt	aacatgtata agtgagaaca cutgaaaata gtccttagagatttiga aaaaaaqaga tccagagata acaacaaaca agtaatata troctataaaca tttgatatac ctcaacttgi atttcaaata agaaattat tgcaacocct ttccaaata ttgacagaatt ttgacagaatt tgacagaatt tgacagaatt tgacagaatt tgacagaatt tgacagaatt tgacagaatt tgacagaatt tgacagaatt tgacagaatt tgacagaatt tgacagaatt	tactaaagit acaaacttlt attatattc totaaatttt atgttgggoa gaaatactca tcagattga aaaaacttt ttggtcoatt ttaccttttt taccttttt taccttttt taccttttt tacatatat tgtcttaaaa ggtaactata aaatgacatc qcoatgttt aaatgtattc aatgtattct tacattttt tatatatatt tgtcttaaaa ggtaattca aagtattct aaatgtattct aaatgtattct aaatgtattct aaatgtattct aaatgtattcc ggctgtacaca	18060 18120 18130 18240 18350 18420 18420 18480 18660 18660 18780 18980 19920 19980 19920 19920 19920
atagaagtaa datgtattatt tatatttcaa gaaktcoca aaaataato caaagtgaact gggcactga atacacgact aaaaagacat tttattatat tcataatgaa tcagaacact tatagtcatc ctgactgaca ccatatctat ggcattgaca tgactgaca tgactactat ggcattgaca tgacacacat agcattattgtg tttgtttcg tttgtttcg tgttaataga tcatactattat gcattacta gcattacta gcattacta agcatactat agcatacaca tacacacacacacacacacacacacacacac	catatactca aaatttyaat aaatttyaat atotattaca agactttotac tagaacetg gaagcastga atttatatt astgaacetga gaagcastga asgtatacaa acgtataca caggtatac attgagettaca tagacttacat tagacttagatt agattgact tetettatt agattgact tetettattatagastgatgacagg acgaacaggaaca tagaaggaaca tagaaggaaca tagaaggaaca tagaaggaaca tagaaggaaca tagaaggaaca tagaaggaaca tatacaagg	camaatgaa tgtaaaatca accaaaaatc atacttcacta ggaaaggtgt tatgctgaaa ggagcagtt tatgctgaaa ggagcagtt tatgctgaaa gttttttoac nacatattat tgtctttgta tatcoactaa tcagtcttctcacta acttactttaga acttcactta acttcactta acatcactta caccagaag tctacttata tgtctacta tattatatatactactt taaaaaaaca tacaccta tatacacta tacactaatat tattatatacacta taaaaaacat tacactaatagt tcatatatagt tcatatatagt tattccttttta	accatgtata accatgtata agtgagaaca cotgaanata gttcttgag atgattttga acaacaaca asgtaatatt tocaacaa tttgaataca ctcaccttgt atttcaatat ttgcaaccct gcagaatt tgcaaccat ttgcagaatt ttgcaaccat tttgcagaat cttgcagaac tttgcagaac tctcaccttgt tgcagaatt ttgcagaac tctcaccatgt tgcagaatt tgcagaatc tcacacacaccaccat tcacacaccaccaccat tcacacaccaccaccat cacacaccaccaccaccaccaccaccaccaccaccacca	tanttaaagit taataattit attatattit totaaattit attytyggoa gaaatactoa totaaattit thygytoatt thygytoatt thygytoatt thogytoatt thogytoatt tacchittyt tataatatat tagtottaaaa ggtaaotatto gooatgittia gagtoatgotta gagtoatgotta gagtoatgot ataattitoa tastitet tatattito tatattitot cataagitytt atattitotta gagtoatgoa aaccaacato caaaagaaat caaaagaaat	180.60 181.20 181.80 182.40 183.50 183.50 184.20 184.80 185.40 185.40 186.60 187.20 187.80 189.60 199.20 199.20 199.20 199.20 199.20 199.20 199.20 199.20 199.20 199.20
atagaagtaa datgtattatt tatatttata gaakttooo aaaataato gagcactgaa atacacgact atacagact atacagact tettetatatt tettetatatat tettetatatat tettetatatat tettetatatat tettetatatat tettetatatat tettetatatat tettetatatat tettetatatata	catatactoa aaatttyaat agatttace tetattacoa agacttlota tagaacatg gacaatga ccaagigaat atttatatt aacgtataca getaatoaa atgettaca getaatoaa teteetatt gagettaga teteetatt gagettaga teteetatt acatagatt tagatttaga teteetatt acatagata tagatttaga teteetatt acatagat teteetatt acatagat tagatttaga teteetatt acatagat tagatttaga teteetatt acatagat teteetatt acatagat teteetatt acatagat	caasaatgaa tgtaaaatca accaaaaatc atacttcatg ggadagtgt tatgctgdaa ggagcagtt tatgctgdaa ggagcagtt tatcoataa tttttoac accatattat tgtctttgta tatcoataa tgtctttgta acttcactta acttcactta acttcactta acttcactta acttcactta caaccaagag tocataatatt tttatcoataa tttttatgt tttactactta acttcactta caaccaagag tocatatatgt tttacttatta actttatgt ttacattatt acttactta acttcactta acttcactta acttcactta accacagag tocatatagt ttacattagt accacaagag tocataaagag tocataaagag tocataaagag tocataaagag tocataaagag tocataaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaaagag tacaagag tacaag	accatghala accatghala agtgagaaca cotgaaaata ghotctpagaata accagagata accagagata accacaacaca accacaacacacacacacacacac	tactaaagit actaaagit totaaattit attatattic totaaattit atgttyggoa gaaatactca tocagattya gtatoattyg tacottyg tacotata aaagatacatt aaagatacatt aaagatact tacottyg tacotata aagatagate tacotataga aagatagate tacotataga aagatagat aagatagat caaagaaagaaa	180.60 181.20 181.80 182.40 183.50 183.50 184.20 184.20 185.40 186.00 187.80 187.80 189.60 199.60 199.60 199.60 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80
atagaogtao tagtattatt tatattcaa gacattcoca aaaataatc caagtgaact gagcacatga atacacgact tttttatatt tcataatgaac tatagtcatc ctgactgaca catatctat tgtetttctg taaaaagaca tttattttatatt tgtetttctg taaaaagac tgtattttg tatattttc tgtatttctg tataatttat tgtetttctg tataatgtat tgtetttctg tataatgtat tgtetttctg tataatgtat tgtetttctg tataaaagac tttattgtg ttttgtttc tgtttaatatt tgtettaatatt tgtettaat	catatactoa aaatttyaat agatttace tetattacoa agacttlota tagaacatg gacaatga ccaagigaat atttatatt aacgtataca getaatoaa atgettaca getaatoaa teteetatt gagettaga teteetatt gagettaga teteetatt acatagatt tagatttaga teteetatt acatagata tagatttaga teteetatt acatagat teteetatt acatagat tagatttaga teteetatt acatagat tagatttaga teteetatt acatagat teteetatt acatagat teteetatt acatagat	caasaatgaa tgtaaaatca accaaaaatc atacttcatg ggadagtgt tatgctgdaa ggagcagtt tatgctgdaa ggagcagtt tatcoataa tttttoac accatattat tgtctttgta tatcoataa tgtctttgta acttcactta acttcactta acttcactta acttcactta acttcactta caaccaagag tocataatatt tttatcoataa tttttatgt tttactactta acttcactta caaccaagag tocatatatgt tttacttatta actttatgt ttacattatt acttactta acttcactta acttcactta acttcactta accacagag tocatatagt ttacattagt accacaagag tocataaagag tocataaagag tocataaagag tocataaagag tocataaagag tocataaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaagag tacaaagag tacaagag tacaag	accatghala accatghala agtgagaaca cotgaaaata ghotctpagaata accagagata accagagata accacaacaca accacaacacacacacacacacac	tactaaagit actaaagit totaaattit attatattic totaaattit atgttyggoa gaaatactca tocagattya gtatoattyg tacottyg tacotata aaagatacatt aaagatacatt aaagatact tacottyg tacotata aagatagate tacotataga aagatagate tacotataga aagatagat aagatagat caaagaaagaaa	180.60 181.20 181.80 182.40 183.50 183.50 184.20 184.20 185.40 186.00 187.80 187.80 189.60 199.60 199.60 199.60 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80 199.80
	panatcaage gactgottaa gtcaccatat attcaccatat attcttaatg aagatgggaa tattttocaat gatgatagga tattttocaat gottaatcagt agttaatca gttaatcag tcattggta ggattgatta tcatttggta agtcattagta gattgttaa tcatttggt agtcattcaca tcattggta agtcattacat tcattgtgta agtcatacat tcattgtgta tcattgttg tagtcatacat tcattgtgta tcattgttg tagtcatacat tcattgtgta tctgtttat tcatcatgtgtg atctcttgtt taatcat tctagtattt tatccatatt ttaacatatt tcatcatatt tcatcatatt tcatcatatt tcatcatatt tcatcatatt tcatcatatt caacaagg tcatcatatt caacaagg tcatcattatt caacaagg tcatcattt caacaagg tcatcatt caacaagaagaaaaaaaaaa	baastcaage taataaatat gaactgottaa aatcteaact gicaccatat titiacaaogg atcoccataa titiacaaogg atcoccataa titiacaaogg atcoccataa titiacaaogg atcoccataa titiacaaogg atcoccataa titiacaaoga actotgataty galacitaaog aagatgoggaa bjoagantaac agtagtaggas titaciggatt tititicock abtegatala cocateggia officititit ggitaatice tititiacaa titiacaagaa titacaagaa atatgogata gocateggia officiticitit gocateggia officiticitit gocateggia officiticitit gocateggia officiticititi gocateggia atatgogate tacticititi titicicitita agicticaao ataticitiga titiacaaticiti titicicititi agicticaao ataticitiga titiagaatti titiciticitia titiagaagia taatagotta tatacaatiti agaacaaag byaaatitaa taagaagia titaaatitaa cocateggia cocategaaci caacaaggiga cocategaaci aaatcaaaaa cocategaaci aaatcaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa	basatcaago taataatal digettece gactgettas aatctaagat aagtaqutti gtaaccatat thacaagg strigatight attocacata acttaagte ctocotgitt tritticaaa gatagataga tatcaattagat actogaagat atcogaagat gatagatagat thacaatga tatcataga palaattaga tatgaagaga blactggat gataattaga tattaaga catgaagag blactggat gataattaga tattaaga catgaagata cytenteta gataataga catgaagatta tritaataga catgaagata chacaatga tattaaga attaagaatti gcatagtgi gataattat tritacaga tattagatta tattagaga tattagaatta tritagaga aatcagaa tattagaatta tritagaga aatcagaa tattagaata tattagaaat citgitta gatagaagatta tattagaaga tagaataga tattagaatta tattaagaaga tagaagatta tattagaaga tagaagatta tattagaaga tagaagatta tattagaata tritagaaga tagaatga tagaagaga catgaagaga catgaagaga catgaagaga catgaaga tagaatga tagaatga tagaatga tagaagaga tagaagaga catgaagaga catgaagaga catgaaga cagaagaga catgaagaga catgaagagaga catgaagaga catgaagagaga catgaagagaga catgaagagaga catgaagagagaga catgaagagagaga catgaagagagagagagagagagagagagagagagagaga	baastcoage taataatat atgottteet teesetaett gaetgottea atteege at aateateat aagtagitti caagatagea steeseatat titaesaaga atteege taagatagea tateege atteege atte	tegarataa teatateta aagatattt tegarata agatattta gattgottaa aatatataga agatgattti caagaaga adatatatt teatagat tittacaaca agatgattti caagaaga adatatatt tetataaga atagattta tacaaca agatgattti caagaagaa adatatatt tetataaga atagatgatti caagaagaa adatatatt tetataaga atagatgatti caagaagaaga adatataataga agatgaaga teatagaaga agatgatti tatacaaca actaagaaga agatgatta atagaaga agatgaaga teatagaaga agatgatta atagaaga agatgaaga teatagaaga agatgaaga teatagaaga agatgaaga teatagaaga agatgaaga atagaagaaga agatgaaga agatgaaga atagaagaagaagaagaagaagaagaagaagaagaagaag

	gaetgatgae	taananna	atrestante	aacaccataa	Etagttcatc	19620
gattaaagat	tgatgggaaa	atomicotta	rancasastt	tecatteagt	gagacccaag	19680
ccacaaaccc	ccagatgagg	hattaringica	cageaaaaaa	tattttattt	traagactos	19740
accarrgeac	gttgcccagg	cgragragas	atagagaagag	cteacttcac	togaagetee	19800
geoeggoode	ttcaggccat	tetactaget	Seggggeree	agtagetggg	actacagoco	19860
geergeeggg	egecegeaga	*****	tttttaataa	agaccoccett	teaceatatt	19920
cccaccaccu	gtotogeaga	estanaataa	tostcotosc	agttcoacct	cccaaagtgc	19980
agecaggaca	ggcgtgagcc	ceegaceeeg	egaceceeae	geeteggeet	taacccaaaac	20040
tgggattaca	ageatasace	acggcgcccg	gecageaagg	gaacageeee	taacagaaaa	20100
tgtattaaac	aagtgggaat	aagaacetga	aacatttott	tanagatttg	ratecoastes	20100
tgaaacatga	gtttatcagt	argatectga	acacaaaaca	caaccaaagc	aacggcacac	20200
csaaggtgga	agtggtccaa	rgaaagcaas	agcaggccag	reseggagaaa	descenting.	20285
aacagtttat	gagatggcca	aggcatttta	ccaguugagu	totggaagge	caaagagaaa	20240
catttgcttc	ttaagagaat	gttttgagaa	ageeeccaaa	getttageag	addatatgee	20100
aggaaaactt	catcagagag	tcctcctcca	ccagaacaac	gecoergere	actocccca	20400
acagacaaaa	acaattttgt	gagaattttt	argggaaarc	cccgageact	CCLACACCAA	20200
agtootggtt	tgcattatae	tgacttcttt	cttttgccta	accttaaaaa	attitataaa	20220
gggtacccat	ngthtcagtt	aattatgtga	aaaagactgc	rraacatgga	tatagececa	20000
gaaccatcga	gtetttaggg	atggactaaa	tggcttgtat	caetgutute	aaaagtgtgt	20040
tgaacttgat	ggagettatg	ttaagaaata	aagtgtagtt	ttaaaatttt	CCCACCCCAA	20700
ttcaattttc	catgaatatt	tggaagtgcc	tttatatatg	catgatttta	t cccggagct	20/00
tttaattotg	tetatgtate	tttttgtat	caggactaaa	ctgttctgat	caccacagac	20020
ttgtagtgta	atttgaaacc	agagagcarg	atagtgtgct	grotetteet	ttttttt	20000
gtaagactgc	tttagctatt	tggtgtctct	tgttctatat	taattttaga	atttttttt	20940
catttctgcg	aaagatgtgt	ttagaatatt	gacaatattg	catggaatct	ggagttttag	STOOD
gtattgaaga	caattttata	atattgattc	ttttgatcct	tgaagacagg	acatettte	21060
ctctcatctc	cttgctttga	tttagtctca	agtattttat	tarttttgat	gccarrgtaa	51790
attagatgtt	tgttttcaat	ttcttatttc	aatagcttgc	tgttagtgta	tagaaatgta	21240
actomototo	tetetagate	rrotacceta	caactttact	Caattggtta	CCaccatatag	87200
caaagtttgg	tgaagtcctt	gggttttcca	tgtatataat	gagatcatgg	catctgcaaa	21360
cagagacaac	tgttttctt	tccaatttcc	atgoctaaca	getetageea	ggatttccag	21420
cactatgttg	aacataagtg	gtgagagcga	geeteettgt	ttttttttt	rrrergate	21480
atagacaaaa	atgtttcaac	ttttcactct	tgagtataat	grtaaargrg	agcorgrass	21540
atgtagcctt	tattgtettg	gggtaatitc	ttttatggct	aatttgttga	gacttttat	21000
catgaaagga	tgttgatttt	gttaaatget	ttttctgtat	ctattgagat	gaatatacaa	21660
tttttgcttt	tcattcttt	aatteggtgt	ggaacagtaa	ttgattggtg	tatatatact	21720
atctttacat	cccagatata	cattactttt	cattatggcg	aatgattcct	ttaatgtgtt	21780
gtcttcactt	tggaagtatt	ttgttgagca	tttttgcctc	tatattcatg	aagastattg	21040
anntataatt	atttttttt	ototccatot	ataactttaa	tqtcaqtatg	atttttgaco	21300
tcatataata	aaactgagag	ttcactctta	aatttttgac	agaatttgag	aaggattagt	21960
gttgattctt	taaatgtttg	gtaggattcc	atccatcatg	aagccatgag	EEEEeeeege	22020
*********	tittttaata	agagactttt	tattacttqt	ECATECECCE	ENCECULING	22000
tests et est at	taattttcta	tttcattatq	tttcagtaat	cataataaat	tgtagatgtv	20440
tatgaatata	tttgtttcca	ttaggttatc	caacagttat	atgurggdat	ataactgtte	44400
atagoggtot	cttctggttt	tttgtatttc	tgtgctatca	gttacaatgt	creeratree	44400
atttctaatt	ttatttgttc	cttctctctt	ttttagttca	gctaaaggtt	Egicaatori	22320
gtttatattt	tcaaaagcca	acttctagtt	ttgtggatcc	tctattattt	ttccagterg	22380
++++a+++a+	thetetteta	taccrtacta	EEEEEEEEEE	Eccadeader	Ligggilaac	22440
ttttttcttc	attttctagt	ttcctgagat	acaaagttac	ttgctttatt	aggatettca	22500
tggagtcatt	catateteta	aacatccctt	tatactgett	ttgttgcata	ccatatgttt	22550
trtamastat	tacttttcca	retttatti	teteaagata	tttttaaatt	tccctttgaa	22620
tetetteatt	accccattoo	ttgttccgga	teatqttqtt	taatttccat	grarrrgrga	22680
arttectase	attrottoto	ctattottt	ctactttcat	atgacaatgt	tasaaaaatt	22740
tatetaattt	caarctttt	aasatttttt	aagacttgtt	ttqtqqcccc	acatatgatc	22800
A CALL BY A CONTRACT		and to compare and the property	assasstatt	*********	trateassia	22860
gastattata	tetaggrere	anaggtecat	ttogtctaat	atagagttca	agtccaatgt	22940
tettattat	tretatataa	actorctate	cattqttqaa	Cataggerar	Ligardy Little	22200
tactottact	ocatttttat	chattfichte	ctttagatgt	actaatgett	GCEECGCSGG	23040
terastrant	cccatottoa	granatacat	atttocaata	gttataatct	attegrgaat	23100
transcripts	orataaroac	cttccttatt	tettttaca	gatttgactt	aaaattcaat	23160
titanttast	attagtatag	cececetact	ttcttttqqt	ttccatttac	atggaacata	23220
trigittato	cctatgctgt	gctatggtgt	gcatagtagt	accetttcaa	aatatgtgtg	23280

ttacqtcctc	atcactatgg	tgatagtatc	aggaagtaag	gactttttag	gtgattaggt	23340
catgaggatt	ccaccctaat	acattqqatt	agrettttta	caaagaagag	tcatggaact	23400
ceettacece	ttccacattq	taaqqacata	gtaggaaggc	accatagugg	gaaggcacca	23460
aaacagogag	caagccctta	caaqacatca	aatcaqttqq	tateLtaage	tggaaaatct	23520
cagcototaa	aactotatoa	aataaatttc	tattttttat	aaactagcca	gtttatggta	23580
atttcttata	gtggetcaaa	tqtactaaaa	caatttagga	ataaacgtat	attcccaaat.	23640
ottascatta	ctatcaacat	aacttqctaa	ttataacaaa	tgtcctttag	atttttgaaa	23700
tetagettte	ctcaactcaa	ocaatttatc	taaatcaqqa	tcactaacaa	ggagacagcc	23760
toactatata	agccacctga	ttttatacag	taaqaaqtaa	taaqqtatca	ttaaataata	23820
thtatattat	attattgata	tetttattt	teacataatq	getteacete	ctttatgagt	23880
ttaasatott	cctaatcaaa	aatgatttta	cctaactagt	gctgattaaa	aagaatgaat	23940
atassaatta	cattttcagaa	cctractatt	gaaatttcca	aaactcttct	actccaaaaa	24000
tacttaagag	actatttaat	attaaqatca	ttactqatga	aatctttatc	attotcaaca	24060
tocaccocct	tacttattea	acatcattat	tttaaaataa	attgtgcttt	tgtttccaaa	24120
gtgatatatg	ttaaaqqtaq	aaaaatcaga	ggataccgat	atatacaaaa	gaattaaacc	241.80
ctaactttta	cccctagtat	ctctaaatac	acacacacac	acacgcacac	actcacatac	24240
atatacatot	atacacacac	acacacacac	acacacacat	tratctatag	ttttgaattt	24300
cetecesste	tttttttttatat	aaacattaaa	tcaccccaaa	agtatcatgt	ttotatottt	24360
acaactgagt	acatacaaat	gagcatgtta	taactgatac	tgtgttttta	ttttttgtat	24420
gtttatgttg	taatatttat	ataccctatt	acgttttaac	tcctctttat	gattagtttg	24480
cattateaco	totoctagat	tgacatettg	tagaagtatc	tacatttcat	cagtttttggt	24540
gratttatot	attoatatca	cttttaatac	atttatctat	tqataaataq	taattactta	24600
tatotostta	ccaacatgag	ttaaqacttq	acttagtttt	tacatctttg	taaagtgata	24660
taattttosa	atcagagaca	atoatatoct	ttccattttc	tgtaaaacag	tgagcctcag	24720
aagctgtgga	gaaagetttg	ggagatttaa	gagtgatgaa	cagaaataaa	gtctgaaaaa	24780
ttgcgtctaa	tttcttcca	caaacatttt	atqaactqqa	cacaaccgtt	agttttccag	24840
gatttaatat	agtactttta	agaagagagc	caccggtctc	agcttataat	tacattttca	24900
caaattaatc	caaaatttta	cqtatqaata	aasaggagta	aaacaataca	taaaaaatga	24960
aattgagaac	tgatttaata	ctaaagttct	qaataaaggt	gtgcacttta	tgattgattc	25020
tatotttttg	cacaagttgg	aractccaqt	ttcccatccc	aacatgttgt	tcgcaatgtg	25080
tasassaata	atgaaagagg	atateceeqt	ttacacacaa	attcaactga	ttcacctgtt	25140
ctcgaataaa	gettetattt	aactatecae	cttaatqcta	tgttataatt	ttccataatt	25200
totogggata	ttacacacagg	atctgaaaat	aaaaaacagt	aaacataaaa	cattaagtag	25260
tatgcasatc	ttcatagact	ttcaggtttt	caagtagaat	gttatatgat	ggttcaggaa	25320
ttatttctca	asscactate	caaaccaact	atgtagaaac	atcatattga	tttgaataaa	25380
chtagaatgg	taatcoatot	gaaaatgagg	ttcgatgttt	aatgtatgag	aattaggggt	25440
gtattatcaa	tgattcatta	catcagttgt	cattttagga	tecctgegtt	ttagaactta	25500
tcattgctgc	ttttgattaa	qatattqqtc	aaagagtaca	aactttcage	tataatatga	25560
ataagaactt	ggaatcaaac	atagagatet	agtgatattt	agagotaata	atattgtatt	25620
ghbhabttga	aaattggtaa	gaaagcagat	tttaagtgtc	ctcaccacaa	acacacacac	25680
acatactcac	acacceacct	acacccaatg	ctaagcatag	gtgatgaaga	atgtgctast	25740
taatttqtqq	taatctttqt	agcataaata	tatcaaaaca	acatattgtc	aaacatcaaa	25800
atatatttt	atttqtcaac	taaatqcttt	aaaataaaat	ataaatataa	agagaaaaat	25860
tactttttt	gttgtttta	ttgagacgga	gtetegettt	gtcacccagg	ctggagtgca	25920
organganaa	cheggeteac	tocaacctcc	acctcccaaa	rtcccqccat	tttcctgcct	25980
cagacteceg	actagetagg	actacaggtg	cccgtcacca	tgccggttat	tattattatt	26040
thotatttt	agtagagacg	agatttcacc	gtgttagcca	ggatggtcct	caatctcctg	36100
acctcotoat	ctacccacct	caqcctccca	aagtgctggg	attacaggtg	tgagccaccg	26160
cacccagccc	taaagagaaa	aatttctaaa	ctttactttc	tgacagaaat	atttggtagg	26220
caaggattca	gcagaatggt	tottcaataa	tetataaata	ttttgttaca	aacagtgaaa	26280
tatcagactc	atcacagaga	tttttccagc	cacgtgaata	ttaaagtact	tacgtaagca	26340
tititaataat	tctgaccatt	atccatttct	acatottatt	cgcttgttac	cctcaagttg	26400
atacaagttc	tagcattagt	actcaactga	tgaagetgga	gcatatactg	acaacgggaa	26460
toaagtaatg	tecceattet	caataqqtqq	agggggccca	cattttcctg	tagaatotaa	26520
assacatost	ttcatcactt	astttattat	gagaggaaat	caaaatacaa	gttcaaataa	26580
goggaagggga	aacacagcac	totatataat	atcaacagtt	ttgtgatttc	tggtgaaaga	26540
aatgagteet	qqaaqaaatt	ttaaccettt	aaactgaaag	taatatattt	aagttettt	26700
ctccgtactg	aaaqaacaca	taaaacatta	acaaatattg	ctgcttatgg	tagaccagga	26760
ttaagaaatg	tettteeqaa	tqaatacatg	ctaaacatag	aaaactatga	caaaggaagt	26820
thettattte	atattcgaaa	aatcccatag	gaattataaa	atggaaaagt	atgacasaaa	26886
ttttttaaaa	acactgaata	tacttaataa	tacatgggga	gctgacagac	aaataaatco	26940
atqaacttqa	acatacagca	arataaatta	cccactctga	aaataaactg	азаасааааа	27000

22/64

actgaactga gacattcaga aasatacaac aacaaataat googatgcag aaaaagaaga 27060 geaaggatat tggggetggaa aaatgaataa atamaatgat geetgaaaac ttcccatttt 27120 gaccataagg tataaactta tatttaagaa gctgagtgaa ctccaaagag gataaaaaca 27180 ttggaattta taccaatata cantaaaata aaactacttt aaaaaaagaa aaaaatacct 27240 tgaaagcaac tagacaaaaa ctatgctttt cctcgagggg atcaacaatt caaatgatgc 27300 tgagtitttc atctataacc atgtggcacg gttttcaagt gttcaaagaa ctgtcaactc 37360 caaatttgat atocagtgac acgatetttt acaagtaagg ggateaatac agacattete 27420 agagasaggg ataccaaggg aatttgtctc cagtagacct atgcctaaag attaactaaa 27480 ggaattette aaattamaat aaaacagata aaagaaagag ettgagactt taggateetg 27540 aaaaaataga aaaatagaat ggataaacag aggagtcaat ataacaggat atctttttcc 27600 toataagutt tittoaattat gitogatati tgaagcaagt gagtitaata tggagcicaa 27660 tgtatgcaga gaasatacta gtggcattta tacttacaac gtggagagtg taaatggatc 27720 tacatgaaag taaggtttcc atattccagt tgtagattta aatgtcagtg ccagtagaca 27780 grantatatt attacatata tagtattago tagagoaaca actttttaaa aggaggagaa 27840 aagotataca aagagataga atggaaaaca atacatatga atcgaaatta atctccttaa 27900 taattttooot acagggaatg gaggaatagg gaaataggac tgaaacccag aggaaacagg 27960 cagaaacaaa taaacgacag agatttaagt cotatatatc aataattatt ttaagtgtaa 28020 atggtecaag tgcaccagtt sacaggecat gasaggatga atggatatgt aaacatgacc 28080 caactatatg obgtotacaa aaactcactt caataataaa cataggtaga gtotaagtaa 28140 aatagtgaaa aaaaaaatac agaaaaacat taattitaaa acstaaaggi gagtaagata 28200 caatitoott tittegitto collatitoa tototitata tragaatgac ccaggactat 28260 gtgctcggac ttcttttat saatacagtc agtcacacac ctttaaatat aatccatata 28320 ctgaagatgc ccacatttat atcacagter atgatetete ttcaactgcc tartecatat 28380 cttagaatgc acatcacrta tggctgtcaa atgcacataa tgtatctttt attacacgta 28440 troctgagaa ggaactaagt gftgtaatgc ttaaaaagta ttgtttttca ggttccaact 28500 otcaatttgg togaatottt otggaaaata atataccota ttacttgtgt totgttcaca 28560 ggangaatty satttraago accatcagto attitatitty catttgaasa atotattaat 28620 aaaaatgact toattttgit tasatcaaca tattttaacc otgotatact cocccaaaat 28680 gtraaaagaa atataatact ctacctttgc atrgaggtgg ttccgtccag tttccattta 28740 aacacatcac ttottcatcc ccaaacattt cataagggct cctacattga taacgtactc 28800 totcaccaga tggatattta ctcatctgto tcgacactat ataagcattt tgtactgtgg 28860 goggattoac acaggaggtg totgaataga aaaaaaagaa gtggttocac otagtgttoa 28920 ttttgagtag casatcaact gataacagit acaaatatat ttcaagacga atttaaaata 28980 agtagacaat otoatcaaat attitigitiga tittaataaa titaaatgta atatigagga 29040 aaagacatga aactatttt tgtaaggtac aagegttgat gttttaaatt tettetteat 29100 octtogotag aacactgata gacctttatt tttcccttct ggaagccagt gtaaacgasa 29160 gttttccbgg atatctctct ttgagtttga gtaaacaaat attaccagtt ctatttattt 29220 ascattaatt tataasatgo aaaaagtoag cataaataga ttatgtgata comgattitt 29280 gtttgcaate atcetgctta tacattttag cotottaaaa ataaactcaa ataggcattt 29340 tottagogaa taagcaaaga attaaaaaca cattttgaaa attacccaag ttaaaaggag 29400 gasgaatggt taatcaasgg atccaaattg gagatgtgga aaaatttttt taasasagcct 29460 ataataataa aaataacctc agataattta attgccaatg attaaggata ttatgctgsa 29520 castgcsass ttcatcagag agtttcatat ccatgtgtag tgastagact atagcastgc 29580 ttctcactcg gaagtgtaaa tagaattccc tggaggtgtt ggtaaaacag tttcagggtt 29640 ttactttgag acttttgatt enggatgtet agaatgaget taeggaattt tatttteatt 29700 teaaacaate tecaagaaga tgatgatget accggtttag cgaccacact ttgagaacta 29760 ttgagotaag attaatcate aaatactcag treestotti ttattittag geatacgaet 29820 actrigroot googtasaaa ottaatttat gtocatttta atgatgttag agacaattot 29880 atattttatt cccaaaacac totatataaa taaattgtac ttatatattt atttatttca 29940 ggtttattta tttttttgag acggaatete actetgteac cetgggtgga gtgcagtggc 30000 acgatettgg cocacttosa tetteatete cetggtteaa gegattetee tgeeteagte 30060 toccaagtag ctgggactte agatgcatgt caccatgece cactattttt ttgtattttt 30120 agtagagacg ggttttcace atgttggcca ggetggtete gaacteetga ceteaagtga 30180 tecgeccace teggertece assytgetgg gattacagge gecagecact gggetgggec 30240 cacacattat ataaataaat titgaaaatt caccaaagta cototgoatg tiggoottoo 30300 tgtccatctg ctattaatgc atgttacatt actggctcca tccattttgt aatatgttgc 30360 acaagtgtaa gteacttget caccegoett atacacatee ttettetete ccatgggtat 30420 ggcattttca aagctaggta sactgagaca atctgtttct gaaataggaa aaatatgtat 30480 cgatatatag satcaatgaa tactgtacaa catttttctt ataacttgag aaaatatatt 30600 agocattite totraattac attaaattot totasatota ttaaaaatac sagatagasa 30660 tgatattaga agactgaaga aatattggta googtagcaa ttgagattac acattttttt 30720

gttcacatta	tttttotcca	tacttgccac	ctgatatggt	taggctttgt	gtcctcaccc	30780
asateteste	tigaataata	atctccaggt	gttgagagag	agacctqqtq	qqaaqtqatt	30840
ggatnatogt	agcagtttcc	cacatactat	tctcacgatg	gtgagtgagt	teteacaaga	30900
rangatgatt	taataactot	ttagaagttc	ctccttcact	cactcctctc	tctcctgcca	30960
cetterteaag	aaggtgcctg	cttccccttc	agggggaatg	qtaaqtttca	tgacacctcc	31.020
traatrataa	ggaactgtga	tcaattaaaa	tttttttt	tataaattac	ccaqtotcag	31080
gaaggtettt	acadeaotgt	gaaaacggaa	taatacacca	cctatattgt	gtgtgcattt	31140
ccaaattttt	tacttctate	aaatctcasa	tacttataat	gattttttaa	aatatttcag	31200
assatotact	tatagggaga	ttgttgataa	actoacagaa	gattgaataa	tgtggagatt	31250
datdadtada	aaceaactata	ccctaacaac	agagatgaga	agtetgagaa	tatacatcag	31320
accetactta	sagetcacac	aagatgatgt	qaaaatqaac	taatttggct	tataatgtca	31380
astattttas	ttactacage	tataatttcc	cacagcagtc	caqaatattc	aagaaaacct	31440
tatosacttc	tagagtccct	atttactttc	ttattqqtac	cacttacact	ttgaatgaag	31500
aarahthaho	atacatataa	taaaattcaa	tecaccatac	ttatgcatga	tggagggtga	31550
gaccattttt	ctcctaagca	ttttgcaatt	gcaggcccat	caattccaaa	accttcaaaa	31620
catttotaco	taacttcttc	tecatactga	taactgtctg	acatgtgagc	tacaacacca	31680
roaceastot	caggtggaga	tttacaaqqa	aggcctaaaa	aaaaaagaat	gaattcaggt	31740
treactaact	cataaattta	attttatatg	cctottttaa	tattaagtag	ttttatttga	31.800
aaataaacaa	tacaggaget	actatgacat	cacagagaag	taacacaaat	gtttcctaaa	31.860
actaggette	tagratetat	ctatctatca	qactqtcacc	aactgaagaa	ggacttgaaa	31920
ctasasatac	castacattt	cagaaagaga	teatetatee	ctggtaaaca	atgeetetgt	31980
aaacttacta	otostaataa	catacacatt	qaqaqttaac	gattccaggt	aaaacataat	32040
atattotagg	asatsagaag	aaacattata	ggaagaatgt	aaaagaagtt	ttaaaacata	321.00
ataggaaagg	asacatosca	acttocagaa	cacctttacc	tatatacaca	cccaaatctc	32160
atrotoaatt	ggasttggga	tastcctcac	atattataa	tgggacctgg	rgggagaaaa	32220
rtgeatcatg	aggocgattt	ttcctctqct	getattetea	tgatactgcg	tgagttctcc	32280
tasastatas	toottttata	aggagetttt	ctatetttac	tttqcacttc	tecttectgt	32340
caticatotoa	agaaggacat	atttacttac	ccttccacca	gggttgtaag	tttcctgagg	32400
cctcccaacc	atgtggaatt	ataaatcaat	tacacctctt	teetttataa	attatgcagt	32460
cttgggtagt	tetttatage	agcatgataa	cagactaata	cagtaaattg	gractgcaga	32520
gagtagggtg	ctcctctaaa	cataaccasa	aatqtqqaaq	cagctttgga	actggataac	32580
aggraggggt	tagaaccatt	tagaaqqqqtc	agaagaagac	aggagaatgt	taaaatgttt	32640
ggaacttect	adddagttdd	acqqctcaqa	agacaagatg	tgggaaagtt	tggcacttcc	32700
tagaggettg	ttgsatgggt	ttgaccasaa	tactcacaqt	gatatggaca	atgaagtcca	32760
aantaaaata	gtcacagatg	aagatgaggt	gaggaacttg	tttgaaactg	gagtaaaggt	32820
cactoctoct	atocasadad	actootooca	tattqccctq	ccttagagat	ctgtggaact	32880
thosachtca	cacacatcat	ttagggtatc	tggcagaata	aacttctaag	tggcaaagag	32940
otossgagga	adcadadcat	aaaaqtttqq	aaaatgtgca	gcttgtaaat	gcaatagaaa	33000
staggette	attittetaa	aggagaatte	aagcgtggtg	cagaaatttg	caaaaataat	33060
aaccacccaa	sottaatcac	caagacaatg	qqqaatatat	ctccggggca	tgtcagaggc	33120
cttcatcaca	ccccaccca	bcacaggccc	agaagcccag	gagggaaaaa	tggtttgatg	33780
gacctggatg	aggtecetge	tgctctatgc	agecteagga	ctgtatccca	getgetteag	33240
ctccagctgt	ggctaaaagg	ggccaacaaa	cagcttggtc	cattgcctca	aagggtgaaa	33300
ccccaagcct	tggtggatta	catgtagtct	tgggcctgtg	ggtgcacaca	agtcaagaat	33360
tgaggtttgg	gaacctacaa	ctaggttgca	gaggatatat	gaaaatacct	ggatgtccag	33420
gcagaagttt	gctgcagggg	ggagcccaca	tggagaacct	ctgctaggcc	attgaggaaa	33480
ggaaatgtgg	ggteagagee	ctcacataga	gteeceactg	aggcactgcc	ttgtggagct	33540
gtgagaacag	gaccacaatc	attgaagocc	cagaatggta	gatecateaa	tagettgese	33600
tatgttcctg	gaaaagccac	agacactcas	tgccagccca	tgaaagcaac	caggaggggg	55560
acaaagccac	atctgcacaa	ggctgtggga	geceatetet	tgcatcagca	tgacctgaat	33720
gtgagacatg	gagtcaaagg	agataatctt	ggaaatttaa	ggtttaatga	ctgccctatt	33780
aaatttcaga	cttccatcaa	gcatatagcc	actttgtttc	agccatttcc	recentrage	33840
aatggaagca	tttacccaat	ccctgtaccc	ceattgtgtc	taggaaataa	ccaacttget	33300
tttgatttta	caggctcata	agcagagagg	acttgccttg	teteagatga	gactttggat	24020
atgaactttt	gagttaatgc	tggaataagt	taagatttgg	aggactgttg	ggaaggcatg	34000
attgtgtttt	gaattgtgag	gacatagact	rgggataggc	carggrggaa	Lyacaggatt	34340
tgactgtatc	tccaaccaaa	taacaatttg	aattgtactt	cccataatct	ceatgriving	24200
tgggagggac	rcagtaggaa	gtagttgaat	aatgggggca	geratececa	LGCCCCCCGCC	24262
ctcaggatag	tgagtgtgtt	ttcatgagat	craarggttt	cataagggcc	tectocctt	34330
ggtcagaact	tetecttect	gtetteatge	grrrgertet	CCCCCCCCC	the test of the	24200
tttcctaaga	cctcctcagc	catgcagaac	agrgagccaa	rrasscrit	certgeatge	34300
ataaattatc	cagtattggg	cagttettta	rygeageatg	ayaataatac	ayarayyiri	24460

aatttcacta	gatattattt	tttaatgcca	gaatacaaag	tgactctatc	atgaacaaat	34500
aaaattaaca	taaataqaat	agattcaatc	atgcaaaaag	tattttaatg	gtataatata	34550
topattattt	tabababaca	graatctcaa	ttattcccct	cactttqata	acaaqaqatt	34620
atttttatga	attetactat	aaacaqaaat	tgagtattca	tattggccta	accttcacac	34680
trangetraged	aactccattt	teceatataa	catattattt	cattttttt	agatatoctg	34740
asaccaccoct	cacaagtata	actcaattta	atcccatata	cataactttc	ttgtgaagac	34800
ctccatcast	tastoottcc	ctcttctatc	tgaggtggtt	gtgaacatgg	aatttttttct	34860
aspengens	tosasatcas	agggttaaaa	acaaataaaa	tacttaaatt	gaaatataaa	34920
acteastact	attroquatt	ttaaagtgag	tataatttga	acaaataaaa	ttatttaaaa	34980
acaaaaacat	attagaaact	cocaaaoata	tattecteca	ccatatctat	gttaccatcc	35040
tettetress	hastestett	cattcatore	ttottcatca	caaqqattaa	astatgcatg	35100
ndesepto	tratchqaca	tittacataat	attccaaaga	ttttggggtgt	attttgttca	35160
aaaaactgaa	agagtogtga	ttgattaatg	tacctagate	ctsatttatt	ttgtcaggat	35220
assatastan	acacacacaa	agaacttete	tettatttac	acqaaqcaca	agagaatatt	35280
aacctcattt	gasagaanta	totaaaacaa	attatacact	actgaccaac	acagagtggt	35340
attractore	atettecate	tttacatata	atttcttctc	cttcctgaat	tagataattt	35400
terrecessa	gaeragahac	ththhohoca	tecceataat	tcagtgtqqt	tgtcatattg	35460
tracaattco	gsatgtgagg	taasaataaa	cataattota	tttgtgccac	tasasastat	35520
taanaatata	attaatotta	taataaaaaa	tasaaaataa	aaatattaaa	attagaattt	35580
rrostossas	ataatttata	toattaaaat	agaataaata	qaaaqatcaa	taactgtttc	35640
arasatrate	aratattaat	tatgatgttt	ttgtatgcaa	atattatact	tttcagctgt	35700
otaacactta	cattasacaa	tagaactttt	ggettgtatt	ctcatagact	ttcttgtagt	35760
tttttcatat	attetttett	taataaattt	gcataattta	tgtaatattg	attttaatta	35820
ththosocot	tragaatott	ttaatocaat	tacacactct	taattacatg	cattaaataa	35880
asattgatat	ctataatcas	stotateagg	attogattaa	aacactcaca	aattttctgc	35940
neetnosate	tasttaacca	gaagtagaat	tatatgtagt	taataatcaa	tttqqtactq	36000
acacttgacc	aatataagga	ttaaatataa	teactagtga	tttatagtgt	gctatttaaa	36060
anttragaget	cocchagaga	nnthatttac	taggttaggt	gtactgttta	qqqatattta	30750
aatonatott	atoraccoag	tttaatgcat	tacacagoot	ggctttagtt	gtataatcac	36188
atatasscac	acctttgtaa	actcacaget	aagctcctgt	taaactgcga	tacatcagaa	36240
arabotoatt	ttttcataat	atgassatga	aggatgtcct	qtttgactga	cgggggagtt	36300
tagaaggatg	toggaggatt	ctataatccc	ttgattttcc	tttctcctat	catagtgtat	36360
actictactte	acctasaget.	ttatqtaatc	gtactatagg	aaatcatggc	aatgatttta	36420
agtgtctgac	attttcttat	caattcaggg	agacgtttgg	atgaacasaa	cttcattaaa	36480
cottattoat	aatotcoagt	tttcttttt	cocttatoat	aaagtatttc	atatttatca	36540
assoratttt	acttatttct	otttttcaat	attttgacat	gtttttaaca	ttctcatcaa	36600
thtatttttc	ttaagattaa	tootcaacta	tttatgcttg	aatgattctt	tecttetatt	36660
tttattaaat	of acattent	gtetacette	tagattgtag	tacctcttqc	ctttatttt	36720
ttatttatt.	tttctcatcc	atottataat	octaaataca	tetetette	agotgtatcc	36780
rattgattt	astototacc	acaatcatta	ttatttaatt	taaagtattt	getgatagta	36860
sacaattaao	asacacatta	tttaacattt	tataacataa	caaataaatt	tgaagaacat	35900
tatasceaa	tatagochaa	ttctacattt	agtgtgtatg	catattttta	tttgtaaata	35950
casccottso	caaggtagac	tatotoctoa	gcaattaaaa	aactgagtgt	ttcaaaatat	37020
tosasttttc	ccactattct	ttcacaagag	aattaaatta	gaaaccagca	aaaatcaccc	37080
atotagasas	asscasatat	tttgaaatta	zacaataaac	ttccatataa	ttaatcatca	33740
асворатавас	cacaagacaa.	atgagaaaat	atttcaaatc	aaataaaaat	gaactctctc	37200
retetatete	eccacacata.	gaacatacac	acacacacqt	gtgtaacatt	ctgggacaca	37260
gctaaagcag	nocttaaaaq	aataqaqctt	taaaqtttta	tattttcaaa	grargaragr	3/340
ttatoaccat	attttcattt	ttcaccctaa	gattgagaaa	agtgaaatta	aaactgaagt	37380
catcagaagg	aagaaaaacag	taaaatcaqt	gaagaagaga	aaacggacaa	agaaacacag	37440
adaaddada	aaattagcaa	acctaaaatc	aqtaaaacat	aataaaacta	aaaaatacag	37500
agcaaatgga	oaaaatttaa	aggeattaca	attggttttt	gaaaatatta	ataaaattga	37560
ggagaaagta	asaacaatga	tcaagattta	aaaaatgato	aatattgagg	atgaaagagg	37620
gesgrasear	cagcacgatg	ccagtatagg	aagccaccac	totocottcc	ccccacaggc	37680
acactuatto	aabgacgaba	ctggaaacaa	ttccctttat	gagaaatcaa	gaaaccagtt	37740
casageetee	tocaaccccc	taaaqtaaac	agagaccaat	atattttgac	tgettetee	37800
tragagagga	aagataagag	tgaactaage	atctatcatc	ctagettttg	ggggageate	37860
chasagtaca	agtttctctc	ttacttatat	aggageactt	aacgatacct	gcaatactct	37920
agtiticctop	gggtaaaata	aagagctagg	caqqqaqtqa	tgtcagcaaa	atggcagaag	37980
taggaagetee	toactettet	tecacecaaq	aatqtcctaa	assascatct	attcataaat	38040
gaactcctcc	toasagaaaa	tgaaagacca	gtaaagggac	tectaettaa	caggcaacaa	38100
agacaacatt	cacattgaac	aagtaagaaa	agttgcaaca	caatggagca	tggaccccag	38160

						20220
certgitese	tgcaccacac	aattagaaaa	ggaatctcaa	aaacccagtt	teteettgtg	30220
gagaagtttt	tggatctcac	ataaagcatc	ctgtgttttg	gacettaatt	cactaatttt	38280
ggaagcagag	gagattaaac	acatqaqaqt	ctctctagat	cacaggaaaa	atggtggtat	38340
datacaadto	ctgaagaget.	tecagaaact	tcattcctta	atagcagttc	agagaagggg	38400
94444444	zatacockat	ttatacacasa	agottttato	arefettett	cctgtggcta	38460
CCGaaaaaaaa	agaccccage	ccccccgag	atatavatta	tastasaatt	acatagaaca	38520
cttagaggte	Egaattetaa	aaaacccgce	geeeggacee	caacyaaccc	gcatcaggca	30580
cttctctage	eggttecegt	ggeteacccc	agtgatacat	ccaggtacat	taatcactct	38380
tagaacaaqt	ttgtccacac	aaacttgagt	gccctaactt	ttacaacttt	catteaggga	38640
chatatiteta	aagctcttag	ttctgggagt	acacqccaca	aaatatatcc	agagtctatc	38700
ntacacacac	*********	togcatttta	tatagatata	taaggactto	caggagette	38760
cagaccaccy	aaaaaagaaa		*****	agetagaata	trtatcotca	38820
attgcccaag	agcagrgcag	agaaaaggtt	cccaaaacgc	ageceeeeg	a a a a a a a a a a a a a a a a a a a	35550
aaaaggtttg	tgtcatccat	caagtgctac	aacccccaca	gecaeecea	aaaggactcc	30000
tottaaaact	cttaactgtc	acagcagata	ttagaaaaat	accagtetee	atagatogta	38940
aaccaaatac	atggtcttaa	aatqctatqt	aaaaactcca	ggcgctatgc	caaattggag	39000
cantonagea	Danasagag	aaagttgaat	ttccatttct	ctqtcqaaaq	ggcttagggc	39060
cagogoagaa	antogotant	tastasaata	acetetatea	agettgeaca	gggtatctaa	39120
ACMUMCEECC	actiggotact	Laacgaaccy	gooccoacog	****	ttastasata	20180
tgacgcaaac	aaaaaataat	crreeegeag	ccaaagccaa	ageceggeac	ttcatgagtc	35100
togocccaat	gataaattca	gatttatcca	rrerreergg	accaagttta	gccatgcatt	33240
casaggtest	cacttctata	gctccaactc	aagagatcgt	ctccttaaca	aactcacact	39300
cccscatost	agagatetge	attectqaaa	ggccctacat	cacagaatac	aaaaagctgg	39360
tontocasta	gactcatttr	aaggagahag	chetheagga	tcagagcatg	cagcctgaat	39420
Cancacaacg	gacccaccc		anttantata	atacacacac	agagtgggag	39480
arragracag	gractageca	cagacecte	acceggegea	acacagagag	4848489848	35540
ataaacacgc	acattcactt	tcactatgaa	aatagaagta	agtaaataca	cagecaagte	33340
ttcaatattt	tcagctacat	ctagacctcc	tggctcctaa	cttgttggtc	ccaggtcctg	39500
aaaaqatqtq	gcacattcta	acctccaggg	ggccacaaaa	aataagagac	agcagtccgc	39660
acasasastt	gagagggaga	tgaaaatctc	tggctggaaa	aattagtgag	gtetttetee	39720
tatatasaaa	dagtggganta	agachgages	addinasttat	chtatchatt	gcatagaaac	39780
cacacgaage	cagecegata	agantgagaa	atatestase	trrasprasa	agaacaagat	39840
actgtgagtt	aaagaaaata	aagaaacaag	ececcacaac	bbbbank no o	agaacaaga s	39900
gagtotocag	aaattgacct	gagggaagtg	gacacaggcg	CCCCACCCAA	gaaagaatto	33300
aaaataatgg	tcataaagat	actcactgag	accaagagag	caatgcaaaa	acaaattaac	39960
tacttcaaca	aagaggtaga	aagtattttt	aaaataccaa	acaaaaatca	caaatttgag	40020
setectatas	ctgaacggaa	asottttaaa	gagotattca	teageagact	agatgaagga	40080
000000000	ttectceact	transferans	tractosasa	hoaccaaato	tgagaaccaa	40140
Seenandaur	reagegaace		teacttages	tecaraters	atactaccat	40200
aataaacaca	taaataaata	adagugaaga	cagoccaaga	cccagacgga	0000000000	40360
gtggaataac	gtatgcatta	teaccargit	aaaaacagaa	agaaacacaa	cgatacagaa	40200
aatatattca	aaaaaataat	gacagaaaac	tttcaacaac	tgggaaagaa	atageaaccc	40320
acacccagaa	atctcaaagg	aaatcaaata	agtttaatga	aagatagtca	ctttaagaca	40380
taacacaatc	aaattatcaa	aagttataga	ccaagtattg	aaaaaagcca	atgaaaagtg	40440
satoottaca	taaaatooaa	tttccacaac	actatoagto	gattactcaa	cagaaacctt	40500
	nere nere pare	atontataot	cassattete	222022222	actgccaagg	40560
geaggeeata	aggaagtgga	angararace	onnance cod	actoressa	gctttctgag	40520
aataattcta	gattccacta	Eccegeceea	aaaacaaagg	agogacenag	geesseegag	40500
artgaaaaaa	agctgagaga	gcataaggac	actttcctgc	cttacaagaa	atgttaaagg	40000
gagttcttga	aggtgaaaga	agaggatgct	aattagtaac	atgaagatgt	taaagtataa	40740
aacttactac	taaaaqtaaq	cacaatatga	aattcaaaca	ctctaatact	gtaatagtga	40800
tacatasata	canctageat	aaaggttaas	aggcaaaagt	ggtaagaaca	gctgaagcta	40860
ann ant that	taggeagtac	geattattgs	aagatgcaaa	gestataste	aaatagaaaa	40920
caaaccccgc	caagagacac	gaarrarrya	Labotototo	atanagagate	agttoototo	40980
cargggagga	gcagagcaaa	acceagatac	LLLatargea	accadaccc	agttcctatc	17060
agettaaaat	acctgttata	agatatgtta	tgcaagccta	aggaraacra	caacttcaaa	42040
tagcctttta	taaggtatgc	tatgcaagcc	taaggatagc	caaaagcaaa	acatctaata	41100
catacacaaa	agattaaaag	aaaaaatcct	aaqcatatqq	ctacagaaag	tcatcaaacc	41150
atrastasan	caagcaagaa	agaaacaaag	aattttaaaa	acaaccacaa	cacaattaac	41220
apattagg	tataaateet	tacchatchs	aaattacttt	aaatooaaat	ggaatatatt	41280
adat caccac	anceses to the	nhanahaaat	anatonecos	ttaaratora	attataaact	41340
ccacaatcaa	aayycataga	acyactadat	adattaaaa	attacactas	accontacto	41400
gcttacaatt	gacttacttc	actgtaacgt	adarreacag	accycaycya	aggcatggaa	41460
aaaaacctat	aaaaataaaa	actaaaagag	aacaggggta	greatactea	tttcagacaa	41460
aatagagaag	ogaaaaattg	tataaaqqta	caaagaaagt	tattatataa	tgatagtggg	41520
greaatttgr	caaqataata	caactattat	aaacctatat	atgcacccaa	catcasagca	41580
actasatata	taaaggaaac	atttaggsat	ctgaatggag	atgtggactg	caacacagta	41640
accada cata	at at case to	tttactttca	acattagarar	agatostoca	gacagaatat	41700
aragragggg	avarcaacac	e-contitue	titiatacana	atamatama	cacacatate	41760
caataaggaa	acarraaact	caaacaataa	cctataccaa	a cayar ugga	cagacatata	43030
aagaacatto	cacataacaa	aaaaacacat	accettetea	aargugcaca	gaatattccc	47050
coccatatat	totatett oc	accacaaaaac	aagtettate	aaattcaaga	agactgaaat	91880
	cacacyccay					

catatoapot	cacttttctq	acaacaaagg	tatgaaatga	gaaatcaata	ataggaggaa	41940
ctatoosass	hhhraaarta	ogtgaaaatt	agacaatatg	ctctqaaaca	atcatagggt	42000
casacoattt	taaataaatt	taaaaatatt	ttcagtaaag	gagaatggaa	acaaaacgta	42050
gcaaaactta	toggatocag	cassagtagt	tetaagatgg	atgtttttag	gaataattgc	42120
chahahcaag	aaagtagaaa	caactcaaat	aaacagtota	gtagtacacc	tcaaagaagc	42180
anaaaaacat	gaacaaacta	gtcaattcca	agattagtag	aaggatggaa	atcataaaga	42240
tcacactasa	agtaagtaaa	atagaggeee	caaaqcaqta	caaaatatca	atgaaaatag	42300
ttttttttt	cataatcaaa	aattgacaaa	getttaacca	gaataactaa	aaaagagaga	42360
taggggttag	EGRASCECAS	matrogagat	gaaaagggtg	atattacaac	tgatatcaaa	42420
aaaatacaaa	otatastoso	agaccottat	tagcaattat	atqccaacaa	attggataac	42480
ctagaagaaa	togataaatt	tetagacaca	caqcotacga	cgattaattc	agaggaaata	42540
gaaaatetga	acagagtaat	catgagggaa	cagattaaqt	cagtaataaa	atgtttccca	42600
teasacasas	tocaagacct	gatggchtca	ttactaaatt	ataacaacat	tttagaaagg	42660
actastaces	sttcttctaa	aacgactcca	aaaatttqat	gaggagatca	tttttctaac	42720
teatteteat	ggggggagat	tactctggaa	ccaaaaccaq	acaaqqacac	aacgcaaaaa	42780
gaaaactaca	occassatcc	cctgatgaac	ataggtacaa	aacccctcaa	cactatacta	42840
CCRARACARA	tectacaces	cattaaaaaq	atcattcact	argatcaaat	gggtttaatc	42900
casquaatqt	aaaggtcgtt	taacataggc	aaattaqtaa	aggtgatgca	tcccattaac	42960
agasaggacg	ataactatac	gatcatttta	ataaatctat	atagaatggc	taaaactata	4.3020
aaacttcaag	aaaaaactgt	agaacatgta	cacttcactg	catatatata	ttatttgctt	43080
ctttaaggac	tctaaacata	ttgaaatgtt	gatagcagat	tagtttttgt	attggttgtc	43140
aatgctttct	gtatatccta	gactggcaga	cattggtaaa	aatattgaag	ttagtgaggc	43200
aaggaaaccc	acaattggat	agcaaaatac	agatataaaa	tatgagaaga	ctggaataaa	43200
acctacacta	ttcaagtgaa	actgtatgtg	tcaatatgac	taacttttca	agatagatga	43350
acaataaatt	aatagataaa	tagatgatta	ggtagatgaa	caggragarg	aatagacaga	43440
gagatagatt	aaataaatga	atcaacagaa	atagatatag	acacacacac	acatgcatac	43440
agacatatac	aaacagatac	aragragita	ttggcataga	cagaggtata	ggcacaggaa	43500
catttgttga	caagasaagg	aatgagaagc	actggtcctc	caacagraar	gatgacatgt	43500
agtgcctggt	rratgtgtgt	grgrgrgrgr	gegegegege	gegegegege	gtgtgtgttt	43680
atactasagg	taactaattc	acagggcaca	greatates	ggaacagege	tttcattagt agtttttaaa	43740
cccagcca	coegecteat	transasta	arasatarss	tacatttctc	aaaacaaaat	43800
agacacacat	acctactact	cccccaaacg	tecestette	catttataca	gactgtgtgt	43860
aagagoctac	etttteetet	ecetetetec	cttatattaa	aattatgatc	gaatteette	43920
and and a court	aatatteete	asatataatt	asatttoato	atttgcactt	cttaagttta	43980
totattoota	taaaataaat	atatttttat	gaaasttcaa	atgataggaa	tcaaaccaac	44040
tetterates	saatagttat	aaagtasata	gtattagcat	qqtaaaatta	tgacttaatc	44100
attataaatt	trarraarra	agtrattect	gatcacatto	catcaaaatq	ctattatgtc	44160
apparataser	coctatable	toteactasa	atgttagaga	tacctatcag	aagacatttt	44220
attetttagg	asatacaasa	tatcattqqa	tatttcattg	gataaataag	tatgattgga	44XH0
asttennact	cttagaattc	accaccacc	aasactttag	gaaaaatctc	agtttagaga	44740
assotosato	agggteccca	agatectece	ggttagtcat	caaagaggca	aaatgatttt	44400
aaagattota	catchcaagt	cacactotaa	qtqaatcacc	ttgccttctt	gctgatcaag	4446U
ttananatana	terantotoa	acheceteaa	tgagatttac	gtcctgactc	agtccctgac	44520
tecctcatoc	cactcageta	taccactgat	qtaqaqqqcc	tgtggcccac	caaccctgca	44580
gradattead	ttattttqqq	tcatatggaa	caaactgaaa	aattatcact	tttggaaget	44640
ttaagagaga	aaagaateet	atgggagagt	agtaagtagg	tattttgtca	actttgtttc	44700
trtacttete	actocctasa	aaggaatacc	atacaataac	aataatattt	atattttata	44 /DU
tasaactgtt	ataatttctc	agtaattagt	actcatattt	aatcatatga	taatttttta	44000
atatttttgt	tttttaaaga	aagagtetta	ctctgttgcc	caggerggaa	tgcacaatag	44000
ageteactge	aatctcgaat	teetggeett	aagcaatcat	teeteeteag	cctcccaagt	40000
agctggatta	caggcatgca	ccaccacacc	ttaactaatt	acasaarret	ttttatagag	45000
atgggctttt	gctatattgc	ccacactagt	gtctacctcc	rggccrcaag	caatcttctt	45700
geettggeet	cetgaagtgt	tgaggttata	ggcgtgagea	accaccccgg	cctcacatga	45180
caatttttgt	asgraaaatg	LEGCETCACA	ELECTRICA ACA	thetttetee	tgttatcaga acacatattg	45240
cgcagaaaga	ttCataaaat	Latitutacta	gotteatett	actomagato	ttgagggata	45300
aaccataagc	aatatgcass	agaccggccc	ortottotto	castasasat	ttgaggcata attaaacttt	45360
totgtaaatt	CCAAAAACAT	agetgeaatt	acceseses	topoppagett	gggtccatac	45420
getaaatgee	yacctaagaa	afatatataa	satrattota	aatrattoto	agcaattgaa	45480
thomatgaata	tetecatach	astasogano	coascassoc	taggcccagc	catgttcaag	45540
ttopartata	retecacage	tactototo	cactatotaa	attttacaaa	aaaagtttat	45600
cacaggaata	coccacagg					

tatassasca	restorator	ottttagata	caaaatacaa	aagttttgac	aagtttaaat	45550
attaatattt	tatacattac	caatacacac	tootaaaqtt	gtecactete	catcaacaca	45720
rresettrts	transtruct	trattagaaa	totaccatto	caataatatt	ccaccacttc	45780
notest et era	tattettett	tratttttc	cttascattc	ccattgagga	qttcaqqaqq	45840
tomacoanat	cattotectt	actictateat	agasatacta	tgtaaataat	ggttaaattg	45900
tatatete	aatataaaaa	ttcantassa	toggaaagatt	ttettettt	attcatgtat	45960
bebbeether	gtangetett	ataggatggt	aaacastcaa	gaatggtgtt	catatrotat	46020
testestest	graacecact	attenance	tattmanatm	ttaaaaratg	cheagactte	46080
Caccacaca	adattyccat	accgaaggea	tagesaatgt	ggttatgaaa	atcatottaa	46140
Lagacacccc	tastaasasa	attttateat	aacattttco	aaaaatatca	tsactgagge	46200
CCCCCACACC	teranganan	atttasetas	trasteraso	caactgaatt	gaatataagc	46260
aagcasttga	ttatttaaa	acacccata	aaacttaact	tgcagcccac	actatataaa	46320
tgcttaaata	trantation	nathteaace	aaaatgaaaa	ttaacaaaga	aatccctcca	46380
acguccagaa	etactatoot	transtattt	arcaceteca	accecatgtt	gaaacttcat	46440
ctgteageca	t as a at a coor	totaatogoo	gatatttaga	tcatgggtat	ggatctctca	46500
Doctagegee	ccaggeggg	otosaacggga	attetesete	tattagctcc	ragaagaggt	46560
rgaacagacg	aacgeeeee	cccagggcga	greteretet	tgetteetet	ctcatcatot	46620
ggttettaaa	aagagcorgs	catchtcoots	ttetaceage	attotgtggc	totoactoss	45580
gececeegga	cataguages	ttttatata	atrantatan	tgagccaaat	asascatttt	46740
tgeagatgee	cgatettgaa	ttattaattt	atanasacat	aaacctaaag	tagactaaga	46800
cacaaaccac	ccagacccag	concecte	ccagcacatc	gttcaagaaa	cagtggagat	46860
cogacaacac	ecgegegeet	gggaacaccc	atertasts	catgteette	acagggasat	46920
taacttaagt	gaecgaacco	theasassassassassassassassassassassassassa	tagaagaaaa	aacaaaatta	ataagaaaaa	46980
atttgattta	accoactaga	attattattt	caccaattot	aagataagca	ttcaccttta	47040
ageeggeace	caaageeera	castccasac	tagtageage	gaacggaatt	aggraceset	47100
catattggga	ggreaggaga	caacocaaag	aggregatete	caactttata	chaatctttc	47160
accgcaaacc	Cragringea	taratriatt	trancagatt	cgcattotot	ntottgaaaa	47220
cogogacoag	gaaccaageg	satatataat	taatcattoo	caaagttaat	tttacatatg	47280
aygraaaaca	atcecatgag	tattagatea	tacagagggg	catcagataa	atcettttcc	47340
ccacaacaaa	trataratat	tatottttat	atactatata	aattgaaatg	gaactttatt	47400
ctgtaaagaa	tootettosa	atatatetet	totanasatt	aatttgtaaa	ttcaacttat	47460
hhadaahaa	toteatttta	atractraca	ttaatgaaat	ttaatattac	tttttttact	47520
ccacaacgaa	asttactctr	tcatattasa	aaacaaaagt	gcatatagac	caqaattqqq	47580
antitttana	auceacatca	charchaaga	aghthogaca	caagttetee	tcaqaaaqaa	47640
gererregaa	tacauguega	rastostase	ttgsaaaata	tttaagagag	qqtqcaqqag	47700
gaaccaaage	asaccatons	gagaagggaa	agcatogaaa	aagacagaag	caagagcctg	47760
ndinnagana	actaggaccc	tataggecet	catagaaaqt	gtaggtagga	grarrarggg	4/620
at agat agag	ctraccatat	coatccaage	cateadadad	ctcttctatc	ttcgtgaaca	4/880
anananataa	tatasataa	patttoggaa	cttcttgagg	gesttacace	aaactactag	47940
trasatagg	testetacet	teceettaga	cctgagctgc	agtggtaggt	ttcatgootg	48000
cagtacages	atatagagac	tatttectec	ccaggaacct	cagccctctg	tecceataac	48060
accadadeed	cacaaatatt	ccctatcacc	tacttagata	tggcagtcac	ccatagetgg	がなかべる
characters	aggagttaga	gcattcccaa	tagtttaacc	accagggagg	ctattcctaa	40100
taggaccoac	ascasaddas	gaggggttgt	gggaaagaag	actgtagcat	tcactttcct	48240
mtmtmcaaga	gesacetrock	tatagactas	aaatgactac	qccacttcca	gcagacacgc	48300
aganggagta	tttgggtgtg	caagggagga	gtatagatcc	atcccaqqaq	cccaatggtc	48360
cesacactta	proceeding	tagagaggg	ascatotoco	grggardcaa	ttctgtgttc	48420
atanctataa	fractronsa	aggagagtgg	tatagacaca	ccagaggacg	gacacegray	*0*0V
anatattaca.	agotagetae	aactccactc	atcatatacc	caatqaaqcc	aggettgcas	48240
gggcaccagg	ctacoogtat	checeeaggg	tettecceta	acacccctgt	cagggctggt	48600
gertataate	atcettggag	catccaaggg	tgagettagt	qqtacagatc	tatcccgctt	48660
tatececage	tectcagaco	actotacctt	tcacagatca	gtccattcct	tggggcaaca	48720
gagagtetee	catagacact	cacaaccata	gactastata	cctctqctqc	agetggetet	48780
tagatataga	Egggarctac	tatectasat	ottgaactgc	acageceage	gcaaaatgct	48840
ascactaggg	natgatocag	aacaaggtta	attttctqcq	tagtcctcca	taccagocot	46900
traggaggga	gtaaggeteg	trataracec	agtacataac	tactacaacc	agcaattaag	88300
agancestea	tacaaaagtt	atctctaacc	aaggtactca	aacagagtct	ttaccactga	43070
aagaagggagg	aacctaaacc	aaatageeet	atacaacata	catcqtaqtc	atattctcaa	49080
annnaaaaaa	apartector	chathagasa	ctogacttaa	. aaataaqaaq	qqatagttca	49140
reterrateser	aagaaaccac	tgaaacattt	ctocaaqtat	qatttaaaac	agcgtattac	#3200
ancactegag	aaggaatcaca	ctaactcttc	accastaact	cctaaccaaa	atamaatctt	49260
tosastaces	aacaatttaa	aatatttatt	ttaaaqtaqc	taaatggagt	ccaagagaaa	49320
- Jane - rather						

gttgaaaagc	aacacaaaga	aattagaaaa	aaaactcagg	atatgaatga	aaaatgtact	49380
aaaaatattt	tttasasasc	aaatagaact	tatggaaatt	aaaaattcat	tgaagaatta	49440
casaatatag	ttgaaagatt	raattacaga	ttacatcaag	cagaaaaaact	tgctctcaga	49500
gottgaagag	aggtatttee	aattaaccct	qtcaqacaaa	aataaagagc	aaataacatt	49560
trtraatgag	caaaootttt	gagaaaaatg	acqttctasa	aaatqaqaaa	acttaagagt	49620
tatagatatt	chtgagggag	aaqaaaaaqc	taaaaaaaacc	ttittgagga	aaatttatct	49680
cetettacco	tettactaca	gacatagaaa	teettataca	agaggctcag	ataacaccag	49740
gaagatgcat	tocoagatoa	acttctacaa	acatatagtc	atcaggctat	ctaaagtcaa	49800
totosacooo	aasaattata	aaahcaqcaa	gagaaaagca	tctastcasc	tataacggaa	49860
abotootaag	actaacagtg	gactteteag	cagaaactgt	acaagccaga	agatattggt	49920
gtochatttt	cagggttett	aaagaaagat	tagttcatat	ttattgaaaa	aacatatatt	49980
agagatatat	Effocatttt	cctasactaa	acttcataaa	rgaagaatat	atasagtett	50040
trorrasansa	octastacta	aggaagttca	traccactag	aaatccactt	taggaattca	50100
rcccacaaga	aatqatccaq	agaateetga	acatqqaaat	agatggtcaa	tactcactat	50160
cetaeagaga	tocanaaqta	casasctcac	aggtettatt	aaaaaattac	acagttggga	50220
chacaaacca	actaggtasc	aactaacata	atgacaagaa	caaaacctca	catgacasta	50280
rraactetea	acatasatag	attaaatqtt	ccacttaaaa	gatatagatt	tgtggaccaa	50340
atatogaaaa	cagaasccaa	ccacatacta	ctcaaaaqaa	acccacctaa	cttagagaaa	50400
cctatacaaa	creatogtaa	addtatddad	acagatattt	tqaacaacaq	aaacaaaaag	50460
catttaatat	agttatattt	atatataaaa	assgatttca	aatcaacaaq	aaaaaaaga	50520
nitheeneen	artacacaat	gataaacgaa	gcaagaagat	ataacaattc	taaatatata	50580
ranaataaaa	accheageac	teagatteat	seatgaaatg	ctactagage	taaqtaqaaa	50640
natasacano	aatatastos	ccccsaccsa	cctccacacc	cccaatgact	atactagaca	50700
gattacacago	acassasat	aaacaaagaa	acctcatact	taaattqqac	totaqaacaa	50760
ataaaaataa	cegacatitit	aacgacattc	cacccaacaa	cctcagaata	tatqtttttc	50820
transtator	arggaagatt	ctccaaaata	gaccatatoc	taggetacag	ctacaaagca	50880
anthonogaga	attttaaagg	ttagaaataa	tatcaagtat	cttatcagaa	cttqqtqaaa	50940
taraacrata	patraatato	ataaagaatt	ttcsaaacta	tccatataca	tqaaaattaa	51000
atgacctgct	tctaggtget	tgtgaattaa	actaaaaatt	ttottcacag	caaaggaaat	51060
antaganana	grasacagac	aacctcagaa	togaagaaaa	tatttqcaaa	ctatgaatct	51120
desessadade	restatorad	aatctgcaaa	gaactgaaac	aacacaacaa	qaaaaaaaaa	51180
taataatccc	atgasasagt	ggacaaagga	tatgaagaga	tattttqcaa	aagaagacab	51240
manatracc	aagaaatatg	aaataaaaac	tcastatcac	taatcatcag	agaaatgcga	51300
strassasas	tranttatra	tcttacatta	gagagagtag	ccactqtcaa	atagtcaasa	51360
teenteene	attaataaca	gtgaggagaa	agaagaatge	ttatacqctq	ttqqtqqqaa	51420
tataaattaa	tacaacctct	atggaaaaca	gaatggacat	ttcccaaaga	actaaaaaca	51480
reactarcat	treacceage	aatcccacta	ctatatatet	acccasaggs	aatcaattat	51540
cetetceess	tratarress	actcatatgt	ttatagggtg	actactcaca	qtaqcaataa	51600
tatacacaca	aactaattot	ccaccaacag	atgattogat	aaagaatatg	togtatagat	51660
atataaaata	gastactact	cagccaasac	aaaaaataaa	aagaaaaaa	aaqaataaaa	51720
tostgootto	anaancaaca	tgtataaaac	tasaggccat	tattttaggt	assatastte	51780
agattcagaa	antassator	cacatattgt	cacttataag	tgagagctaa	ataatqcgta	51840
agaccoagea	asasatacta	agtaacagac	attogagact	cagaaatoto	gcaggatage	51.900
accedgaca	gagagagaga	attacctaat	noatacaata	ttcagtattt	gggtgatgaa	51960
racactanaa	chacacacht	caccactatg	caatatatcc	atqcaacaaa	actgcatttg	52020
oaccatctaa	acatatasas	catagaaatt	asaattttaa	aaataaaaga	acacatcata	52080
gaccaccata	neseretett	aagaagttaa	attratasta	gaactgggga	ggatoccgag	52140
adacaccarg	gaaacacocc	tgtcattgca	gagtceatga	taactttatt	taactgaaac	52200
aacaacgacg	generates	ctggtctcat	carchitata	attettgatg	actoacatat	52260
Latancanccc	caaacgattt	ctcatcaaag	attrattant	gaagatatat	grachaagaa	52320
acaccacaaa	adggradere	ttgtttaatg	taatcaagga	aaaagaaccc	aasataccat	52380
bentantata	accygratte	aaaaaaatat	anananana a	taartaarat	attacaaata	52440
LLCLaacaca	neneenataa	attttcaagt	tescatogsa	angrasatte	taggtatoct	52500
gagagaacaa	rttaaratat	aacaattitt	ottatatora	ctatttatat	caatgtttaa	52560
tanakktank	gecaddatat	attcagataa	gasatatata	asattetete	ttacatottt	52620
ataattttta	aactateeeg	acattactaa	atattatera	agatattatt	tttcttattc	52680
acaaccccca	aaaaccagca	acttagaaaa	atacasacta	gaattcataa	attagastes	52740
ayaarccccc	SELULIGUE	acatcataac	chosattatt	aaaatacaat	tacasastta	52800
Lactadadag	tottattaaa	agtaatgtca	cassataata	actacaaaaa	tttactttta	52860
yatttaadaC	antropy	gcagattatt	toagaaaate	acacttgsat	gagaatgagt	52920
cyccogitte	inatanant	ctataccaat	orroracata	graattettt	tttttgtatg	52980
gggasttete	anaghattet	gtgctasttt	tatatagart	chatchatta	tastattoto	53040
chedecrides	cauguactit	g-g-caacee	ambie opposit to to			

nanaocatta	tettaaaaaa	geaaghtaag	archtgatta	ttgggtatta	ttcaaatgct	53100
ohatttatat	anacotaata	acttacaaaa	cataatttaa	agaagaatgt	gaatggacac	53160
taattaatt	agaaggaaaca	rrcttcatct	aaaactcaaa	accetaagte	ctagtactag	53220
atatatasa	tatrastata	aatttttaac	tctgacatac	atactcctta	tttagcttaa	53280
atacgegaaa	absecuates	tatagassag	tttccacaaa	gaagagacct	cctaggacac	53340
bbanantata	argagatata	tatcaatcca	catocaottt	tetettacat	ggctgagaga	53400
Ligadatata	cacagacgcc	taaactaata	tttcttcatt	taatotttoo	aggectgtac	53460
agaacacttg	awangaacac	caageeggea	notostaats	antetttata	caatttgcaa	53520
tatactagea	hhekekasash	catgegetta	tagtatatee	accactacaa	ctttctctcc	53580
cagaaagaca	cccccacac	observator	cassacachac	tanagraata	cactcacaat	53640
cecaggeece	Lattecatge	ceggegateg	anathataan	particiana	ttcataaaac	53700
cccgcgcccc	ccccgaaga	agaccccca	thetesete	tettaaatta	agcobocccc	53760
ccaaacctac	ccaccaccac	agadadgeda	testecatee	chactetree	aatgttatca	53820
concastag	agonanance	natacacaca	transtttts	tastetttaa	attttattaa	53880
aatgtetete	therreacte	aatteaggat	torgacecea	chrotosota	taacaaatgg	53940
anaggicang	cccstogoty	coccagorge	chatchasas	canateteca	gttaattaca	54000
ecccaacca	contragate	obboostet	otatgeadad	chacacacho	atacataaaa	54060
COCCACCCC	Catctcaatt	teattaatta	trtconttat	chekkkkkag	ttttccactg	54120
cacattttaa	ataccccac	tactiggaca	transatata	ortotatttt	caccattttc	54180
tettatatta	gaataaaacc	ceeggacaag	Lagacetgeg	cougugueuu	tggacctttg	54740
tcctgtccta	rgaraggrgr	ttacaacayo	aggaatgagt	cadacccaac	tttcaaaact	54300
acactgcctt	tcatctacaa	Egeacceace	cccccca	gorgranta	atotoagato	54360
tttctattct	acctagtact	GEEGGEGGEG	t	gentttten	atctcagatg acgttactgc	54420
accatgtete	atacttcasa	acagaaccca	ccageccuca	beekekkees	acctgtcaca	54460
tcattttcct	teccatetee	tgtcacaaag	ctgtaagcag	coolgalgee	tetesscaca	54540
aggitgtaag	cagtcctgtt	gccaccaaag	cacaatacct	ebboaccett	tgtgagtcct	54500
tteccetege	attttctcag	ggcaactatg	taagtcatgt	geccagoose	tgcagctccc	54660
cttttgctgt	atergeterg	gegeeeteea	CCCCCCCCC	tecaaccacc	ccttcagtgc	54770
acaactttcc	tcaagcaata	EEGEGATOTE	cctactagat	LCHRAGCCAG	aatcttgaaa	24780
gagttatgto	tacagtctgt	attgaatgtc	tagotcatta	tttttttt	cagattetat	24100
gragggtorg	tetettetae	tctattasaa	tecastitig	ccacaccege	cattggcctg	54000
taccttacct	aatccatcac	aatttctgaa	cagaatataa	taactaaatt	agaaatattt	54500
atcactttga	tantgatatt	aaggtaatta	aattacaact	terregacti	tattatataa	24300
ggcactatgg	caataaatat	ttataaatat	tttagtctgc	taactaacac	aateetttga	22020
aatattagaa	ctgtttgtaa	atatgtgaca	ttttaccaac	aagaaagagc	caacaaaget	22100
tcaaatagac	ttgctgtgtt	ggccaaagat	acatgcccag	caagcagtgg	aattagaatt	22740
cagacaggat	gacttattaa	gcaatctgtt	acactacett	eccaccaata	atttccttat	55200
ttttatgtet	atggcaacat	tctagatttt	ttetectgtt	tetetgggtc	ctectttttt	22460
ccccattttc	tttactatct	attgetette	tgtcttatat	ataaatgtgg	taatgtttca	55320
gggcttcatc	ttgagetett	tgetetttte	attetgtatt	cttatccaat	ttagcgtcat	55380
catttatatg	atgatattcc	gaaatgcata	teteetetet	agatgcatat	ccaactccac	55440
acttcacata	tccagttttg	attttccatt	ggcgachcaa	tcataatgtg	tecaagtcaa	55500
aagttgcaaa	geceteteaa	aatgcattct	atccagtcag	taccatttta	casastggtt	55560
attoccattt	acctacatac	ttataagaaa	acaattqaaa	acasacatgt	gagteeetta	22020
atctcactct	ttttcacacc	caacatttag	taacatcacc	tgtacttttc	atcacctasa	55680
tgttttccaa	atcagccttc	tgctctgcac	ctcccctatc	atcactctct	creagreece	55740
acactttctc	accetacetg	gactcatggt	gtogodtatt	gcctacaaaa	agtacagcat	55800
ccaggaaaac	aatccaacaa	aactagaaat	casattatac	catteettt	cttaaaactc	55860
ttttatgggt	tttcattagt	cataaaatga	atccaaatga	tatgatgcct	tgagetgate	55920
tagataatta	+++ca++aca	teccatetac	ceteageaga	atagactetq	CEEEACCACC	22260
++canstata	thaththath	tttacagett	tocacatatt	tttetttqcc	ttggaacact	56040
chocatatac	ttgttttggg	acagagceaa	tecttettet	aaccctgaaa	aatagatggc	56100
trattraggaz	andtaaatda	gattcatgta	atootettea	gaacttttca	aatttagaaa	56360
ahaaagaach	acactcagaa	agtacagaaa	ttaacacaca	agatagaaga	tgtaaagtag	56230
aaattaaaaa	sacasattag	ctgaggaagt	totaaccaac	tataattttg	gtaataagtg	56280
atanattata	aafaatttra	aaggttttat	ttagggtaac	aaaagcaatt	atattataat	56340
cacaaateto	gaaggtaggt	gocccatagg	aaqtattaat	ttaatgcact	actttagaga	26400
tottttcaaa	actecettet	tttcccagtt	tatotcaaat	caggagatat	cttgatttta	56460
atreacette	cttaacaatt	cctctatata	attcaaattt	ttaaaattgg	aaaacagatt	56520
tatttttcatt	ttoaaaatga	atttctgaaa	aaccaqtact	taccataaca	tatgggtaaa	56580
teansonsan	cottetaacc	acacactato	gaaccagtgg	tacttccaqt	attectttca	56640
teaccatcat	ggcattcata	gt.ccaatgtg	teatteaget	taaaccatgt	gaagtcattt	26766
ttagttgtgg	cattcataaa	tactgggata	tcacaagatt	ctagtgcata	aaaaatttag	56760
			-			

225	rateatit	ctsatotcat	ctaataaaca	atctgagtat	tteccattet	aagaagaaaa	56820
200	cittatto	attagateta	ctastasata	cotaccotac	aaaaataatc	tatgactggt	56880
orac orac	contitues	totcotasas	ragttonesa	asotoaaaqt.	atatetttet	acacaacatt	56940
500	herroute	ant to annot	capaatatat	tttssssscs	ttttttttaa	ttcatttata	57000
ender o	ne nama tt	tataaaaata	otrootraataa	aacaggccat	tacacctata	cattatttt	57060
+ 9	aaagcacc	cataacadaa	ttitotaaat	taagagtees	sactaattcq	tagttgagac	57120
- Let	aagaaaac	cacaacagaa	crecgeanac	ataaatteet	stottataca	agacattttc	57180
att	etGCadaa	ayyayaaaaa kaaaaaaa	ttaaaaaat	actuactooc	astttantat	aaaattagct	57240
501	CCLARCAC	caagaaaacc	tttttt	tagaggtgat	attaagess	gacattaaaa	57300
55	cccacgag	gaccaacacc	cccgcaaac	cagaccccac	ascatganta	tattaaatat	57350
aal	Egaaaaca	gcacacacga	atacctatt	caccccaccc	authragagen	tegagaccag	57420
cas	CECCAAAC	acactacega	gaggcaggag	gaccaccega	gaccangage	cogagactag	57480
CC	tggctaac	atggcaaaac	congeococa	CCananacac	gaaaaccagg	caggcatgat	57540
33:	sääänäce	tgtaatccca	gcrattcagg	aggeegagge	aggagaaccg	cttgaaaacg	67600
ga	aaatggag	gttgcagtga	gccaagatca	rgecaetgea	ecceageers	gccgacgaca	27000
gag	gcaagact	ccatctctct	ctctctct	ctctctctct	ereretet	etetetetet	21000
ct	ctatatat	atatatatat	atatatatat	atatatacat	asasacgtat	acacacacac	57720
ac	acacacac	acacatatta	ctgagtggtt	ttgcaaaaaa	taagacaaat	tgaaccaatt	57780
gti	teccagaa	aattttcata	aatatctaga	tagtgtggta	gggaaatctt	cataaatatc	57840
ta	gatagtgt	ggtagggaaa	tcatacaaca	gagcagaaat	tggtaccatc	taggaatatt	57900
tt	gtetetet	actacctaaa	tatttatgaa	aaatttctaa	gagggaagat	attcagtatt	57960
acc	acatatee	tacagtgtca	aatctacaaa	ttatagagtt	taaattattt	tgatgttatg	58020
021	ctagggat	contatotto	aataaaaaca	ttacttttat	atctaggagt	aaagaatttg	58080
n to	dossanto	craatchtat	aaaacagata	tatattaaca	qtcataaagg	tctcagctaa	58140
200	casastca	ghthaaacca	gaatacacat	aaagctccct	aacttgtttc	tgtaacacag	58200
aa	tactttsa	agtaggasas	acctgaatgg	aaaqacaqac	taatatetga	gtaattaatg	58250
th mi	nanaggaa.	aaaaaattga	tatetacttt	attectacaq	ghthtttttt	cttatcttt	58320
C 2	aatmaaat	tatatcaccc	CCCACASSA	gactagagtt	agtaaacttt	tgtgtatcat	58380
chi	adegaata	aatacaaaca	taataaatta	cttactaato	cacqtqqqtt	gagetgacea	58440
+0	ggacaacc	ccecetates	trastectos	torthcacca	tetgetetta	catatectag	58500
20	tagattaa	rettteactt	tttcttttea	gacatatata	tactgagatt	cagaaataaa	58560
	cguacuga	atatotatao	trastttans	acatotttct	раварорава	agaataagaa	58620
00	CECCCCCA	atatostoss	tagacttgga	taaceattta	agtaatatgt	aastataaaa	58680
o. ct	agacaagc	acacgaccaa	tassasata	gataaccata	agcattcasa	tacttaagtc	58740
a.a.	Laatyayt	caccagaaa	tagaaaaaaaa	attacatcas	pactetteat	cactttttaa	58800
61.63	ggasaata	habbbaagagu	actionsatt	atttctaaca	pattattoga	aatctgtttg	58860
aa	caaggete	Latteagac	acceacatata	accectaaga	acceptan	tattatttct	58920
r.c	taacggat	ttggaattet	acageacgee	attatacass	ttacaaatat	catttagcca	58980
ca	ggactttt	caatettgee	tattgtagat	cccccggcaa	coccasactes	ttttcatago	59040
at	tggagtat	etgagateet	grgargarer	sayaaaaccc	gccaaaacaa	catacacacta	66100
ct	trggetee	aagaatttga	aatgtcattc	ttattgrgrg	ccccaaagca	aatggscstg	56160
tg	gagttcaa	agaagacgag	gaacagtaac	agatttattt	acceegaaag	gccaaaatga	22100
tg	attcctca	aattatgtag	aacttaactt	gasagagtgg	aagttactgt	ttotgttaac	50220
tg	atgataga	aattactgtc	ggttacatgc	acatgtatgt	ttattgegge	attattcaca	20240
at	agcaaaga	cttggaacca	acccaaatgt	tcaacaatga	tagactggat	taagaaaatg	20400
tg	gcacatat	acaccatgga	atactatgca	gccataaaaa	argaggagtt	catgtccttt	59400
gt	agggacat	ggatgaaatt	ggaaatcatc	attctcagta	aactatcgca	aggacaaaaa	59460
ac	caaacacc	acatgttctc	actcatagat	gggaactgaa	caatgagaac	acgtggacac	59520
ag	gaagggga	acatcacact	gtggggactg	ctgtggggtg	8888888888	ggagggatag	59580
Ca	ttaggaga	tatacgtaat	gctaaatgac	gagttaatgg	gtgcagcaca	ccagcatggc	59640
ac	atgtatac	atatgtaact	aacctgcaca	ttgtgcacat	gtaccctaaa	acttaaagta	59700
ta	ataataat	aataataata	ataacccaaa	aaaagaaatt	actgtcgttt	actaggttgc	59760
++	cccagaac	heagetteat	ttttaaataa	ctcatqqata	aggagaaaat	cagaagagga	59820
2.2	cattaaat	attttgaatt	gaatgataat	aasaacatat	taaattaaac	ttggtgagat	59880
G 75	esetegas	caatceteag	agggaaattt	atcattatat	agctataaaa	gaaaagaata	59940
29.29	aactgaaa	ataaattatt	atttataata	aattataaca	aaqaaaccag	acaaaatcca	60000
ac	atgagtat	aaatttttgaa	acasatecas	atatgagaag	aaaccaaata	gaaaacaatc	80080
ac	tacagaca	atttaaaaaag	gtasaagacc	aqqcaaqaat	aatcaagtaa	aacagagttc	601.20
t.t.	cccacaaa	raaggaaatg	gaacaaaata	qatqaaaata	acatttteag	acactggaaa	POTRO
ac	acceacca	ccraattcca	gagaasaagt	gacastgaga	tgagttccat	catcasagtg	60240
ac	tttatect	ddasasasatt	ttccasacag	caqcatqqaq	aaqqaqaatt	cagcagaaag	50300
ta	deacacht.	actasatasa	agaaacaaaa	ctcaqtqttc	ccaaagaaga	tgagttcact	80360
20	aatctoce	ggaaagagaga	tgagaaasga	agaaactato	gagtgaaagg	getetacaaa	60420
4.4	teesesee	aactccctec	attatrtggg	tgaatattga	cactetggag	agtagagcaa	60480

a a ot oroca a	gaatggacaa	accetaccta	tcagatgaag	aacactacca	qaqaacaaaa	60540
nanteenanas	ttcccagage	acacacacaa	cacagggaga	catttaaatq	quatcaatca	60600
aggradagga	actogtttga	scatchaggt	cacctagtag	agacatcaga	agcagettaa	€0660
gagragacag	aaactatctc	tanaatttt	taagettttt	aasagettaa	aaataaccct	60720
tatteegaat	aagttgaccc	2333355555	teacttess	aaaaaattaa	aacaagtaat	60780
cgaaagaacc	teacagatgt	nananantan	en acttons	agchaettet	chtagggass	60840
carradadare	gagttaaaaa	acagacccga	gaageeeeaa	agtreector	teresectes	60900
atacagaatg	gaguuaaaa	addaccodca	et ceggeaac	tacteceree	tentospess	60960
ctccaaaaat	cacagtasat	Cttttatgga	acacccaccc	Lacticage	teachtagta	62020
tgatatacta	tatatcasas	gttgtggaat	ggcactagag	cagtatgaaa	caaaccggcg	01020
tcactaaata	cctgggatag	aaaatgacgg	tgttccactt	Caataacett	agecterace	61740
attagatatt	agtaaaagta	gaasaaatta	acctcaaagt	aagcagaaga	aatactacaa	81140
taaagatcag	agatgaaata	ataaagaagt	asstatgtat	ataaacaagg	aaaccaaaag	01200
cttgttattt	tagateteta	taattgagaa	acctttagac	agactaaatc	agaaaaaata	61260
acacaaattg	cttataacag	caatgacaga	aatgacatca	ttatggtttt	tacatatatt	61320
aaaagaaaaa	taaaaaatat	tctgaataat	gccatgtcaa	tasattcaag	aacttgaatg	61380
aattaaaaaa	ttactgaage	cacasactat	catggetete	tcaagaagga	ttaggtagca	61440
+taataaatt	chohotatta	aacaaattga	atttttcqtt	gatggatgaa	atacaaaata	61500
+++anthana	aafetaetaa	aataraggat	chatatactt	aaaataaaaa	aaactaqqqt	9155U
aagactotat	gatettacta	aatcaaagga	tatataatat	tcatggattg	aaaaatttaa	61620
tactattaca	tatcacttct	ccccagattc	atctqtqaat	gtgtcccagt	tctagtgaat	01080
aaccasccac	aatgttttgc	acatacqaac	atgctgattc	taaagtcata	tggaaaggta	61740
annanactas	aacagctaaa	ceathoritics	aaagataaga	qaaqttqaaa	aactcacatt	61.800
accessitti	aagacttaaa	aassoctaca	otosotaaag	gatctcatga	tactggttaa	61860
2002222222	cgtggaagaa	tagaagagaa	aacagtatee	agaaatagac	tcacatqcat	61920
negational and	tataaatagc	trotatrota	rtttattata	agactaticag	ottpacator	61980
ggattgattc	gcaatagacc	estagontos	decement accord	titocagcaa	agaaaggett	62040
DUADEGEEEA	aagggcacca	aacacgcega	tooggagatt	ctcsaacccc	agatototto	62100
tastcascac	ctatgtgcaa	ancaeggaac	coccatcato	gaggggggg	aactsasses	62160
rgagaagggg	ecatgegeaa	gagaccccaa	ggggaccacg	gagggagaa	geacctgcat	62220
tttgggttgt	caattggtca gtcagctttt	gggrangggg	gaugaaguua	ccaggargeg	tatatatata	62280
tatttcctga	gtcagctttt	tgctgggete	cctagaccag	ccgargrgrg	bastactact	62340
totgtgtgtg	tatgtttgtg	tgtgtgtgtg	racerracer	ccgagcaaga	transtransar	62400
otgttgccca	totggattto	agtagegega	ccacagetea	CEGCAACECC	cgccccccag	62460
geteaagtgg	tcctcccacc	tcagatctcc	rgagcagcrg	gractacaga	cergracear	62900
aatgcccggc	taattttta	attttttgtg	aaaatgaggt	tttgccttgt	Egaccagtat	62520
gttgctaggt	tttttttca	tatgcagaac	ctaaaggaga	aactcatgca	gaaagattat	62580
catctcacaa	tgtcttagat	tttatctata	gaaaggaaaa	ggaccaaaat	grettgtgae	62640
aagggcttct	ttatcctagg	gtagtaatca	atgaccagct	acagagaagt	tggacaaatg	62700
gaaagctgat	ttagtgatta	ctgctgattt	tcctgaaatc	atagttgaat	ttttccccct	62760
tastrasttt	tatataactt	techagggac	agtttcagtt	cettecqqqe	ttgatccctt	62820
ctcaattctc	aggtgtaaaa	gctastatgg	tatgaatcgg	qeaatqqcca	ttctagcttc	62880
rrrttgetea	cacgggggacac	Papapapapa	tcaggattag	aggaatgaaa	ccgtcttgta	62940
acaacctoca	agctattata	cccagcttag	aatactaaat	gaacatgtta	gtacttcagt	63000
chargetttt	attotaatat	ttaattqaat	catqtaaatt	ataatcccta	taaacagaat	63060
rangaactta	aacttcaaga	atcettaaaa	aatggactgg	aaaacatgga	gtatgcaggc	63120
ggaaaggtga	aaaaactatt	cagacatagg	atctatagta	gagacatatg	gtetecageg	633.80
agactgctga	aatattttct	ttagtttggt	ttttatttta	ccagaagcat	tgatataagt	03240
acaacacotto	gtattgatca	crotacagac	tectototat	aaagccaaga	gaaaatcaag	63300
totagttoog	ttgtcaagaa	chahctgggc	aactaaattt	qaaqaqtttt	occagoobca	63360
abottottan	cagectettt	tocaattatt	tetataatta	ccaataaqtt	totgatoatg	63420
togecottag	tgtatactcc	atageragga	ctcatgatac	ctagaagget	ctgccaccag	63480
chotottant	atatgcctgg	coafecettt	transarrage	gggaaaatgg	gcagastatt	63540
thatastes	gatggactga	naantatete	antaantran	agccctteat	atacaggtta	63600
cedecacead	agtgggettg	guageaccec	agaggateta	atoctatoco	acaaataaac	63660
ccgagacacc	ggggcacaca	actual acaga	traarrottor	atttattgat	qqattttttc	63720
acgtaccaag	ggggacaca	ggcaaagccc	nagagagaga	htttagagag	tecceagest	63780
arggggaata	tagacasatg	gaarigaacc	agggdiction	accoacagge	tttaatttt	63860
ttgtgtgata	ttccccactg	caaacacctt	Lygcatagra	ayyayaaact	aggreetete	63 900
tttcccttct	cctagctgcg	rridicidec	cagtatgcca	cyggocacgg	aggguetatg	62360
taatggaatg	actttccatt	catgataggc	agagagagat	cyacacacgg	ggtggtgatt	EX030
tettggtgta	ctattacttg	gacctggaaa	gragecatgg	aaagaageeg	guguagacag	64000
gtagtcatat	ttggaacatc	cagaaagtca	grgacaagta	Lyacteacag	eassugutta	C4140
ttttgaatag	tttgggggag	ttactgacag	acccarcate	crggtaagtt	correcaging	06720
gcaatacctt	gaaacagttg	aactacagtg	regetatgee	tgtctaggca	erdradrage	04800

aggagaggta	taattagaag	ttttaaaaca	agagtgacca	tttctaaatt	ttagaatgtc	64260
cacataatga	atagcatasa	actatottag	catqqcataq	aatgtetaga	aaacccataa	64320
ntotaanaat	totattoacc	aaggcaatta	tgaagtaatg	tctataaqgg	tagcaattgt	04380
pattatoran	gcaattataa	toaccaacta	aatatatggc	ttaagcattc	agtaaggcag	64440
Coccosososos	ggaaggtatc	teacettttt	stataasata	attataataa	caascattce	64500
ggaacagaca	aaagtaacta	ttataattat	cascascaca	tatottttgt	ctaatttcat	64560
tgttatgete	aaagtaacta	Etgtagttgt	Caagaagaca	acceptable a	agastttsat	64620
taaagttact	tatctgatat	ttteectcaa	aagacacccg	aggoccarca	aagacttact	04020
tatecatica	gatagggttg	agacagtete	tgaagttgaa	gradactore	PROSECUCACA	64990
gataggacaa	gaatctggcg	gggcgggttt	tatatggctg	tggtgaatcc	agggtctaag	64740
teettessac	tosacagagg	astoggteac	cagtcatgct	tigcatggcc	tctttcactg	64800
tottttaagt	ggtccccagg	atqtcqactt	ttcctggtct	tgagcagaac	ccagtetetg	64860
agttogatag	catcaaagag	aatgtgagtt	ggataccaca	atctqctqqa	accacaaact	64920
correstant	acttagacta	caacchaaaq	attatatata	tttqataata	tctaatttat	64380
ttatatatat	gttattggca	treettagte	tgagaaggta	acqqaaqaat	gateteccat	65040
etacgcgcac	taaagggctt	estttsagee	carttttagg	gaccaccctt	actotoagoa	65100
gradaactec	cagaatgtta	rtanaantta	ttantttctt	cocasatett	agetasaatt	65160
adacaseaas	tatatagtat	Ecccaggeeg	thanatett	tractacact	trantatora	65220
tgttttgttt	catatagtat	gatttatett	cogageeeee	chagragase	et neret ses	66790
ggctgtatga	agattccaga	ttatgctgag	ggcctggaat	acatggtgtt	ccaggoraca	65240
assartacec.	tatootcaca	ctacatagaa	acaddccacc	Saaaccugag	ggtaatcttt	03340
tetaccaagg	ctctcattag	ctcagacatt	atattggtat	tgcagcggaa	tgattttgtt	85400
ecentings.	storatotaa	agatacaage	aaqtatttaa	aatttcctqc	taccettage	55% BU
stropportss	aatcaattto	ccagtcctct	aataqccctq	cacctcttgc	ttgaatcctt	00020
antectanan	gtggaggacc	agtottaaga	ttattctaga	caccaagtag	gtattttaa	65580
9954559999	ggatagtett	ctttaantat	orcceaaga	catagtcctg	gatcaattga	65640
accatacat	gcctgccata	ctatataata	tratotatot	anntgatgat	atctotcaca	65700
agggregeat	gcaccagaac	atattoriaa	atatapasta	tecaeteatt	rtoaghtett	65760
agacacccgg	caaagtctca	abanaattat	ototttacat	cttcttccat	taggtaggga	65820
tgattggagt	aagtttattt	accyaacter	toggathaga	saggetttag	acatttttt	65880
ctttaggetg	ctctttagtg	cagggattaa	ragearcage	thickthat	taataaaaaa	65940
ctctgttcac	ctctttagtg	geetgetetg	CCtagugatt	white the trace	tagacaaaaa	55000
ttgtccatcc	actgatgtcc	atggtagtgt	attatageta	cestoreggg	- hackagace	66060
geststagts	aggctaagat	ttctttagca	tgcttaattg	EEEEEGEGEG	ccaaccacca	66000
aaggttaaga	gecegettte	tttccaaacg	gececatgag	catggacaac	aaraaaaaca	66120
tacctggaat	cagagtaatc	ggtgactcag	gagtetttac	ctagttggga	tgccctgatt	P9180
aggactctaa	gttctgcctt	ctgtgccgat	gaacccagag	ggagtgtctc	tgcatctagg	66240
atritotosos	gggttagaat.	aggatactca	deceretate	acceptages	Cataaagutg	00300
atttactcac	tosatatttt	taagtccagg	tttttaaaqq	gasttttggt	catgtctggt	00200
tosatagaac	acacttoctc	agtaatttat	atquaatqat	gtataggttt	atttagcagg	994%0
atttaaagga	gasacagete	tcaaaqtaac	actaggatta	tccaggagga	tgacetgata	00400
cetatteast	cttctagagg	taaqtcaqta	getecactte	tgttccaaca	aatagcatac	66540
anantahmm	ghatatacac	tactacetta	acceasageq	aactettetg	cctcctggag	88800
acageacaga	gragraccag	taactcaaac	ataaqaaqtc	caacccatca	taacaatqtc	66660
anastattt	gaaaagtagg	ctacacacac	cargatatte	cecaagtett	agattactac	66720
Daguegeses	atcccttctc	betestatat	gaagaaatca	aatogottto	ttagttcagg	66780
CUCLAAACCC	agecagatee	nananatant.	hthacttast	aattaassa	accttttaac	66840
gggtctcagt	cattctagaa	attagtaatt	nowhothere	ggttagaaag	gacattttgc	65900
attectigic	cattetagaa	greaagrare	sggreeragg	gccccacaga	gacacccogo	66960
tataagccca	aaataagaaa	atgasatatg	gcaacactca	gocacaceca	anataccoccc	67020
acagetgetg	ccatgtcctg	agterggeea	ccccgacaag	ageccecce	caycocyana	67020
gcagattact	ctgctcctga	gaaaattcaa	acctaaaata	tataattgag	Effectaata	67080
tttgtgattt	ttttcttgga	tactttggat	ccccatccag	acaaaaaaaa	aatgtaaagu	67140
cagtataata	ttctggtcaa	tttgccatag	ttgtgetgge	ttctaatatg	ccgtcaacat	67200
stataancaa	acteteattt	ttcaattcca	qqtcccaaaa	ctccttagca	tgtatttccc	6/260
ccagacaget	actgagtttt	tgaagcettg	atqqaqcatc	atccagcaat	actatcattt	6/320
agettragtg	tragageett	cctattcasa	qqcaaacact	tcatgggact	ctggactcag	67380
gggaatacag	at gaaggcat.	ccttcagatt	caaqactqaa	caccagtaca	actcactggt	67440
tagantosta	aataatgtat	aggraticage	tatcaccada	taaatogett	tgaaaatttg	67500
ontactacc	ctcaaatcct	ntacaaacca	ataatootoa	gttccatgtt	tttatectag	67560
opposition and the second	atgttacatg	200000000000000000000000000000000000000	aattetteet	gtattgcago	aaggccatta	67620
- dayarayyt	aatgcattgc	tatacettt	cheteaasaa	grantacttt	agatttggcs	67680
gcagaggcta	tgcacaaaac	thandthata	ctorounings	agtttttett	theeeteece	67740
gegeeactee	ccatgtttcc	cogaccogta	t t t a a a a t a t	oresteade	atacaaaaaa	67800
teccatetge	ccatgtttcc	ggactaacct	cccygaycac	coordinates	#ctmasccos	67860
tttcaaggat	ctccagttgt	aaraaracgg	uergeagage	acatgetegg	attanger	63030
cctggatgtd	caatcatctc	agagaaaaag	caacettage	accedereed	dereadanca	0,920

ctacactasc	aggacggggg	cagtoggtca	cacctotest.	cccagctccc	ageactttgg	67980
gaggggaaagg	aggacagatt	accheatete	aggagtttaa	gacgagccag	gcasacatgg	58040
tassacata	tototacrsa	asatatasas	attagetgee	tgtggtggca	cacquetqta	58100
atoneaceta	chonnasnac	tgagacagga	agattocttt	agetegtgag	gtggaggttt	68160
accoccagooa	asaat tacsa	taaaccacaa	trataccaca	acagtccagc	ctgggcgata	68220
cagegageea	gaggaagaag	202200000	acaasacasc	aacaaaaaag	gaagactttc	68280
gggcaagacc	ccgcccaaa	tranagata	tatagaaaaa	ctctgtcttt	ttttttttt	68340
cccaacaaag	ggacaggaca	trotatata	ancegaataa	agtgcagtgg	catoatotto	68400
22222222	gacagagcer	taccasatta	accondited	tetgeetcag	cetecegage	68460
gctcacttgc	aagececgce	coccogatto	acgoogcoot	ttttgtattt	traccacaca	68520
agergggaer	acaggegeee	accaccacgo	togattatat	gacottgtga	tetocceate	68580
cggggtttca	crgrgrrage	caggatggtt	cogacccocc	gaccacagaga	apparetate	58540
teagectece	aaggtgetgg	cattacagga	grgagecacc	gegeceagea	hanhanaant	40700
ctttaaatga	tettaeteta	gergaeaacc	Cadaaccigg	aggaatgatc	e e e e e e e e e e e e e	60760
tttttctgag	atttcagtca	ccttcattat	rrcrgaggaa	agtttagacc	accagacacc	60000
taacaccaaa	tagatggcac	catgtotact	agaaagtcca	gaagctgatt	ECCCACCACC	00000
atcaggatct	caagccccat	gtgggaaata	tggagggtgt	tgtctgggtc	aggagaagcc	50000
cotgggtgct	accatttctg	gtetttttct	ttagtatctc	totcaagete	cccagccatc	68940
ccaggcattt	ggtgggcaga	aggetgactg	tttaacatca	ggctttgtag	ggcatgagaa	69000
attttccact	cagtgtcccc	cctgttgcag	taagcacact	ggttgggacc	cacascadas	69060
tgtccgtttt	tattggcctt	tgggggcca	ggtggttcta	ccatagatgg	agtgtctgat	69120
gacggccctt	gttgtggtcc	agggactact	agggtcagag	ccacagataa	caagtcagct	93T80
transattttr	artattoott	gtgttttatt	ttecactett	taaacttqtq	atcagtasat	69240
acattaaaaa	castottosc	taattqaqac	assascator	ccaatgcctc	agctacgttt	69300
totaactito	torgastato	tagaagactt	tgttggataa	acatcatgtt	agetateate	69360
asstrttere	agacttctog	otcastatec	atttattctc	tgaaagette	aaagacttgt	6942U
tctsacastt	CCARACCARC	cctcattagg	attatactta	accatectgg	accttactga	69480
gactootttg	cttggggact	cccttgcaga	qqctqatcaa	aatgcagttt	tgatagtgtt	67240
na same e a ma	tetatetera	arartrarat	tecateccaq	atcadaggta	ggaactgcaa	63600
tetaageage	toccettact	ggattactgg	gagagtcagt	gtgaataaga	tcagcctttt	69650
4440004440	ttrtassacc	attettett	teteteaset	caacaaaata	ttgagcaaat	69720
trananatare	tactcacata	agattetata	toocaaatac	agaggagaat	agattettea	93/80
ratactition	atotttttt	ttttttttc	aatcctqttc	cttccataaa	ctttagatct	63840
tatassass	taggeetett	atttttctaa	ttaagtaggt	tggaagtgga	qaacaqaqaa	69900
tasscesses	taaatcctst	aggetggeet	ataqcaqcaa	cacctcctgt	aagcagttgt	69980
ratacacasas	ctgcctctca	GARCCAGAGE	aactccccaa	ctaaatggag	ttocctgttg	70020
cotstances	atasasacat	gcctaaatgg	agtecectet	tgggttataa	gaagtagaga	70080
testacetet	taccccaat	trotgacttt	ttaataataa	ggactctgga	gagggggag	70140
tratactost	geocoeggas	raraaagtgg	aggggggtga	gtcataggtt	cetttaaccq	70200
caguguuguu	geageeteet	tttcttctaa	atcactccaa	acagtettta	atttcttact	70260
and the second	the against	tetacatte	toractitte	caaagcaaca	tasaacatta	70320
ccaccacgau	LLLAUCULLU	attactatta	ottottenes	sacaaatcta	cctacaggst	70380
cacacaggge	accedance	acconsistan	ccactettet	cogasatoca	gtgggtatta	70440
cgtactgtaa	gcatgagaat	cauguaguag	cttttttat	ttcatggaat	garagagaaa	70500
aggccaagce	atgitaaaaa	tanagacaac	caccattage	ttgtgggtta	ctttgggaga	70560
ggoocccoaa	ccccggaaga	tactorage	taagggaagea	gctagggttt	atetatoggt	70620
actaagggac	agcecttagt	.catgagagt	tanguages	ccctcaaaga	gactoacctc	70680
ctgtcccagt	ggaaaggggg	Cactaggeag	baharanttt	gtatgcctgc	tareragess	70740
gacetggett	gccacaaata	greacgagae	egecagacee	grangerege	aateteaaan	70800
cagaacaata	caccgagaca	gragaarrea	cagcagagaa	agagtttaat	checchocas	70860
ccaccagccc	cattgggctg	cerggaggag	ccgaactagc	atttcccatt	tattonocto	70920
taatacacac	ataacaaaac	agatactage	caccatactc	aggacccaag	cactgacceg	20060
gcaagactca	aacttggttc	cattggccct	egreaterer	gatccactca	agerggagag	22040
ggatgacctt	cgatcagaag	ttcagagggt	aaagcctggg	aaagattgaa	gageagarga	72300
ttaccotgag	ttaggettge	tgagattcca	ctagcaactc	cttcaggact	aactgaatgt	71160
gactgaccaa	acaagaagag	ttccctgagt	tagraatttc	ttecactagt	aattucceca	11100
gagat cccct	ccacaaacat	saatacatat	aacaaqacaa	aqacaaacaa	aagaccrrcc	71220
ratetasant	rreagattee	sasaticesac	accatttctc	ccaaqcaatg	ccctctagtc	71780
titttecate	FORROGORGE	tctcctcaaa	. tasqttccta	cctagactta	addaaararca	17240
acasgacete	aaagaggcca	caaqacctct	aaqacgaaaa	. caggcacaca	cacacagaag	11400
geestagaat	genagetget	ctgagaaaac	tcacctgaga	cttcttctga	gaccagaaat	71460
anttteteta	ctocagacaa	aattatatac	tqaaaqtcag	cactgccctg	ccaacacaga	71520
annececane	taagggggtt	agttcatcat	. aactaaqcaq	cttcttgagc	rrererergg	17200
gtcagcccca	gtggcatggg	ggcactggac	: tgtaggtaaa	tgactgcaag	gagagtggct	71640
	555					

toncatosat	ttttttttt	tttcttttt	tittttttg	agacggaatc	teaatetgte	71700
teccapgato	cactocagto	gcacgatett	ggeteactge	aacctctgcc	teccaggitte	71760
aagtgattet	ccagcctcag	cctcccaaqt	aactgggatt	acaqqcatqt	gccaccatgc	71820
changeasch	trtotatttc	tagtagagag	agggtttcac	catqttqqcc	agcctggtct	71880
casactecta	acchesages	atctgccctc	chtracetee	taaaqtqctq	ggattadagg	71940
totoagecat	catatetaga	tocttoccat	gaatttttat	aagattgtaa	ggtttgtatg	72000
cotactatac	agraacagaa	tataccaaga	cagtggagtt	tqcaacaqaq	agtttaccaa	72060
ttacasaute	accasacaso	gacatgagaa	gaatteteaa	gactcaaacc	catttcactg	72120
agantttata	nncasoastn	tttgaagggg	gagtggctgg	aaaattqaqq	tcatcaattg	72180
attendates	aacaactass	atratragga	tatogaaagt	acattettee	ctaaqttqaq	12240
tttettetea	accepttesa	aatgggtggc	atcagtagtt	ttqttaqtat	gcagaaccta	72300
aaccacaaaac	tcaastogaa	agtttgtcat	ctcatattgt	cttaaatttt	aactaaagaa	72360
CRORRARGE	acaascattc	tagtgacaaa	gattatqtta	tectggaeta	gtaatcagtg	72420
accedetata	accesated	tcaatggasa	getageetaa	tgattaccat	tgattgtect	72480
acasacetan	trasatttta	ctttttcctc	cttaactqtt	tttaaaaatt	ttttgaggat	72540
arttttcaatt	tasasasoca	gcaaaggcaa	ttcaataaaq	aaaacatagt	cttttaaaca	72600
anthestacto	descaptes.	ccatccaaat	gcasaataat	aaccctctac	atattcctca	72660
tacctcatac	aaaaattaac	tcatataact	aagtgtaaaa	tgttaacttc	tagaactgta	72720
retimentia	otticagggaa.	ggaastttta	gatgacacaa	agagogtaat	ctataaatga	72780
demandana	paratrasas	tracatactt	ttoctcatoa	aaagagacta	ttagagagaa	72840
agetaparet	acedetocaa	gaaaaatatt	tocasastat	ttactcagtq	aagggcttgt	72900
addeadaata	tatcatctac	tctcaaaatt	ccgtaatqqa	agaaacaact	caatggaaag	12950
transpass	tragarsata	thraccasad	gaggtagata	gatggtaaat	aagtacaaag	73020
agraphanta	gragrattag	ticactaggga	atgcaatacc	atcacacaca	tattagaatg	73080
mataatrtaa	togssasasa	aacacattat	ctcaaaqqct	qqcaaqqttq	cgasacaact	73140
ggatgtgaga	tagactgagt	atotoaaggt	acaatgtatg	atcoctcago	aaaacagttt	73200
atetatttet	raraaaaato	aacacatatt	tagtatgata	tttqctatgg	gtttttaaaa	73260
astagetett	atsatittica	gatatgttcc	atcaatacct	agtttattga	gtgtttttac	73320
naphasannan	tottoaattt	tattgaaggg	cttttctcca	tctattgagt	taattatgtg	73380
epetetatas	testttenett	roatttotat	atottgaaac	addettdeat	cacagagata	13440
atoocoactt	actestaata	astaagettt	tagatatgct	actqqatttq	ctttgccagt	73500
atettattaa	gostfffcac	attastatta	atcagggata	ttagactgaa	attetett	13200
tetattatat	etetaceago	ttttggtatc	aggatgatgc	tqqetccata	aaatgagtta	73620
addaddadad	crrctttttc	tattotttoa	aataqtttcc	ppresppass	taccaactcc	73680
tattaatacc	tetootagaa	rttgggtgta	aatccatctq	atcetagget	acccccggcc	12/40
dedoppenant	taattactac	cacaatttca	gaacttgtgt	ttqqcctatt	cadddccccd	7.3000
acctettet	teteetttag	tattaaaaac	atatatatat	ccaggaattt	SECCRECECC	12000
tecamatett	chactttatt	tatatagaga	totttatagt	attetetqat	ggtagtttgt	73920
attrototoo	gatcagtoot	cataccetet	ttatcatttt	tattgtgtct	atttgattct	73980
retateettt	cttctttatt	agtatggcta	gtagtgtact	ttgttaatct	tttctaaaaa	74040
nesactorta	agtgrattga	ttttttaaag	agitttcatq	tetetatete	caggtctgct	74100
atastattaa	Pratttette	tetteteta	acetttqaat	ttatttactc	rtgertetet	74160
astrotett	ttattattat	tatactttaa	attttagggt	acargracac	tacgtgcagg	74220
reportsost	atotatacat	gtgccatcgt	aatatactac	acccattaac	tcttcattta	74280
acattaggta	tatctcctaa	tgctatccct	cccccctccc	cccaccccac	aacaggcccc	74340
antatatast	attementte	ctatatecat	qtqttctcat	tgttcaattc	ccacctatga	74400
atagagagat	accatactta	antittttate	attoccataq	tttqctqaga	atgatggttt	14400
copacttest	cestatecet	acaaaggaca	tasactette	ttttttatqq	ctgcatagta	74520
ttotatooto	tatatotocc	acattttctt	aatccaqtct	atcattgttg	gacatttggg	74580
rroottoeaa	ghetttgeta	ttqtqaataq	taccacaata	aacatacgtg	tacatgtgtc	76560
tittataggag	cargetttat	aatcctttgt	gtatataccc	agtaatggga	tggctaggtc	74 700
asstroctatt.	totagttata	gatecetgag	gatetagaca	atgacttcca	caatggttga	74760
actactttac	agticcacca	acagtgtaaa	agtgttccta	tttctccaca	tecteteegg	74820
cacchattat	ttcctgactt	tttaatgatc	gecattetaa	ctggtgtgag	atggtatete	74880
n fe to cote copy or to be	tenstttenst	ttetetasto	accadtgatg	croaccattt	tttcatqtqt	74940
cttttaacta	caraaatoto	thebbbbbaag	aagtgtctgt	tcatatcctt	cacccacttt	75000
ttastaaaa*	tatttattt	trtcttataa	atttgtttga	deccarrate	gatttttggatt	13000
attaggeett	totroagatga	otagattgga	aaaattttct	cccattctgt	aggttgcctg	15120
thasatatas	trotagtttc	ttttactata	casaasetet	ttagtttaat	tagateccat	12780
thataantt	teachtatat	toccattoct	tttggtattt	tagacatgaa	gtcottgccc	75240
argectatot	corgastagt	attocctago	ttttcttcta	gggtttttat	ggttttagat	75300
ctaacattta	agtotttaat	ccatcttgaa	ttaattttag	tataaggtgt	aacgaaggga	75360

tecaarttea	actitetaca	raroactage	ctattttccc	agcaccattt	attasataag	75426
mantions to be	compthict	ortetetetes.	cottttctcaa.	agatcagatg	geegeggata	75480
kwt amaatta	maccondita	etetatteta	ttocattoot	chacatetet	gttttggtac	75540
anathacceta.	chatttttaat	tactotoggc	trotagtata	atttqaaqtc	aggtagcarg	75660
a horotteesa	chrhabhabb	ttqtcttagq	attqacttqq	Caargeggg	LECTOCKE	/2000
Freestatas	antitisaaqt	adttttttcc	aattctqtaa	agaaagtcat	tggtagettg	15120
armondatod	natachacca	aaggtaattt	atagattcaa	tgecatecce	atcaagetet	75780
arttetta	arroacctot	tagggtgtca	agtttagatc	tttcccactt	tctgatgtgg	75840
amatetaata	contractet	tretetasag	achdoththaa	ctatatecca	qatattctqq	75900
togottatat	etertation of a	attaatttca	aggaacttat	ttacttctqc	cttactttca	75960
statttartr	agragematt	cagtaggagg	ttattcaatt	tecatqtagt	tgtgtagttt	16020
topatraget	tottsatoot	gatttctaat	ttcatttcac	tataatetaa	gayactyctc	10000
attataatit	trarratt.	acatttacta	gggagtgttt	tacttccaat	ratatggtcg	10740
atottagaat	sagtgetate	tagtgccaag	aagaacactt	gacttetggt	ggagagttct	76200
atacatatat	attacctcca	attaatecaa	agetgagetc	aaattqqqaa	tatotttgtt	75250
asktttatat	chrothoate	fofctaggat	ggacatagta	ttqqqaqttt	tggaccagac	76320
aatragggaa	cacaaacaaa	taaggagtat	tcaaataqqa	agagaggaag	CCAMACCGCC	10300
totttttaaa	catoacatoa	rootatattt	adaaaacccc	actgtctcaa	cccagaaact	10440
not transcerter	standfanct	traggasagt	ctcaggatgc	aasatcaasa	tgcaaaaatc	76500
accommotte	ctatacates	ctastacacs	gaaagccaaa	tcatdagtga	actoccatto	70200
acasttoccs	casacasast	aasatacqta	gaaatacaac	ttacaaggga	tgcgaaggaa	10070
atattanna	aggactacaa	accactocto	agggaaataa	gagagggcca	aaataaatag	75580
~~~~~	cateeteate	cataccaaca	atcaatatca	tqaaaatqqc	Catattgccc	15/40
an agenageter	proppopa	troctaticcc	arctagctat	cattatcttt	CEECACAGAA	10000
adagragers	toctttaaat	theatatosa	accaaaaaaa	ggtcccatct	agccaagaca	76860
atretestas	2222002023	agetgatges	traccctacc	tgatttcaaa	ctatactaca	10320
den a manage	2266222262	aestootset	totaccacaa	cagacatata	qqccaatqqa	10960
MARKET AND AND A	agact cags	Despendence	acatctacaa	ccatttgate	ttcaacaaac	11020
atrananasasa	casposatao	ggaaaagatt	ccctattgaa	taaatqqtqc	agggaaaact	1/100
actoatoato	tattassocc	ttaaatgtaa	qacctaaaac	cataaaaacc	acagaaaaaa	11220
acctacacac	racettatte	aggacatagg	catoggcaaa	qacttcatga	ctaaaacacc	11280
nasammaahm	desagaage	ccaaaattoa	caaatgggat	ctaattaaac	taaagageee	11340
ataga agara	singgeneer	tratragage	gaataggcaa	tctacagaat	qqqaqaaaat	77400
ttttmmsstr	tatecatete	acadaggtet	aatatcaaqa	atctacaagg	aacttaaaca	//460
attatasss	<i>mesmarattt</i>	argeagteag	caaatacatq	asascaaqcc	Eattgttact	77500
antastters	SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	tcasasccsc	aatgagaaac	caattcacgc	cagttagaat	11000
annaghrath	assacateta	GASACCACAG	atactaacaa	qqatqcqqaq	aaataggaaa	///00
me to the agreement	attaataaaa	atataaatta	ottcaaccat	agtggaagac	agrgrggcaa	71100
atactessan	atcaacaacc	agagatacca	Ettgacccag	caarcccatr	actgggtata	11040
tanggassng	watstaaste	attotactat	assaggesest	qcacacatat	gtttattata	77880
acaccattta	cactagesas	gatttggaac	caacccaaat	gcccatcaat	gatagactgg	77940
teatatact	transpaggent	tagaccaage	tagaaaccat	catcttcage	aaactaacac	18000
accescaca	aacaaaacac	cacatattct	Cactcataaq	Luayayılıya	ccaargagaa	10200
cacateneses	tagggagggg	aacatcacac	accoggactt	attagagtat	gcggggaaag	78180
comparamenta de la compara de la comparamenta de la	geatraggar	aaagagctaa	ttcatgcaag	gcttacaacc	ragargacgg	18240
attastaggt	acagcagage	accatgggac	acqtatactt	atqtaacaaa	cetgeaegut	/8300
ctacacatat	atcccadaac	trasactata	ataataataa	aaçacacaca	cacacacaca	18360
asasasasas	recerectat	tratchasca	aacccaqtct	tagatatqta	tccatgagga	78420
akaaatttat	attestatas	asactocaos	tosatattt	tettaacage	atgattcaca	78480
potrecasas	acaatocaaa	tgeeetteaa	cacatgaatg	qarrascaga	ccccacacaca	10040
tentatastn	maataaract	taggaataaa	aaaaggtgtt	ctqqqtaqtq	tgatgaaato	10000
araragatt	cageccestt	chanagagag	cctgaatact	ttettetteta	gracecac	10000
anteratant	acctacctat	. taqtcactta	ataatettta	atqaaatcct	argecattca	18120
actecatees	accepagaca	tgastcctcc	cttcatctag	tqtatqcacc	agectgttag	78760
tenettanta	atatrecaso	thatcaggtg	casasacata	gtctacttqq	gttttatact	78840
attaatestt	recoggraftt	actggggagg	ctogaacata	toccacatga	ataagaggga	19200
at not anama	· ********	cacacottaao	tacacactac	tetatetate	CECAGAAGAA	10200
teattragat	ggcactagta	arreaactri	tacaaqtcaa	qagaaattga	. tattetgtg:	19020
tttatotogo	aaattttta	tttaaatqac	tattttaaag	gaaactacag	ccagtttgca	79080
000000000000000000000000000000000000000						

*******	ata <b>c</b> acteca	anatatatet	actotactca	cheaagtatg	tttaattttt	79140
cccacaaagg	ctcacaacat	anababacce.	natttacatt	ttattasatt	CARARACERE	79200
tetgeatatt	gacaattgac	ggrracgagg	aacccagacc	tostatetes	atetoaaca:	79260
gtgattcact	cttgttaatt	EGLacacgaa	aararaataa	otreateacc	tesetasset	79320
gaagctaaga	cccgccaacc	atatgacaac	cgraaagrag	coattance	agecodadage	79380
acagggtcta	gcatgaagag	caaaacagsa	acactectaa	Gaacanceeg	agoouguouu	70446
acttgggaca	aeaggaaaga	aggaaggaag	gaaggaagga	aggaaggaag	9949994999	70500
agggagggag	ggaggtgaca	gagggaggga	gggaaggag	ggagggaagg	aagaaagaaa	70560
gaaggaaaga	gaaagaaaga	aagaaagaaa	gaaagaaaga	aagaaagaaa	gaaagaaaga	79300
aagaaagaaa	gaaagaaaga	aagaaaaaga	aaggaaggga	aagagaaaga	aagaaagaaa	79520
gaaaaagaaa	ggaagggaaa	gagaaagaaa	gaaagagaaa	aaagaaaaag	aaggagaaac	79580
gtagacaaag	aaaggaagaa	agaaaaaaga	atgaaagaaa	gaaaaagaaa	gaaggaagag	19140
Series spres	anaaagaaaa	passogaaag	aacaaaqaaa	gaaaaagaaa	aagaaagaaa	79800
Cannagaman	COSSCOSSCO	DSDRKKDRGAG	aaaaaataaq	tagttgattc	tacaatcagc	79800
taananataa	aarraarara	cataaacott	gattgagttg	tttgatatca	ggagaaattg	79920
catatotaat	caaggcatat	nantagecte	aattaatctg	tgaagaaaaa	aaraaaagta	73380
**********	ctnacactga	atgatgagag	aaaaaacaga	ctdatdaaqc	aaaaagaccc	80040
aaabaaaaaa	nattenten	dot daaaaadt	catatecata	cttattaaaa	acceatatta	80700
attagagite	aggrantage	agttacaaca	addcdadate	gcgacattgc	actccagccu	SOTOR
acatasass	gtgagattet	atctcaaaat	aaaataaata	aataaaattc	aatagagggt	80220
inadiaganta	ctaattaasa	aattotttac	taatagtgca	gaatactcag	agtaatagtt	80280
- blocketers	tgtatacaca	ancestate	aaaatataca	ataaaaaata	tactotttqa	80340
acceptage	ataaaaattg	tranggasat	ottoactita	ccatatttca	tttaaacatg	80400
gaaaggrace	attatcatga	atagagaaa	cacasasasas	ttttaaaata	tossascasa	80460
agatacages	taacttttta	acatataccaa	tagtetagte	actetatett	tttcaactat	80520
aggtaactta	agaaacaaga	Geaceasagae	cagcacageg	attacatatt	atritaritaria	80580
tcctttaaat	agaaacaaga	aacacccatc	acgazazaang	accepactace	dedenadada	80640
atgagcaact	tatgttcata	atgeagaaaa	auggaaagaa	manacaccage	aggatagaga	80700
atacatttgc	attacgtata	accaaaagag	accccacacc	cagaaccycc	aagatgaccc	20750
caactaataa	taccassact	ctcaaaaagg	taaataaaga	aaaccaaacc	geatttutaa	909700
agattagaag	cattaaatac	caattasact	grgaatatat	accecaaacc	cagitagigg	00020
taaaagaaat	goaaacttac	actataatgt	tataacattt	tatagccatt	caatttgtaa	80880
atattaaaat	oroanatoac	caatcattaa	catotaaaaa	aaqaaqtaac	tgttgatata	20340
aatoratott	cosstaaata	ctotaggaaa	cettetagag	tagaarargc	acaagacccc	8 1000
2022212000	tttatactta	catatactac	agaaagtcaa	atacctttac	rgraaaaatg	STOOD
tcatatcact	gcttgaatat	atgaattatt	gggtatcatc	gtatttactt	tctattttaa	81120
	+ at aattatt	ttgagtgaaa	toattoatto	caatgtacat	attaatattg	87790
atataggagg	tracasasas	tratttagge	agataatgag	qqtacaqcaq	tccttgataa	577.40
incheseeing.	SACTOCASAC	atagagaagg	aagctggaag	cctqcaaggt	gaatgccagc	07300
nortotocos	stangaaaag	achacchaga	actagggatg	ttcatatqqc	aggtgcatct	27.42.0
rearrentet	traccaacca	catatacaat	aaqqaqaaaq	caacatggcg	crggccaggc	97.495
a a a matrocca	tttaattaat	aagat taggg	Laggagagag	agetteetgg	catattatgt	STD#A
asatatasas	setttpettpe	cosstette	ggccctatgt	aaatcaqaca	ctgcttcct	87500
annegeenter	ataaaatcca	atacacteca	ccagggggag	ggattcactt	teaggtacca	81660
angacegees	caagagagga	aggrathere	ctttctcttt	chitteccta	ttaaacctqt	81720
act act and	trantantin	Entatotoca	catacttast	cttcttaata	tqaqataacq	87/80
gecectaaac	atttacccag	agantantaa	cacttcasts	coacttcatt	taaccaacaa	81840
aaccttagac	casattettt	tagranatta	ttmactaato	cccatteata	ggagaattta	81900
gracegegee	tacttatcaa	caccycacco	tettcartta	tacacactto	aaaaaccaaa	81960
ttttactacg	gtccattggt	gaaacccgca	caccaccac	ttttaccaca	attaatatag	82020
aactaaatag	grecattggt	aaaacaaggu	gacacaaaca	assastaata	agetttcaga	82080
atgagtetta	gaatgtcatc	tatgutactu	agaaagacac	gaacacgcca	ggaccccaga	82140
gtagtgtact	tactgacacg	gatgcatctg	ggagtaggag	accagocatt	ototatacat	92200
gtaactgtgg	tetgegettt	tggaagageg	cagecaggac	ggcaggcaac	geccacagae	92200
ttaccctgta	caaactttct	tecatgatte	tgattatate	cattttccaa	ataaggaaaa	02200
tascattttc	chaaggacca	taacaatgat	aaataaataa	agtaaatgag	asacacaaac	02320
*terrtrasas	ractatatta	caattatitt	tacaatatt	aaataagarr	geataaacat	02300
acasasastas	teraraacto	aagaggaact	aaagttacta	acaaaqqttt	gcacaaaaag	82440
asstarcast	atteaatatt	acttatettt	aqtttttata	attaatagat	gtataaatta	82500
tatacatatt	ctcatasact	ccctatattt	attictcctq	tgattttcaa	gaagaaaccc	82500
tretestars	associatetat.	thtggtcact	ttacttaaac	aactcttttc	ttggccctat	29270
tretertaes	taagacaggt	gtaatcactt	atqtqctctc	ctttcttcga	tettgaaag	82660
tetetatacat	atatatagca	gttgagaggt	. ttacttactq	aggcatggta	cracraacas	82740
ggatiggaret	tgtgtgcaat	gaatgtgate	ccagtaactt	cctgacggag	tctcaaaatg	82800
	-2-2-2-50-0		-			

Prostracar.	taataggagt	aatatittee	tacagetact	ggaaagtatg	gtctacqcat	82860
coassassas	tatagacctc	catottraat	atctggatas	tcacaaggtt	teacttgeaa	82920
bassastiti	aaaaaaagta	tassassastt	tractoraat	aaacactcat	attagagata	82980
	actgaattat	attetettet	tagtatastt	acacattcca	ttagggtttc	83040
tacctroses	caaatgatag	aactcagatg	actoagatat	gtaacaagaa	aatattatt	83100
caggicanta	aaattatgto	ttatacatca	catgatgcgt	aaatttotat	gaaggetete	83160
aatgaagatg	aatgcacaga	cetatitaat	atatttccct	taaatacaca	teccctatcc	83220
Lagadayada	aaataagctt	thanttana	asatataces	attttacccc	thageteate	83280
DEGGERALE	tttotttott	tattttt	ctattctcst	cantaaacaa	gaggggtgga	83340
tatttttt	agaacaatte	nationage	actachatet	tagaaaattt	aaggttttta	83400
Effection	attgaattca	aacguaagga	ageageacee	acacctates	receases	83450
trigititag	gagacaggea	caggeragge	segregation	acaccacctc	ogccaacatg	83520
ccggaaggec	gtetetaeta	gaccaccege	aassattacc	caaacetaat	agtacacac	83580
grgataeree	gctacttaga	anancacaaa	addadaccogc	cttcaaccca	udaddradad	83640
Lycaacscoa	attgagattg	tatatttace	ctccancato	cottacacac	tgagecticca	83700
griguagiga	tataastaag	tantanata	eettagoatg	tttcctattt	attocagaca	83760
ccccgaaaaa	atagagaaac		thatttata	staccoccca	caaaaahaac	83820
acgranaaac	catgoctcaa	acaaaaaccc	anderes	ctrceateta	ratttaacca	83880
atagttaatt	ctagaaatat	bhahhahat	coasstant	aanattttaa	rtaacttttt	83940
gagaacaga	taattttaat	tecettatat	antantttra	abotcataaa	atstatttaa	84000
EGETTACTEC	atataattac	cyyayayaaa.	attattatat	attastitta	acsastscat	84050
graaggraca	tottgtttat	accidencya	gccaccacac	tttttcccaa	aatttactct	84120
ttgagtgcta	ttatttgtag	catattaata	ggcccacaca	acesestant	attastottt	84180
tttcatggga	ttatttgtag	accacccage	attettaata	aceataacggc	castttcast	84240
tccatgaaat	atgtttctat acacacacac	tteaacaac	betttttaat	atacatatt	ottesettet	84300
acacacatac	ttettttgta	atataaatat	SUSSESSE	tabaatitat	ccetttetta	84360
grgatttatt	aaactgaata	errgarraga	gaaaccccca	thebateata	acacccacta	84420
tgtggattat	aaactgaata	accgratace	ttaaatgtat	channanth	tastratas	02220
aatgatactt	ctttcagtat	ageccecegg	CCCacaaccc	hananoshih	acttactct	84540
attetttcc	ctatttatct	gaageteeca	gegeegaaac	Ladadcactt	tornatates	BAEOU
atttctttta	agtaacatto	tacaccccc	cccaccaccc	theadagatt	battatte	04000
totatttacc	attggatttt	acasatttca	ccatgatttg	ccgagacacg	cattasteaa	04720
caataattct	gcattgggaa	agerrgagre	ceggatttgt	gggagctgtg	attasttas	84780
ctcaattgaa	tttcacatta	aatggtagag	tagagatttc	aaagettgtg	geegaeeeea	04/040
aagcaagtat	gagtatocat	cttattatgg	tattteccag	aaggecaraa	antananceg	04040
tccaccgaga	tttctttcca	aaaggaaraa	aaaggaggca	taattaaaa	bababababab	04300
taccacaggc	togagotatt	tagctattet	craacteggt	cacacccaca	tetyetetta	00000
toccttttac	aaattgattc	cttgaagcaa	ararragrac	ccacagagag	receatedge	95050
gotgagaata	gaaggacttc	aaatagcttc	attetactig	ttacacttet	acasatgtag	95140
tttttggttt	cacagcattt	atggtgtttc	catcataaag	ttggeteaaa	cagaccccaa	02740
aatrgataaa	satattcact	aatttttata	actgctgcta	acacacccac	accycaacci	05200
atttgaccca	agtocaggat	cttagagtca	acattgttaa	attteatett	accagactua	00250
gettageaca	taagagtoto	tttgaatget	gaactgccct	aatgeagatt	CCCCACCACC	02320
atcctctgta	tcattccaat	tgtgaatttg	tactgcactt	cccctaaatc	accaaaccgc	05300
tcaatgacac	aagtgagtaa	tgaagcaggc	ctgagaataa	agreatgegt	ccgacaacca	02240
gatatggtta	tttaatgaaa	ttaaaaactg	ataaaccata	taactcatca	accocccac	00000
cttgtccatg	agaactccag	atggttcatt	gtcaaacatt	aaraarrgaa	acccaaacac	32200
agtrgggtct	cagttggttt	agetacattt	gggctgaact	acattgtcat	aagccaacca	85620
taasatcatt	aaatattttc	ctcataattc	ttatgcacac	tgaaatgttt	catactgata	85680
atagcttcct	ctcttaggga	ttggaattat	gccaggaatt	aaagttgaag	ccaccaacca	00/40
atcatttgta	ccatattttt	ctttcatgga	atatatagtt	taagtgtagt	acttottgte	55600
tatgtactta	tagatagaaa	gaaaagaaat	ttgattgtag	agatagaaaa	aacattaaaa	85880
aggggtaaag	gagcatecca	gaaataaaat	actctattga	ettgagtggt	attttgctac	35920
atoroatoat	ttttagaaat.	tacctccaac	actaggaaat	gactaagact	togagtcctt	82380
caacactcct.	ccctccaast	agtootocct	aatttctctc	cccttggata	rargerggac	80000
ttagtgtctc	acttcgaaag	aatagatatg	gctgaagtta	acagtgtgtg	agtagataat	89100
tostatoott	tractetata	trecescaca	catctcatqt	tgaattgtaa	ttcccaatgt	SPTPD
tranggaggt	cattocatca	tagaggtgga	teteccectt	gotgttttca	tgatagtgag	86220
trantferen	taeascataa	ttotttaaaa	atatataaca	CETTCCCCCET	EGGEGEGEGE	00200
atetactact	ctoccatoot	aagatgtgct	tacctcccct	tcaccttcca	ccatgattgt	86340
aacttreeta	aggechecea	gccatgcttc	ctatacagge	tgtggaactg	tgagtcaatt	86400
rascerett	tetteataaa	thatccagtc	tcaggtagtt	ctttctaqta	qtqtgagaac	80460
acactaatac	atggtattgt	ggetteetet	attctcagat	tagcagtgct	ggagaaagct	86520

gccatttatc	aactcatqqa	aaggcctatg	tggtaaggac	ctgaggcctc	ctgacaacag	86580
ccahatatatat	cagtaatgtt	agaagcagat	cotcottecc	agccaagcct	tetgateact	86640
ghagechagg	ccatgatggt	gattgcaaca	caaqaaqaca	gtctgattca	caactactta	86700
tataageeat	fffgagatta	ctgaccgata	qaaactqtaa	qataataaag	gttagttgtt	86760
thaagtasat	atotttttgg	ggtattttqt	tacaatqcaa	taaataacta	atatagtatg	86820
tottagatga	cattattttt	atctagtqtt	ttaattcaga	tattggaata	atttattaat	86880
tagggaaaga	tacattcata	aacacacata	cacatttaat	tttgagtagc	aaaaaatatg	86940
agthtcooca	acttcgaaaa	ctaaagaatg	cttccaacaq	ccttactttg	tatatacaat	87000
aagacaaata	tttaatttta	ttgagtccct	attttttatg	tgtttaaaag	aaatttcaga	87060
atteageast	gggtcaagat	atgaatggaa	cttacaggta	catctcggag	caggtatcca	87120
acceptant	granatitto	ctgtatttcc	ccqqqttqca	qqataaaaac	catttctaca	87180
ctggtacgtg	atttcatctc	cagttctgtg	tttaatcctt	aaaggtgagt	agtcaccatt	87240
tggaatataa	ggattatcac	atgattttc	tgaaaagaaa	aaggatatat	ggataatgca	87300
gaaataagta	tccgttaaaa	ttaatcattt	atataaacat	ttaaaagtgg	gegeratera	87350
tttgtcctta	gcataataca	aaatggcatt	aaaatgaaca	tatcatagta	teetttetgg	87420
tatatcactt	atttttccct	tcactatatt	ctcatctgac	atatttgtac	etcatgggct	87480
cttaatccct	tetteteeaa	agtcatccca	tacttcatga	ttttccataa	ccggnaacgc	07540
totcatcaca	tataacttca	attettactt	teacttteet	tctattcttt	ggcccccgcg	87600
gttctcataa	ggattgttta	caaatattca	grattettt	cttctggaca	accgaragga	07000
ctgcgcaacc	cttcctcttt	gaagtaactg	cggccatgtg	attgcgtagg	agactacaat	97780
aaaagtggaa	gtaatatett	ccactttaga	gagaagtttt	aaaagccatt	gegegaatet	97940
thatgitcuc	tttcccaaag	ataccgcgat	taaagaagga	catgaaaaaa	tacattana	07010
ctgtcacttg	attettacaa	ttaatacaat	gagtaaagco	cettetgate	tacaccyaca	87960
gtgaacatga	atgaaaataa	accccagtec	caacacucta	aacattgaga ggaaaacctt	ttccctasac	88020
CATELLICET	actataatag	gataaaacag	bagagggccc	cattatagta	ceeegettaat	88080
ggccagataa	aatgtetetg	cegeaacaac	statetetes	ataaaacttt	atttacaraa	88340
gaanaacaac	acataaacaa	anguacengg	etenttino	atcetttgge	ccagtgtatato	88200
agggggcaag	ttgtatttta	teagtagees	acageeegee	tgctatatct	castattoga	88260
reacctata	aggeacette	teagrateses	tactatocat	tttaagtatt	ctacaaaaaac	88320
totatotagea	ettetattee	actcatattt	tattttggac	taaaaagctg	toocaaacat	88380
taaaaattaa	ttgasatcca	trtatatacc	cocaatttat	ttactatttg	atttcccatq	88440
grasstosic	catagtetee	tetetttet	caagceacct	gaaacaattg	cctcttcatc	88500
aacamataat	apot ct ccat.	tracacaaaaa	caattgagac	cagcagtagt	qaqtttccta	88560
tacttette	cagcactcct	caacattato	totatctata	ctgatttaag	tctttagttt	88520
antetteant	aghasagtat.	tgctttcaaa	ttcaggttag	ctttaattct	ttcattttcc	88680
cototesttt	assecuttat	ttattccttc	cctctttctt	accttatcaa	ccacactctt	88740
sastroatat	ggaagetttt	ccaattitca	atecetteac	tcaacccttt	gttcaagttt	00888
acctastota	chacatttct	ceteceette	aaaaccaaaa	tccttaaaat	accattttat	88860
aattactata	tecaetttee	cototoacat	ntattettta	actcactact	acctagtttc	88920
tracetetat	Ettattacca	ttactctast	sasacctacc	aatgagccca	atgtccaast	88380
tracasator	tttocatttc	acatattcca	gtcactggta	catattatgg	acticitaat	89040
tatttattga	actgaacaga	taaaactctq	taatatttga	ctctgttgat	tacatacttt	83700
ttaatattat	crattacctt	atatatttat	gttctcctqc	ttctccttqt	ctttqtctaa	89360
gtgatgettt	tettttatat	cttattattt	tootttactt	tatattttt	getteteete	89220
ttgtacttta	cttaattttt	taatttttgg	gccctgcata	cttgtcacat	ctcatctcct	89280
gccatttttc	racttobbob	ctatactacc	accattcctt	tctcataagt.	tgtatattag	89340
tcaaacataa	aattttataa	agttttaatt	attcattata	tatttcctct	torcaaracc	39400
atacttccac	tgtgtccatt	cagotoctaa	gtttatactt	egttetgaca	gaacaagett	09400
taatatatet	ctatagctaa	caggataata	tatttagatt	agcaataatt	atatgagaaa	39520
caatatgtat	gtgacttaat	atacaagttt	taaagettta	ctattttaaa	attttactat	83380
tttatgtaaa	aatatgtctt	cagtgtttga	tgttgacact	aacttcaaat	aagtcctasa	00000
tgtattcctt	ttttetttt	ttetgteact	tcattcttct	ctatcatatt	toaattttat	29700
cattaaagtt	cagtttatgt	accttcaatt	actiticett	atgatatago	tonantantan	00100
accaattttt	gaagtcaaaa	gerargagat	gcaaaaaaaca	agagtttaac	taayaaacua	22220
ataaaataat	arggaacaat	cctgttaatt	aagaatagaa	agacttetgg	atetttt	89940
caagcagtag	acataaatcc	tgtgataaac	CCTARECTOC	tacactcata	acceptacted	90000
aaatacatca	tgttattaaa	acattgcccg	aacctgtacc	tttatccaaa	tracastact	90060
agactatcca	tattttccta	ccaccggaaa	canccaregg	tcatttgaag tccaatctgt	anangaacacc	90120
aattcaaggt	Lagracteta	cycliccyaac	t account to t	tegtacettt	gattatttct	90180
gatagatteg	gaccasagac	aguttuccii	artogacaca	gagaccaaag	tritoacaat	90240
acaaacaact	recederaca	gattgtccct	arranarara	- Sadaccasua		

tarantttaa	atragtorte	transferret	graceataga	ccagattgaa	qaaaattaaa	90300
	httaartees	tratttract	thastattat	cttattattt	aattecaaac	90360
gcatttaaaa	bbb and and and	202222222	trtnaantta	cctgatttca	gagaaaatga	90420
ccccacaga	tttagaagta	atatagagag	acceptage	tccttgcttt	ghaccaagaa	90480
tgtgcacaga	CCCCGMACES	attentant	ageaageaga	tggaattett	trattaagaa	90540
aacagccaca	cccacgerat	accageogge	assessagag	aaaataaaac	ataatasasa	90500
agacttetet	atatotaato	agcgtaaagt	acactecaat	tatategatt	attactcasc	90660
agtgtatgct	taactaattt	gggataaatc	CCCCCCCCACC	beentatatat	trtactaaac	00770
t.gtcttctga	aaaggagtac	ccaatcccag	egeneectet	tggtatetet	betweendag	00780
aaagcaggac	ctgcaagcat	agtattgaat	atteaggttt	tacttgtact	tgtgactgag	00040
aaatggaaaa	aaattataaa	agaaaaatgt	tttataaatg	tagagtottt	gaggggcgcg	20040
tgtgtgtgtg	tgtgtgtgtg	tgaatcaatt	agtgttcaag	agaagcaaga	atagaaacgc	90900
agtaatacat	ttgggaaaaa	cagatggate	tctcattgtg	aaaacaaata	tgtgctaagg	90960
samameters	antaogtate	aaactossos	agtaaaagag	acqaaaaaat	cagargacta	31020
atopopte	atzatactac	agagtgagat	attcaaataa	aactaaattc	ccagagtett	21090
4techt4tfe	cattcasacc	toggatgatg	atttattaca	atgtttatct	tcaatacaca	91140
dan saat cet	catotasaat	aagtoottta	taagttagat	tttqattact	gcatggataa	91.200
arreactata	catttgagag	ggggtgtgga	aataatatac	ttcaggtaga	agttaatgcc	27500
aasggacttg	togatocact	tectttactt	aggaactacg	aatgccatga	agacaaatag	31320
transcees.	cacaccatta	gccaaacatg	gatctgatgt	gggttattac	tgtctcatgt	91380
trattasttt	errrerassa	tattctctta	acagtgccta	aaaqtaqaqa	tcacgcaatt	91440
atassassa	statettte	caaccacaca	cttatagact	caaaccaaaa	tttttttagt	91500
gtgaagaaaa	apacgatean	teacrattot	trtctaaaag	aggattacta	aaqcacaqtt	91560
g.a.aaaaaa	*** abaaata	atamamattta	agettragag	ggctcttaag	acttcaactc	91620
caaacacgca	ccacgaacc	acgggactta	cttttacatt	totggaccat	atotootaac	91680
FEGEFFGGGF	Cacagnangg	tagrarcacc	cottotagass	agcaaaccca	cttattttat	91740
actgrecore	grrrcactea	cegeageaga	coccaccaaa	tagetgtage	ttettaetat	91800
asstgtttga	aaatatetea	aaaccgccac	caccacacca	stattototo	ttettagges	91860
acgtettatg	gcataatttc	ccaaaagccc	acaaccgccc	atattctctc	tetattagaa	91920
tgatagtttg	aaactttccc	grrraaaarg	aagraggcca	agtagaacac	t-t-t-t-cock	01000
atatatttt	tggtgggcaa	agagcacagt	tgagatgaac	tetttggete	egegeaacat	02040
ccctccataa	tgaaagttga	gaggtttttt	Effecteren	tggtaatttt	ccaggaccar	32040
attccattgt	cagttgagag	tttcctcacc	tggtattaat	acaagttact	crtaaagtat	92100
gagaattgta	tgttactgag	aattaggaag	totattatag	tecteactet	gatccagaca	92280
tggtttttga	tgatagacca	atgacttaat	aagctactga	acttttctgg	ccctgtttat	92340
archarrera	arantototo	tatcotacoa	agtgtactca	aaatqaacct	tgaacacaga	92400
parteactor	atttattaaa	agaattaatt	aaaatatqtq	ataaatttat	aaagatccag	94540
appatagggg	reacettecc	ttcacatgaa	gggaacggac	gccatccaga	ttcagtgcat	92250
acadeatete	chethteach	ctattcataa	cccatqttac	atttatattg	aaat.cgctca	37940
ttataattat	aparastett	ctgagatata	ggagatggat	ttataacatc	tagagatttg	92700
correspitti	chaaataasa	cocattasat	tecasastet	ttattqcaaa	ttaaaggact	92760
ctcaccacca	cetaattata	tgaaaacaga	aatottott	ccatcaggta	aatcagtcaa	92820
gagaccagga	attetattt	nact traced	cttaataaat	gatttatctg	aagaaagtta	92880
aaattetest	taaaattato	cttctcattt	tatttagttt	caggataaat	tageettett	92940
anaccccgac	ctanaceats	acattcatca	accobabaaa	taasattgat	cataaatata	93000
yaaacaaaca	gogaccagoa	ctosstosco	torsessast	aacacatctt	ctagttattq	93060
geeecacege	nattatore	eggactetete	otrasagara	ttgatttaac	teattobeat	93120
acaagacagg	aaccaccaac	assatattt	tototoatca	ctatttagcc	aagatttcct	93180
cacacococy	aaaagcaacc	gaccegeeee	atacatttta	tacccacttc	totoasacat.	93240
cagaaaaaaa	aaaaatggee	attattatt	whitenessa	ctctgttctc	ccactttcta	93300
ttttacctgg	gattgtgcca	accacaagca	gesteecaaa	gagagatagt	sactoractt	93360
atccattttc	cttgtgtata	gerraargac	cccccaggca	gacacategt	eaccecate	92470
gaaatccttc	attgattece	aaatdaatet	gaataaaaga	egegttette	teatteacts	03450
atgeageace	tcagcactat	grattggccc	acctretatt	tatcactgac	- cuguroucca	03540
cttgcatcct	agactaaggt	gcctaggaac	aatggacaag	aatcagtggt	gerroarger	7354U
ccttaaagcc	teactgeest	tecacttece	tttccctgaa	ctctggtatg	crrrdcrcr	22000
cattttcatc	racasastct	cattttttt	ctttaaqact	taatcgtagg	catcagccat	32000
transparent	tttcartage	cacaggaatg	tagttgtaag	gatgtaaatt	ccatecatet	93120
acttctagag	racataatat	rtgetatget	qaataaaaat	attaqattta	acataaagaa	93780
of attentions	tacasantot	tettaagaag	agaaattctt	. reaccequat	ctaagatata	22040
acadacttta	atagtasaaa	taatttagat	attitaqata	atattaaaat	ataaatatgo	22200
cagaaacttc	tgccaaacaa	ttattggtaa	aatgaacttg	aactatggta	ctactaaaca	93960
	-					

225022000	antatttata	acanaanrea	aaatetttea	ttggtcatga	tgcacaggtt	94020
aaccaaccac	basetessas	astectanet	tacametrac	tataaaactt	tttttaagag	94080
ggeagracea	abstractage	ttatattas	ttcagcaaca	tttatagtaa	acttocagta	94140
gcaacaaccc	acceagegga	tteetgeeeaa	tottattcaa	aaacgaatgt	cattctaatg	94200
tatatataaa	astacateat	gaatetttee	ctttcssaat	aaaaacaaat	otctattcca	94260
cacciccigga	aacacacaac	anazatartt	accettetet	ttcaacctaa	gagagagta	94320
gaggccccac	agcettgeage	agaaaaaaacac	agtatcocct	aacctacatt	tasatectaa	94380
caacggagcc	#cggreanag	tactgacccc	retotaett	aacttctttg	caccagtete	94440
crtgantett	Langucanga	caacccaggg	tasgegacee	agttttttga	eachtasast.	94500
ttecattata	aaargaaagc	gatgagtaag	htagagggg	atagtaagtg	ctcaataaac	94560
gaaatgatgo	atgcaaagaa	cccagcccaa	ttacaggcag	cgatgtttta	aatotatatt	94620
accagctatt	gecaacacog	booksassas	atanatatat	cttacccaca	cactttoott	94680
tacatttaaa	aagecaaaaa	tactaaaata	graagegese	ttcatctcct	tesatetter	94740
DOEDGEGGGG	ccaaaaacca	antantantt	atconspata	gtattcccga	tetagtteca	94800
agcorgage	acacacaaac	acattetete	geocadaaag	tggtaaacac	ttcacaactq	94860
cegcaccacc	gacaaccccc	tratastaas	attttaaaan	tttattgtga	assatatoto	94920
addadageac	argrantgee	ccccaacggu	Tananasatt	acttaaatta	tttttagaag	94980
catguataaa	accacccca	tagacaagacc	ttaatataaa	aaacaagcaa	arggaatgtt	95040
catttgatat	accegerege	Lagagacacc	antonnantt	actactttca	argoragett	95100
tattoctgat	cecceccac	gggagtggat	aartaartaa	gaaatataaa	acttaagata	95160
grantitige	agtaacaaac	tagtatttt	taataattaa	ctgtgttcct	assaratota	95220
attasataca	ttttcattta	egecctagaa	castataata	cgttaatttt	ccatcctctt	95280
aaagcaaact	tratgacatt	aaccccaaca	yayaaaccac ************	totacttaat	attttccaat	95340
cgacctaagt	gtttaaaaca	accegageag	catatagat	gactcaggat	acttattass	95400
ttctctasag	ttgtggtcaa	accetatege	accacagaac	agatactgat	tanatagata	95460
ataaaaattt	Lagggctate	tttctgcarg	cccaccccaa	ccaggtgatt	tasatataas	95520
attttttagt	aaccaaagat	tttagtttt	aacaagcacc	gatgaaaaaa	tottocatta	95580
tgttocotag	accattaatc	ETCEECCCCC	ntancettta	ttetgtatet	ctctccactt	95640
EEEEEEGEGEAG	Enganagete	ttgaatgatt	hotootto	ttettttatt	teretestas	95700
gccactcact	grggaaccag	gaaacaccac	recegge egas	totacatttt	ctcattttcs	95760
ctagagattt	ggattattag	cccaaaacac	gaaaacagaa	ccttagttta	tractatet	95820
ergringeri	cacagaccag	cyayaaaraa	thankaaaa	gtetcaatca	cattatataa	95886
cagtaaaggt	aagtecacag	goaacceccec	ccagcgggag	gggtgagttc	ttetteatta	95946
ttcagctgtt	accatagate	cctgcatttg	tactortor	tatatgcgtt	totagrostt	96000
ataaaggcaa	aattetggte	cccacccage	restracts	atgtctaata	cttcaattat	95050
agaatccaaa	aggaaataaa	aaccagcccc	agettectes	accasgsatg	tagtaataaa	95120
catateagat	caggergear	Logittitigg	managana a	cattaaataa	apprairteaa	96180
aagactagat	cccactcta	cattgratga	tuttttt	tcttagatat	trattteast	96240
tagagacttt	aagatattt	tatotagac	coccetetada	aatatcattg	gtccatccat	96300
atacttgtaa	acacatttta	tgtetatett	cacacacagg	atacctgasa	accessesst	95350
ccgtgtcaca	tteaeggtaa	tehetttaa	trageauteg	aactcgatgc	cettctcact	95420
aacagaacgt	rgacataatg	cgcgcccaca	Lacadeseca	attttcttgt	trattatte	96480
gtccagaaac	tecatattaa	ggaasacgaa	tagtatatgo	tgtcttagat	thettageot	96540
regeregeet	220000000	SECULOCIUS AND	thtanhagah	gaaaaatctc	ttascctoto	96600
tetetagaae	actaaccucc	tttttttatt	cettatagat	aaataatcat	astocttoot	95660
tetecettta	retretete	cttettggtg	catggactga	tttttcattg	astratetas	95720
Ecacgacaaa	accattattg		agracuctora	accaaaacaa	aacctaaaaa	96780
ttagctaaat	tcaataatat	agraageree	atgant cace	tocagtotta	gagggtattt	96840
caccatagra	accaacgace	addiction	ananttaggg	tttctacata	ataaaoatad	96900
cegeceteca	cgattctgat	attitugaa	anthtoaggg	cttgcctcca	tetetecate	96960
tgccagccaa	aagttgttag	rgrgrgarer	secretorate	aaatctgctc	atroasarces	97020
tetategrag	agatttttt	Ctgagaatac	reagingageo	ctgccctctg	autrtasaaa	97080
tctaatgttg	aacttaagta	attttagtaa	CCCaccaago	shataassta	attactacac	97140
argeretact	tgaaratgag	totataggga	cocycyceae	atgtgcaatc gtgctgaact	raaagagann	97200
gerreagate	Latacatett	enstate ca	gucaayucaa	aggtagcaaa	ttaaaaaatt	97260
acacaagcct	grgaraaaag	aaststttCCA	- yayyuyayya	agatcagcaa	taatoattoa	97320
cagecceagg	atattaac	CLALLEGGLE	honochagta	actaaggaga	gastasatte	97380
agggctaaaa	augtatttga	anaacctccc	statistica	gtetetteta	aggactacea	97440
acaagaaatt	atacctattt	tagtaggast	ocatoatoo	cataaaatgt	atctatttta	97500
atgtgtgtct	tatttatett	coccyccaac	- tttttaarte	cccataaatg	thaagtggta	97560
taggagagga	aatggtagtg	aagagarata	atacaattta	aactattata	tttattart	97620
gagttttgaa	aggcaggctt	accedagega	abottettat	atttgtaata	thtaghtana	97680
tcasattaag	gaaaaaatgg	adamaragea	argitaliti	usunguata	2208820000	

tttatattta	toaaotatac	cattatagtq	atctaatcct	ggttttccca	tacataaatt	97740
rrrctccaaa	ataatttttc	atctaggaga	qaataaqqqq	gataaaataa	cactgaggat	97800
atagagagat	asttttaans.	atoasasccc	agtagttggt	tagaaggaac	agagtcaatg	37860
attetgaaaa	sctactattt	ttaatccatq	togtaagaat	aatttgcaga	cctgggacat	97920
haaqhaacct	tagttgtaag	taaaacttat	aaqcaqqtqa	aagtettget	ttcctrasat	97980
tttstsssssc	ctotcaaaac	acttaccata	castataaat	tggttacaat	teetattgtt	98040
retenenset	tappatecca	trantacticta.	cacaaaatag	aatgtcgtga	agacttqttq	98100
concesser	tatatatoto	catactottt	teccactete	ccataattat	actctatcag	98160
amanmetata	ertesttraa	annththcaat	gttaaggaga	taatatqqta	tccagattta	98220
atratttenes	testanttaa	actttcaggt	acttgtgtat	tactttttta	aatgctcata	98280
Adapasatata	areaccttes	saatatataa	agtagtagag	ttectattta	ctatcttaat	98340
tatasasete	ttttcatata	cactacatac	ccetcattac	atgtatacac	ageteteaca	98400
ccststtcss	acacatttcc	tectotaagg	qtaaaaqtac	caaaaggagt	atctccagga	98460
PAREAGE CONTRACT	accettectas.	Baccaaaaaa	aaagttatga	attagtatgt	aataqcaaqq	98520
****	arateagaat	nonnonaacaa	abititate	tattatataa	gaagacagat	98550
nggangtgang	nssasttass	cataggaaag	ccattatttc	ataattqaac	ccaaactata	98640
ranttantet	trtaatttto	daddatdacc	accocttttt	gaaaatgatg	atgrattggc	38700
FARACSCOUT	agetcacecc	totaatecea	acactttaga	aggetgaggt	gggtggatca	98/60
casaaccaaa	aghtcgagac	cagcetgeec	agcattagtg	aaaccccatc	ECLACTARAR	90050
resessors	tagneggggg	tagtagcaca	tacctataat	cccagetact	cgggaagttg	98880
aggrangaga	attocttosa	ccagggaggc	agaggttgca	qtqaqccgaa	atagegeeae	98948
bacachacaa	ncaddcdata.	gagggagact	ccatctcaaa	attgegecac	rgcactgcag	99000
notangtosc	agagggaggg	tecatetesa	aacaaaaaaa	aaaqattatq	tattatttg	22000
rathementa	graategtga	tataattcac	gcataattgc	tacaatatta	aatettaagt	33770
attititacac	chaotittca	taaatttcac	asatqtatta	agractract	ctgacatttc	33700
department	taamammaan	ccattetecc	ttcctgcata	ccattattac	atttccaaga	99240
cetctetatc	radodeddea	tttatacata	acctagatac	cttctqqata	tgtttggtca	33300
maccannaad	chatcagsat	ttctqtattt	cttcttqqaq	gaagttcatt	gcaacccaca	9936U
sacsatasas	acasastasq	tocataaagt	gtctatttaa	atgtacagta	tatttaggta	99420
attattactt	ttassastoc	ctagacagte	acaggtetat	ctaaatttct	ctctctct	33480
ctctctctcc	taaccccata	tctatqqaqt	agacatacat	ttcatgcatg	tagtgtaact	33240
******	anttataaaa	trtatateta	cataaththa	Laacaatctt	Cactatagaa	99600
222727722	assactitor	aaagcaatag	atatattttq	ttatattact	cttaattgct	99660
thoropagna	assacaatoa	acasacasac	tatetetet	caaaqcattt	ccarretate	99780
agggaaggga	ottattaagt	aatcaaaqaq	atgtataata	tgcattacag	gragaaaaar	99540
tatatttaca	asasttagca	toataaqtta	atacagaatt	atacaggeac	tccaaataag	22200
attacastaca	eneccennia	acastotite	tactccasat	toggaacaaca	acaaattqtq	99960
tatacatata	haborteasa	cotaagttgt	gggaggaaaq	aggattaaat	gaacaaaaca	100020
annathagens	agazetetet	caactaasta	tagggtctct	agccattttt	naccuggita	700000
hat that asa	oretagetet	ncat trasea	reaggeetet	atttagttta	aatqqaaqaa	77.007.40
roorastoso	otaacaaaca	accaaacata	aggaggetat	atctagcatg	aagaattetg	T00500
asactttqcc	aantcaggtt	getttggtag	agtetaggta	gcttcatacg	ggaagactga	100260
mtttcccctt	gtgtgataga	assasagtet	caataaqaaa	atggatetga	cccaaataca	100350
caactagtat	teteateaaa	acatgccata	tttgaaagtc	actctggatg	atatttaaga	100380
gcagatgtca	aaacagcaga	aaagctgtat	acatatatat	attatttata	tataataaaa	1.00640
motortatat	ararorreac	tttttctcccc	CCCCACCCAC	atatqaqcar	Liadyartat	2.00300
atatatataa	daacadadtc	aaaacagcag	aaaagcaaac	atatatataa	arggertrra	100000
ttatatatat	atcatatgct	cacatacata	atatatatgt	gttggcttct	tetateteaa	100620
aagtctaata	tatgtacaca	catatatagt	atatatatat	acacatattt	atatttatgt	100680
atatatatest	chatatotat	atactototo	tatatatata	tatatatata	tatatatata	100740
tgtgtattag	tettttgaga	ragaagaaac	caaccagatt	cttgacttta	aaaacccaag	100800
accorttsat	cfffgagact.	agaaaccaga	aatqqqactq	actcaaacta	aaagrgrrac	700200
ecanot coct	ctcacttssa	tttttaagtg	actcaaqaaa	qaqcaaacaa	terregragar	100920
cacactaact	tatataaact	tttatcatta	catgittitiq	tttaaaaata	cgattttgaa	T00380
teesesttas	apratacaca	aaaaaacaaa	aacaactgtg	aacaaaaaqa	qaasataaat	101040
attentana	actagagagt	cagattcaga	tqttaqaatt	aqtqttaggt	ctttataaca	101100
octatitian	gascattaaa	ggaactatag	aaaatataga	aatgaaaatt	taaaaaagat	101120
arrossasta	aaattoactc	ataaatcatq	tqctatctta	aaattggatc	aaaaaccaga	107550
nathananact	tatcagatag	ttttaagaat	caaatqqaca	caggagaata	caaacttatt	301280
assettagag	gaagtttaat	otaaaaataa	ccaaaaqqaa	atatagaaag	acaaaagtgt	101340
ataaacaaca	acaaacaaaa	cagagtataa	aaaaatgtgt	ggtgtagagt	caagttataa	101400

ascatottta	attggaattc	taacaataga	gaagaaatg	aacataqqca	atatttgaag	101460
assesstanc	traasonttr	ccasasttga	tgaaagaaat	caqctcacaa	aatcaaaatt	10125
*********	cccasastan	totataccaa	gasascctat	actgatactc	toctgaaaac	101500
casagatasa	oocasastet	taaaaccaca	ttotattagt	ccatttttqc	acagetatga	101640
agaaatacto	aagactgggt	aatttataaa	qaaaaqaqat	araastgact	cacaattcca	707.500
estaattaaa	gaggggtgag	gaaagttaca	atcatagtag	aaqqqqaaqq	aaagacctct	101/00
transfeate	acesageage	agtgcsaaca	aaaaaatac	cadatectta	taaaaccatc	101870
against cate	agaactcatt	cactatcacq	agaatagcat	aggagaaact	gecceatgat	101880
ccaaggaggt	cccactaggt	cetteectes	acacacaggg	attatggtga	ttacaattta	101940
ttanantene	topotaggga	cacagagact	aaccatatta	ttotgcccct	tgcctttccc	102000
agatotosto	tecteacatt	tcasaacata	atcatqcctt	cccaacagtc	ccccaagec	102060
theartract	acagcattaa	ccctasactc	catotccaaa	ateteateta	agacaaggca	102120
agreentree	acatatoacc	ttgtaaaatc	aaaaqaaaat	tagtcatttt	caagatacaa	102180
roogaahaga	cocattoggt	aaatqctccc	atcccaaatg	ggatgaattg	gctaaaacaa	102240
20000200222	gactrostas	aactcacaaa	trcaataggg	aactcattaa	aactcaaagt	102300
recassacad	teccetttas	ttccatqtct	cacattcagg	tcacactgat	gcaagaggtg	102360
anctoccaca	ment tagges	gacctgcccc	aatootttto	caaqqtatgg	ccccctgecc	102420
transtantt	cartestess	attgagtete	tataactttt	CCAGCCACAA	ggtgcaacct	102480
atcagtgaat.	charcattet	gggatctgga	agatetataa	ccctcttctc	acagetecat	102540
taggtestag	cecaetagga	catchatata	gggggttccaa	tectacattt	cccccccca	102600
ttaccetaat	agaggttoto	catcagggtt	ectcccttqc	agcacacctc	tgcctggaca	102660
totaamount	tatatacatt	trotogatot	agglagaagt	tttqtattct	grgracccac	102/20
aggaccaaca	ccatgtggaa	gctgccaagg	cttagggctt	teattatetg	aagcaatggc	102780
ccaagetgta	tgttggcccc	ttttagacat	ggctgcagct	ggtgcagcta	ggatgcaagc	102840
caccaactcc	tgagactgca	tacagcagtg	gggcccaggc	ctgcaaaacc	atttttcctt	102900
ccgaggcaac	caggoctgtg	atgggagagg	ctgccttaaa	gatcactaac	attecctgga	102900
gacattttc	ccttgtcatg	gtgattaaca	tttggctcct	catteettae	acagatttet	101020
ccagtgggct	tgcatttttc	ccaagaaaat	tegggtttta	rrectatige	accaccaggo	103000
tgcasatttt	ccaaactttt	atgetetget	recerricaa	acacaagete	Caattttaga	703740
ccaactttct	caaagttcaa	agttccacag	atctctaggg	aaggggcaaa	atgttgccaa	102260
tetetttget	aaaacacagt	tagagtgatc	tttgatccag	ctcccaataa	getectige	103200
cccatctgag	accacctcag	cotggacttc	atattccaga	tcactatcag	batattatt	103320
taaagcattc	aacaagtete	taggaagttc	caagctttcc	thannan	nottedagast	103360
tgagacetee	asactgttcc	aacctctgcc	caccaccag	cucaaaguc	hattachace	103500
tetgaggtat	ctttataata	gtgecetact	accreggeac	caacctactg	cattagecca	203560
ttttgcactg	ctataaagaa ctttcacatg	tracergaga	ottogggrager	chtacaatca	tantonsano	303520
ctgattcata	gagaggatet	gccgggagg	ateaceaaaa	aceasactor	eacttgggg	103680
tgaagaagaa	gettaaacca	therestates	tangenggug	chaectates	tamassasa	103740
aargocagar	caacccccat	annagactua.	cangaaccca	agttcctccc	thganatgtg	103800
augggacaaa	agattataat	gatocageca	atrtogatog	ccacacacac	ccasaccata	103860
argattargg	aggaaacatt	ttttttccea	arcraggargg	assatascad	ccsagtctot	103920
tcacagacag	actgaagtet	annintatat	guguutugu	tactaaactc	ctosasatta	103980
ggaagtaaat	gagaacteta	taaataataa	asstatactt	cassastoss	agcanataga	104040
aaagccagca	taagcaaaca	aaarranaaa	gaattcaaca	agaggagagt	caactataga	104100
aacacactcc	aaaagttete	toggetgaag	casactoate	taaaatataa	qcaaaqaagt	104160
20222222000	ataagcagaa	obgasgaaaa	tanatagaag	agtaaataaa	aaagctattq	104220
acadanagga	aaccctatgc	tatotatatt	ttactcaaat	aaaaaaqaqc	cttgactgtt	104280
tagatraata	gaccatottt	aatagtgttt	ttaataaatt	caaqagtata	atatgaaaca	104340
atantancas	asatatosaga	aaaaqqtaaa	gasaataaaa	gtgttgtgat	gttttcccca	104400
tacted toat	ataatsassa	tattaattta	gastaaattq	taataattta	agcatgtttt	104400
artataatta	ctsagttage	cactaaacca	ataatattga	qatacataaa	ataactagaa	104220
tacatgatga	aatcacatac	heasgachat	ttcattaaaa	taaqaqaaqq	caggaaaaga	104290
2020202222	at brancasa	aanhaantan	rastatorta	gacttaaact	gaactgtate	104540
antasitana	rraaatataa	atggattcat	caccatacta	aacatacaaa	gattgtetga	104/00
ctccctaasa	ocatasasos	aaactcaaat	atatgatgat	tactttttaat	aaaattgtac	104/60
atataaatta	amantaaatn	atasaaarca	atatoctaga	aaaqtatcaa	ccasagtasg	104820
amtmatatta	protestaat	aticaaccaaa	tgataattt	agttagaaag	tattattaga	104880
reseasons	orcatticat	attaataaaa	addetactt	aacaqaaaqa	tqtaataatt	アロボンボハ
oceaetatat	chasacsata	tttactggag	ctqqctcata	ctgactcata	ggagccaatt	102000
aracarater	tttactaata	caatotetee	tgatgacacq	ttqqtaacct	gaaattgacc	100000
atattgtqaq	aatttacacc	atgaáactca	gcaaatttta	caaatcatgg	ttgttccctt	105120
5 5 5						

recttttaaa	aaatagttgg	ttottttaca	tttaccacca	tgcctctttq	cataaaacta	105180
htastonato	ttcaaaatat	aacagaaata	aaaqaaqtaa	ggaatggagg	atcatagttt	105240
grantitizar.	cacactgttt	ccastatora	aracaaaaga	aatagaaaaa	taaqqatata	105300
gagacccaag	gcaacattat	teaccasatt	asorrtttts	tattaataaa	acactotett	105360
caagacacaa	aagatgcata	ttaattaaaa	acasatetet	accastorca	aaaaattaas	105420
Caacaactgc	gtatactccc	ranganataa	acattactaa	cacaaaataa	otopaaaatt	105480
gecactotaa	ttgaagttaa	cgaccaccag	*******	tttttta	gagggaaatet	105540
cacaaaauuu	cccatgctgg	guadectet	atazaataza	cacaacctcc	actectood	105600
cgctctgtcc	ctcctgcctg	agegeeeaac	ottoagettac.	chacaccicc	cccccaggg	105660
teaegceatt	eccetgeete	agecatetga	gragerggaa	toggage	atttagggt	105720
geceggetat	tttttgggtt	EFFEFFFFFF	grarreray	Lagadacogge	gececacoge	105780
gttagccagg	atggtotoaa	tetectgace	teggcetece	aaaagegare	eguecaecce	105760
ggcctcccaa	agtgctgaga	ttacaggcgt	gagecacege	acctggcaag	caacacccac	102940
aaataactca	tgagttaaag	aasaatataa	tataaatgag	aatatgattt	gaaataaaca	105900
ataatggaaa	tatatgttaa	aatttgtggg	ctgatgctga	agcactgatt	agagagaaaa	105960
aaatataact	cgaatgaatt	agaaataaaa	aactgttgga	aatcaattat	ccaaatttct	106020
aattcaagaa	actagtaaaa	cattaaatga	aatctaaaga	aaatagaaaa	cagcaaataa	106080
tantnatnat	cacatasatc	accctccaag	ttcaaqqtqa	caactaaagt	atttaaacta	106140
aggataccca	attetetet	taccoggcat	ggatgtgacc	tatactggca	tcaactttca	106200
beetbeatea	oceasattat	cchaataaaa	gttaagatat	tacaaqctca	qtttcagtgc	106260
ctcasatete	catcaagetg	fictigtaca	tactqccttt	atcottatto	tgtattttcc	106320
ttcaagccaa	ghaacethgg	caatqqqtaa	qtctatcgta	ctgtgtaaac	ttggactacc	109380
transtross	actoactotq	acagacttac	aattaaaatc	cactggggcc	gggtgcggtg	300040
acteacanat	atattcccaq	cactttqqqa	aactaaqata	qqtqqatcac	crgaggtcag	100200
garattenana	ctagecegae	saacatotog	aaaccccqtc	tctactaaaa	atacaaaatt	106560
encesantat	hahaacacat	occhataata	ccacctacct	aggagagataa	qqcaqqaqaa	106620
tetettosse	ctgagaggcg	cacattocao	raacccaaga	teacgccatt	gcactccage	106680
ataaaaaaaaa	agagcasagc	tetatetesa	sassarataa	tastastass	taaaaaataa	106740
CLGGGGGGGGG	agagtasagt	ggataaattt	gastcettae	treatrtoca	cagacacatg	106800
aacccactgg	ccaggtagac	tasacantta	gatttaaaca	aarttaaaat	aaatacatat	106860
cacacaaaty	cttttataat	ttttaagagtta	totoctatat	argatgatat	gtgattttaa	106920
acycecace	tcttagtgcc	abatatatat	aattatatt	attttatasa	ratatitati	3.06980
CEEACCACCA	aataaatatc	ELCCERCUCAL.	eachtaataa	hteengaaat	ttocesscan	307040
aasaagtatg	cattaaaact	aaaaaaggaa	ggcccaatgc	tratassass	atretetata	307300
aacataraca	agaaaabtta	tigicaatta	addactacac	acanaganath	attacactes	107160
caaaatgtgg	agaaaaccta	actgaaaaat	tattcttaac	acadacacee	hananhaa	107220
casasgcact	asacactate	taaagaaaaa	cgccagagca	ggacagacca	cccacccaag	207220
aacaggcatt	aacgtgacca	ttaccaataa	ttaaaagaga	taaaaaccaa	tashasacca	207240
ttttttgacc	aattttaaca	cassasgta	aaggagatga	taaccaaccc	tgctggaaaa	107400
ttaggtaata	taaatattat	tattaaataa	aactgaaata	taaatgacta	CCACCCCACC	107400
aaaaagcaac	ttagcaataa	agaatettaa	aagtactcat	acgraagerg	acaaacaacc	107460
tcaattttt	aaaagtaaca	aataataatt	saagattttg	rgasstattt	aggracegag	107520
tgtttattcc	agcattttta	ataatggata	taattagaat	atttatgaaa	accgccaaac	107580
tatgetacac	ccatctgaat	taaaaattgt	ggtttgggta	atatttaatt	atgrgcataa	107640
aatttataat	agtaagaagg	aaagtcagta	tatattttct	gttatagtga	gatacattag	107700
gtcaggggcc	agaaaactaa	ectgtgggcc	aaatccaatc	gatgattatt	ttgtaaataa	107760
aattttagta	gaacacagct	atgctcatat	agttatatat	tgtctatgac	teettttatg	107820
hhadsatama	agggetgagt	agggagagat	tatouctcac	gaagtetaaa	acacttattg	107880
tereactatt	tracasasas	ttttgagtggg	ttaggattca	ttatttcaga	ttaatcttat	T0.1840
cacttaggag	accttcacea	tasaaccagg	tggccagcca	tqqtqqctca	cacctgtaat	109000
cccaacattt	raggaagetg	aggtagaga	atccccttqa	qcccaqqaqt	ctgagaccac	108060
cctgggcaat	atagcaagat	eccatctcta	caaaaaatta	aagaaacaaa	ttagttaccc	108150
atactoccac	acacttatta	teccagetat	gtgagagggt	gagacaggag	ggtgtgtgtga	108180
accessages at	ttaaggatge	agtgaggtat	gatcatgtca	ccqcactcca	gccgagagac	108240
agggtgagag	cctqtcacsa	aaggggaaaa	aaacaggaaa	acatatqttt	tgaaataaat	T08300
actitication	aggcatttag	assactasca	agacagtass	gaattaccat	aacatatett	T00300
octataatca	gaagggagaa	aggaaaacag	gcagccaatt	ttttttttgca	grgrggggal	100420
traccattta	gggaagacac	aagettgett	thtgatagee	ttattagget	aaagcaacaa	108480
aattrasant	tggaaaccta	aatgaattca	cccacaggat	aagggagaac	togaagtaaa	108540
ancoratett	cttacaggaa	cccaacttta	aattocttag	agcaccaagg	aattttaaag	108600
anananttta	gcttaaggta	atctcacact	gaaaghtett	ctagggaggg	aggaaagata	108660
-acaaacceg	rtastatgag	gaagattttt	ttettaagea	ccaaattatt	attacaaato	108720
tennage	tatacgggag	32223000000	ragthaccat	aaacttcata	accascassa	108780
townshitte	atattggaar	ananageacc	agartateat	caacaatact	aattototto	108840
cagacateeg	ararraggaar	emacacacac	agacoutour	0444444		

hchasabota	agagaaaagt	ttgactaatg	atatetgagg	aaagaaatta	taacaaagta	108900
etseesestt.	ttassasgas	ccasatatas	tttctaaaaa	tcaaaaaaacc	catttttaatc	T08880
atreattorac	accttaataq	cagataacac	agttgtaaaa	agaattcgtg	gacaggaggg	109020
canni caaaa	gaaataatac	aggatggaac	arqqaqacac	acatqtqtqq	aaaatacaca	102080
edomentene	agagtgaarg	aggatagaaa	agccagagca	atqttqqaaq	agaattttaa	103140
presenteses	gaacatacca	attaatatat	ccaaqaatta	aaaaattcca	agcagcaaaa	109200
agacacacct	atatocatca	taaqqaatat	geagaaaacc	aaagagaaaa	tatcttaacc	102560
trartagaga	assatattaa	tttaaaagga	gtaatggtta	gatttacaaa	gacttetteaa	109320
harren at acre	agangecage	acctattaat	cacttccatt	ttcaqqaaqa	aataactatc	109380
tatatageat	totatataca	gaaataattt	tttqaqaata	aagttttgat	tcataaaatt	109440
+++++++++	+attrettea	caacatetet	attgcccagg	ctggagtgca	gtggtgtgat	109500
tttaaataaa	racasaceta	according	ctcaagtggt	eccetacete	agccccccaa	109560
attactatas	chadagheac	asactacete	totcagotaa	tttttqtatt	ttttgtagag	103050
acquaggetet	acceptition	ccaggetggt	ctcaaactcc	tgggctcaag	Caatccactc	102000
annettanent	cccasastoc	taggattgca	ggagtgagcc	accorgcccg	ggctgattaa	103740
researttre	asasstttac.	cactataaat	acacattaag	qaqaqaaaaa	agatatattt	103800
carapaseto	asserdated	taaatataaq	atcttaggat	qaaaqaagaa	atgaaaaaca	109860
ananna at mm	taaatottos	sofsaatata	aatgaatact	dactataaaa	Eddiddadat	102220
attacattac	argotittaa	atacaaacat	atatatatat	acacccatat	acataaaaaca	703380
catoacaata	oraggtassc	tataaqaaqq	attaataaaa	ttaatgtett	ttaagttott	1.1.0040
an another ac	Dankekkenne	asacctatta	atgagetata	acagttttct	taataagtca	770700
tettaettaa	atcaggatta	ccapttattq	autcasacta	atctaaatgt	tggtgagaaa	110160
atatottocc	agatacache	ccaatcaqtt	qactttaaac	aagotgatca	rrcraggraa	110220
tctagatagg	ccadatcasa	tcatttqaaa	gatetgaaac	atagggctga	ggeteetetg	110280
nananagaga	ggaattgtgt	ggasagcagc	ttcctttcct	qtqaqttcca	teetgtetgt	TT03#0
astetteert	tictcactac	chaccetata	gatttcagag	ttqcttatct	catgeteaca	TT0400
attocttcac	meantriatt	taaaaaacaa	aacaaaacaa	aacaaacaaa	acaaaacctc	110460
retersants	cotagatagg	agattggtat	gtcaatcaat	taattgactg	atagataggt	110520
astattataa	ttctacttaa	acttacaga	ttgaatcctg	aqtqataaat	tattattaga	110280
mendand	ttaacaacco	atatochato	ctctgaatac	atqcaacctc	CCCECAACCC	770040
coastriata	totttaaacc	taattaccaa	tataataata	ttaggaggtg	gggacacugg	770100
era are brock from	amtentasan	atagaactat	calidatttqq	astatatacc	tttacaqaaq	270100
acceptage	gagetgeett	otcectttca	teattqqaqq	acacagccaa	aaggcactgt	110820
cratosacos	GROSGOSGAC	chcaccaaac	actgaatctg	ctggtactat	cttgctgtta	110880
The statement	asttasasaa	totanganat	acatteetet	totttataaq	ctaggcagtt	エエのみその
aataatattt	tattataca	occcaaagaa	aaaaqtttta	qaaqtqccca	rraacarggr	111000
ndaacaaatd	catatossas	cattttgcaa	tatttcataa	gaaagaaaac	accatataaa	777000
atratatttt	acaaaataat	gtgaaagttt	ttatgggcac	taattttccc	ttgacctttt	111120
tgcaaatttg	tattagtgaa	ctcatataat	atgtgattcc	acattgcact	atttegatgt	111180
++a+aa+++a	antagacata	ttetactecs	ctagatggtg	ctaatactct	atcataacaa	TTTTE
cacaatcccc	ggccccttcc	gcacaaaagg	aaaactgatt	aattacaago	tgatatgttt	111300
atttttaact	ttcaaaattt	agatecattt	gatgatgttc	aggttattgg	aasaaacaaa	111300
taagtaaagt	aatccattas	cacaaaaaaa	gtttagcccg	ctcacttoct	agtgagaagt	020111
asstrottto	cettetaatt	attattatat	ttccaqqtqa	tacgtttgtg	cocctaattc	111490
ttgatttcca	aatatagttc	attgctttta	acaaccagat	gtagaaaaca	aggacacacc	111540
tettecacaa	aatcttccta	ccaacttctc	acaatattta	ctctgtgaat	atgittacta	111500
tatataaaga	attatcatat	tgattacctt	ttetetteaa	atagtactta	aaattotggt	111550
gctttttcca	teagtgttaa	atggcatctt	ttgattctgc	ttgtaagaaa	aagatatgac	111720
egeceetgt.t	ctattttccc	ttgctcctac	taccatcttc	aaaatcttag	ttcagatcat	111780
catctgtcac	tttggteatg	aaacttgcct	getaactage	etecagteet	ctactctcct	111840
oftentten	tetatteses	gagtgagagg	tgattettge	aaatctqqtc	atgreattee	TTTAGG
tgtgattaaa	attettetat	gacttcactt	tttacttatc	cagcattgct	aactcctttc	111300
cttggtttgg	gaacccctta	tetggetett	gccactttct	cggateteat	catgttaaat	113020
etropatata	tttactoroc	association	toatttattt	qtttatattt	tgttgagcat	117090
chinggentha	i-b-b-b-b-b-b-b-b-b-b-b-b-b-b-b-b-b-b-b	agatoottta	cacooottat	tteeteetet	tagaaraarr	117740
tracmacama.	rrreteates	ctagetttat	ctcatctttc	aggeetetae	tcaaatgttc	112200
totoctcasa	argargagt	cattetagte	cccaagacca	agcccaccta	atgretetae	112200
atantannat	cecesteret	artetetett	aggecetact	ttacctcctt	cacaaaattt	112320
transastas	raraseratt	trtottcatt	aggttttcta	tetatetece	Cacatcasaa	112380
tataparetar	ccacsattos	agaacaatgt	ttttcataqt	toqtqqaaga	attttcatta	112440
a hahahamat	whentmanth	cadatacact	thechateta	cttttgttct	aaccattatt	112500
gtattgagta	ttattgagat	aggagatggg	acttggacac	tggaccaaat	tgaggattat	112560
	-					

						22252
ccaaaacagg	totgagtgga	agecectece	tgtaagacac	acagaccagt	grgcrargae	114050
achthaccat	taccatggca	acacccagaa	ottacaggee	ctttccacag	caatgaccca	112660
acaaccogaa	offaccatec	tectectage	aatttcagca	ttaactacct	cttaatttcc	112740
ntntnatran	sactoratat	aaatatgagt	acadaactac	ctctgagctg	ctactgtggg	112800
ananataat	atgageacac	ctgcttagca	aggagaggtg	cctctgaggc	toctatacac	112860
Cacactgutt	acgagaagee	cegeeeagoa	~32~2~22°2	accept to a a t	tetttactoo	112928
tgccacttca	acaasaattg	ctgtttaaca	Coacaggues	acceregaat	cocccacagg	312000
acaaaaccaa	gaaccttccc	aggctaagac	ccaatttggg	ggerrgergr	cccacaccac	112200
tatcaactca	tgccatagca	aaagtattta	aggtaatgat	teactgeact	gagttctaat	113040
aataattagg	tatatettqt	gacataactt	tratttgcct	gaattgacta	acaatcgaat	113100
differential	actiosacca	ccttcaagta	cacaacaaac	agttattttg	goccaagtag	113160
tragactoto	aggargtatg	tacaacqqqq	ttattaaata	agatgcatac	aaattgaaag	113220
	atthetites	gatgtgattt	atchteasac	taaaagaaat	accetctca	113280
gcacagaaac	h = h = m = h h a a	tgagtagact	naggastast	atotopotat	ttmantttaa	113340
tttttccat	ECEAGACCAA	cgtttacaag	angecaceae	accedageas	tttatttaaa	113400
acaatgaata	cttcatctta	cgcccacaag	CCACCCAACC	gecageraat		112460
aaacactaca	ttggtgaagc	tttaattcat	rrggerttat	tttacaattt	addaccagee	113400
ttagtctgga	tgcagtgggt	catgcttata	aboocagcac	tttgacatgc	caagccaaga	113520
ggarcaatag	accccaggag	ttcsagacca	gcctgggcaa	cgtggtgaaa	cootgtotot	113580
acassasatt	ttaaaaatta	cctgagcagg	ccadacacaa	tggctcatgc	ctgtaatccc	112040
aggachthag	nannecaann	ccggcagatc	accagatese	gaggtcagga	gatccagacc	113700
ageneaning	gaggeoaagg	ggtgaaactc	cotetetact	acaaatacaa	aaaaatagcc	113760
accocgacca	ecaccaacac	gragtcccag	annetagge	aachaaaaca	ggagaatggc	113820
aaaccaaca	gegggegeer	gragicicag	Gracceggga	220020200	taaaaaataa	112000
grgaacccgg	gaggcggagc	ttgcagtgag	ccgagacage	gacactgcac	Locagoorgg	113000
gcgacagagc	aagaetccat	ctcaaaaaaa	aaaaaaaaa	aaaaactacc	cdadcaaddc	7773340
ggctgtaatc	cctgctactt	gggatgctta	ggtgggagga	ctgcttgagc	ccaggaggtc	114000
gaggetgeag	toagccatga	ttocaccagt	acactacaac	ctqqqtqaca	aagtgattcc	114060
cratatasss	aaagtaagaa	taatactaaa	caaaatcaag	ttttttttt	gcccatgaat	114120
tagagatata	astacottta	actactggta	aagsgtagga	atotttttac	tataatttga	114180
annantaat	tatataattt	tggtcaaagc	taaaaatcaa	tattacttaa	tattttaata	114240
ggaaaacagc	Cacacacaca	ttcactttca	nneedtidee	ogocattatt	gacatacaaa	134300
accccaaccc	ACCCMALLLE	attgacatac	aaccccaagg	gggcaccact	attttcasto	114360
caccaagera	attacttatt	attgacatac	adacacagaa	CLARCURCCC	tonateatas	114420
tcaatatatc	ttttaactgt	tagttgaaaa	gegeeettae	ccaaacgaaa	Ladaccacga	114400
taaaattata	tatttgggaa	atcettaate	aaatttgtgc	tagattgttt	tggtagacta	114480
aagttggtct	ctttgttcaa	ttattctatt	tttctaaaat	tattttgtgc	ataaaaaaca	114540
otagatatta	ttttttaaat	agcctacttc	taaacttagt	aggtatcaga	atatattata	114600
angenangit	acasastcas	tttqqaaaaa	aataaaqcaa	atgaacaaaa	cagaaatago	114660
angeataget	atthematic	aaatttcttt	cttatettet	cactgatgta	tagtastact	114720
****	tastaattta	gctttggtat	acacaogoga	tatatatico	aggactccca	114780
acceacceaa	taaccccccg	tacttaaatt	at acatttac	ctctctccass	accocatota	114840
cacaggecaa	aacccgcaca	t	threecons	constagat	arttttacc	114900
cgaaaagtca	gettttecta	tgcttaagtt	ctycaaccca	toracacht acc	accordate to	114960
caggtttagt	tgaaacaaat	tcacatagta	agcagacccc	rgaagereaa	gracacacac	215000
gtcaagggtc	aattctatat	gcatatatac	gatatgatct	aattagcttt	ccaaaacaag	115020
asatattcaa	attattttat	aaataacatg	agaataaaga	tcatttcaga	agtaacatat	115080
atacetttet	aaacagagta	aagaattgtt	taaagaaaca	aactctagag	acaaagcaga	112140
atagagatta	totcacactt	aatagggatt	tgagaaagaa	aaagaaaaaa	gaaaagaaaa	115200
apagagarat	apototopos	ggctgaggca	ggaggattgc	ttgagcccag	gtgttggaag	115260
atacacagae	atetastas	accactgcac	treageatag	gcactccagc	ctcaggcaac	115320
cegeagegaa	antenna an	aacaaacaaa	000000000000	sacaacttaa	ceatasasaa	33.5380
aaagogagac	Cocycocoaa	accatasasa	-anantaaaaa	annende data	tagtgagatg	115440
agcaagaaga	aaattccaga	accacaaaaa	gcayacagga	gaasagasga	totagecacaca	315500
aagttggata	gaataacaag	tatgtcataa	ttagagatas	aacaayatac	Laccagaaca	115500
tgggttgaaa	ttccacaact	ttcttgaaat	gtgtatttga	atagetaatt	tetaatgeea	112200
gttattgttc	cagtcacaaa	aaacgaactc	agccacasag	agacagtaca	attaggaccc	115620
tgaaaataga	caasasaaaa	aaaaaaccca	acacacattq	taccaagtat	ractaagtag	772000
ractroroca	agttasagtg	atogaaaaat	qaatqaqcqa	aagaacagat	gagtaacaat	112740
on another of	gasacchtt	ccattatate	totagattat	ggacagcctg	toqaaaaaqc	115800
gaaaccaccc	atastasata	gaaaatataa	cacaacaa	gotoataact	atttagtgca	115860
gragragaca	ayeyacea	acccaggaaa	stetaseett	totasttoca	ttgtagatgt	115920
cctaaaactc	raccasaga	accuaggada	to accept to a	anathter.	nitateenee	115980
gacctatgtg	tectaagett	aaatttatgt	Lacaguidag	and cccceda	augaararty	376040
ctttttcctt	ttatttattt	ctttcttct	cetttttttt	cerettitg	agatggaatc	710040
tecetetgte	gcccaagetg	aagggcaatg	gcatgatctc	ageteactge	aacctccgcc	110100
recetastte	aagcaattct	cctqcctcaq	cctcctqaqt	agctgagatt	acaggcacgc	110100
gecarcacge	croochaatt	tttatatttt	tagtagagat	qqqqtttcac	catttttggtc	110550
aggetggtet	coaactccto	acatggtgat	coacccacct	gggcctccca	aagtgttggg	116280
~950000000000	-7					

attacacctc	rgagecacea	Eaccoacet.	ggaagaataa	tcacttttct	atctattaca	116340
retropports	acaaggttta	toaaaaaactt	ggctaagtta	aaatqtcaqa	aqaaacaaaa	13.6400
atathetate	aaatgttttt	terrrett	ttattottto	attttttgat	gttcagttac	116460
rhrannoat	ctgagctatc	tttttatgac	techtateat	tttaagctaa	aatqcaatac	116520
Ettttata	attacatcat	cccctttcca	totactatoo	ttttgtgaag	aaatqqqtaa	116580
catacagata	agttaactga	acacaggat a	ast tagatag	cagaatetea	aaggcctagg	116640
racatacgos	atggtgtgtg	tagagagaga	gagaagggat	aactgggaag	aatqaaaaqt	116700
caggcgggg	tgcagaataa	acast coarr	attaaccaaa	taasagtoog	tcaatgtaga	116760
ggcaaaagac	tcttagasac	acaaccgagg	acatosaosa	catttaccaa	tetactttta	116830
ccggcccaga	tgggaactta	chtatacete	acceptaget	tagttaggsa	tacttacata	116880
aacccatatt	agtttaaatt	atatataggg	agaagaagaa	catatocatt	cccaccatat	116940
tttcatttt	asaataagca	acacycayyc	addendaded con	ctcacgetec	roccatttet	117000
geetaaattt	tototacccc	Augerigeer	aggettgaege	taggartag	accancagat	117060
grgggcartt	tgggaaaacc	t-t-t-t-	goaccoacta	attetstict	tatectcate	117120
ctgtcctacc	tctaccctcc	ccaccccca	gaaccacccc	geceeseses	atapastast	117180
aacatccatt	agtaaattat	cccgcccact	gaaattytt	atoctasast	abotattoao	117240
aataattcaa	attocatgta	gaacaacact	addition	Accordance	thanhateas	117300
tgtatttgtc	attocatgta	aargacagac	Eggrigadar	attagradat	cocacaattr	117360
cacgtaaagc	attttaggag	gagacgagac	accgaageca	gazzatatog	agatttaaaa	112426
aaatcacacc	atatagataa	acacacacac	Lactatotoc	gaaaacacgg	acceptation	117480
gagcaaaggg	gasttettat	ttattacatt	ganactcana	cacacaacts	tataaaatar	117540
accactatte	teetttetet	gactgtaatg	gaacccacca	acccccgacc	cacaaagucu	117600
totgggacct	gaaataacgt	ttetgeacte	taaateccea	ggattaaaaa	acatgeoree	117660
caaacaacac	agccagtatt	tacttgaaca	EGEEEcagea	gageceraac	ttattcactt	1177000
taatcatctt	ggaatttctg	ggctgtggcc	Eaatttcata	tagtacacaa	Lugicagaco	117720
ctaaatctaa	assatctgct	tggtcataat	atattcaaaa	cettggtcat	accatattee	117940
aaaaaggtga	aattaggtgg	tacgattgag	aaactgttat	cctaaacctt	greergraaa	127000
totgacccaa	ttcttagtag	cctgcagtga	ccccccgage	cagactgeta	aaacaaggag	117300
gcaattaacg	ttcctacaca	attggaaatg	trattgtaga	caacacactg	Cattagaaag	117700
gttctatgta	gtacccaata	tattasanna	agaaaacaaa	ragaaagctg	aaaccacaaa	118020
ttattcctgc	tggctataat	tetttettag	taatgaatag	tgststtttt	gaagaaagct	110000
cactcttaac	agagcagaag	taatgctaaa	atgttatgct	gttgaataaa	gcagattgtg	110100
atagtattca	aactatotto	tcaatttggt	atteageatt	Ceardrana	accutadaca	170200
gaagcaaata	ttgaaatata	tgtgagtatt	tttcatgate	aaagccactc	tyrraayraa	110200
aaattttta	gatatggtag	attaatagaa	ctganggaca	cecegaacca	geetageete	110320
agagagtatt	tgggaaacaa	ggaataaatt	aggagtetga	tatecactga	additioning	110440
agtttttctc	cattggcttt	tgcattacat	gtgctttat	gaaaaccacg	aggerggeer	110500
aagcattgct	ttaaatacaa	agttgtgctt	tatcttttag	gasacaacca	gatttatatt	170000
attttcacca	rascatatat	agtgccgatg	ttcaattcac	cagtagaaac	egataccaca	110000
tttaaacaca	cattgatgaa	aaataaaata	aaagrgaaac	aagtcagcaa	Eddicadeta	710000
tgtaaataag	atgtttaaat	cactattgtt	taattatcac	acacactttg	atgracecta	110000
ttttaataat	atttcaaatt	caacttttta	araacttaaa	ergerracea	aactigctat	110000
tgattcttga	ttttaaagat	tagaaataaa	acaaatctcc	creatatgae	aaacggcatt	110000
tatgtaaaac	tggagcaaac	agtatgtagg	tatgaaacgt	cagaaacact	CCCACAAACC	110000
tagtaagaaa	agacagaaat	atttacacaa	agaaacagaa	aaagacgcoc	tttataatag	110320
gtaatattga	cattgttctg	gaactgtttg	taaatacaaa	aaggtttcat	LULaddalau	225040
taattataat	atttatatgt	acaaggaaat	aattgttttc	cccacccaaa	aagtggctac	115040
atataaagtt	tacaagccaa	agaacaagca	ataacattag	aaaacacaac	tgaaaacaac	119100
tcaacctttc	aaaaggtatt	aaacatattt	gaatattttt	taaartacca	aagtgtataa	119160
ctataagaat	atatotgott	ttattttcta	gattggaaga	ctgaaacaga	garrrgtatt	119220
atttgctaat	attetteagt	tectagagge	tatgtaatgg	tcactcaatc	aaaatttett	119280
tactaagtga	aaagatttta	gaaattatga	ataatatgta	attcattcag	tttaaaaatg	119340
tttaccasst	arcrateaca	taactggtta	nctatcaaaa	actaccaaaq	CARRCCTCCT	<b>エエカボハハ</b>
cessesstas	notttffaat	ctatcaagaa	acaataatat	aattaaattt	tattatqaat	119460
ccacaaatto	tettaetgag	otcagaaaaa	aactcctaca	ttcatattca	cractccaaa	773350
agagtggtgt	tesagaatat	atgttatata	caactacagg	aaaaaaatct	ctattgaaca	773200
anthaantof	tacasatate	gtatattcaa	thogotthea	aatttatata	atatttttat	3.1.9649
herberat aana	caachastac	trototacaa	gaattctaag	otcatoacaa	tatcagrege	119/00
asatrotasa	tosattttta	tttacqaaqa	ottaaaatca	tatttqaaat	agatetaate	773/00
attataatt	gatgggtttt	attgactatg	Eatattcaca	LCCLLCCLAA	Lycelle	1127020
tastanattt	roottatact	cctaaccaaa	assotasatt	acattttatq	acaattacaa	113000
tenterronn	tattecagat	catactttt	cagaaatgtt	tattaaaaca	EEECattotta	TT3340
ttttatatta	aatataatta	tgatgaatat	ttagatatac	cattcaaata	aggttcttac	TZ0000

attttttaaa	ctcaacaatg	tcaaaagcca	ctcaattgtc	aagttacaga	atacttaagc	120060
anathtteta	aatcaaattt	thattactcc	totoassage	atcattagca	aatgtttcat	120120
natacacttt	transasasa	otetettta	atettacett	ctqctacaca	aatagcccat	120180
nener same	apatastett	toctagaagt.	ctcattttt	agatetttta	agaggacatt	120240
tononometes	ctctcttcac	ascorceagt.	Echcototto	caadaattqt	garragraca	120300
docesses	tactacaaaa	ggaagttgaa	actagatget	ccqcctatca	gaaacttttg	150360
dosoutabat	aasaaatcaa	ccacaaacca	caagcccaga	aatqccaqaa	gttaaaccca	120420
attestancte	cantennant	asatottast	actataacca	getettggae	EUUTECEEAL	120480
handetted	aaattctccg	rrogsasatg	ttcatcttct	togtatgtqc	asatcagcag	120540
chagecaggg	cctctggatt	tratasacco	ttcaattatt	caaactctat	togggtctat	120600
teketetete	cctcagaaca	concutation	gaaactttaa	aagaaatcac	atacaaaact	120660
Lycycataaa	caatgttttc	acastrace	cccacacaat	gtgtacaaac	tttqccaaqa	120720
Leggerragg	tgatgaattt	acaacatctac	ttttctsacs	atttatgaaa	ttagttttct	120780
	tertatater	Escapacia	chaactaact	ctcatttqac	qraaaraqqr	120040
thenkennen	aasaatcaac	tasantraca	actastttt	seaactttot	attatagtat	120900
LCARLAGUCC	aggaaaacat	aantontato	chagatatta	agaaggtaaa	gatacctgtg	120960
aacacgcaca	caaggtcaaa	coactoneaca	trarracato	ccagaaaaacc	ccagtactcc	121020
aaaccaccac	atacgcctct	casccetcte	CCACACGGGG	cacacacaga	gaccacgatt	121080
tttttagtta	agaacatgga	atatatttat	ctaactttta	ractttotat	aatgaaaaaq	121140
ecgateccea	ttottatgtt	tagagetttt	caccasasat	tetotttaga	ccattcaaac	121200
aagcagccca	atgragtrac	nantpatten	thettattae	getttaatac	tccacttttt	121260
acattgitag	cattttattt	agatagetea	atatteatae	gcatttcacc	agattttagt	121320
gaaragreck	tatgastagt	accogracy	cogcoagoga	abrancettt	hootaaacac	121380
rrggagergg	totggtaagt	gorgoracgg	tactcaaaca	creacacata	atttatottt	121440
aatccacact	gataaaatta	gcatacttgg	casessaucu	ataacactto	acatcactto	121500
aggrataatu	cagcagtgtc	gacaaccccc	catacoggaco	gagatacttg	gtaattttaa	121560
acatttccat	ttragetttt	wk wat a sore	asaccastas	tratacataa	ttataatato	121620
cccttgtaat	atgactastt	coggiaacac	acatecetna	tteccettga	aggacatgca	121680
aaccccccg	ggcttgccag	tracerocce	atacacetga	aaccccttac	aaaaaaaaaa	121740
acaggrgrgc	tgcaccggtg	rraggroger.	actoraconot	treagactet	ogceteadag	121800
agcacacaga	gggtgggtgt	cyggaaccyg	agraagraar	atagacatat	ottacactot	121860
cagcatctag	ctttgccatc	transastant	tratatatra	arcageteaa	ceascont	121920
derectread	atgggtagtg	rgcaaacggc	staggegeet	atatececae	ctattaccca	121980
COCCUALCEC	agaatcggat	ggaragrada	ctcaaaaaat	gagggggaagt.	ttttattgag	122040
gegeeceaaa	ggctgtcagc	-acategggg	aaaaaaataa	cettegees	ctctcaccc	122100
rggrggaggu	cagactette	tecaccoate	cerocecasa	chacactaga	agtggagatg	122160
toccaguage	ctttctctgc	teteteatte	raccatoaca	ganetatita	teggettgee	122220
teteeccu	ctcacttgta	aatctcttct	ggaggttgga	ghttgggatt	tatatggggg	122280
tottotgette	gggcatggcg	ggcccaaaaaa	caacttttta	gatatgaaac	ctgaaatgcc	122340
cacgacageg	tagggccaca	ggccaaaagg	crtaagagta	gagaatttac	ttggggacca	122400
tgcccccatt	cccagtattt	ggcccccagg	taccettase	atgaagttga	gaaactttcc	122460
bobbecases	ggtcatttag	ataccetett	rootaaaggt	tctattcass	tectttqcat	122520
Egragicador	tattgagttg	tttatettta	acttattoga	atataggaac	totttatata	122580
acct to cook	tatattctag	statgaaaat	aatottatta	atatgtatta	taaatacctt	122640
attacament	atagattttc	rttctattca	gtattacatg	tettttataa	taataaaaag	122700
a a ir ir matemaa	******	caccasattt	tesatttttt	tctatgacta	gegeattatg	122/00
ententett	astgaaaget.	tacctactcc	tacaacacaa	Edgetttett	ccaaaagaau	755050
habbbbahnt	ナナアコアコヤナヤス	agacetttag	aacaactqta	attotettt	gcgcatagca	122000
tastassas	atccagatgo	atrittaaaa	tagagatatc	caattottat	agcattatto	122940
e e consesor a	trattette	chehotacho	acatoctttc	acctttqtca	raag coayy-	123000
acttetaraa	agregraparr	tetagggaact	tragetttet	agttatcttt	taaattgatt	123720
tatttttaa	tttcatattc	tosatastte	cactotttta	aaatttgatg	agtetttett	123180
tataaaaaa	tatagtcaaa	attetaceta	totcagtagg	tcasqtttqt	aatttgttaa	123240
astettter.	コナナナナナカナナス	hantititata	toattattcc	accadatatt	gaaaggggcgc	142200
accountings	ccattataaa	tataaathta	ratatttccc	notttaatge	totoaatott	123360
*-*-*	aggagetatos	tastacttac	atacotattt	agaartgrga	EMECCEECE	123420
thoughton	cattttctca	rattaaatoo	cccaccctaa	ctctaatttt	gcttccaatg	123480
herapite tetrac	a++++a++++	attettatt	thattitiqt	aataaaaata	caaggaacaa	122240
are orthograph	rantrattto	rtotoscasa	aataaqaaat	aaaataqcat	ggatatatga	123500
atashassa	naattemaat	tetasactat	cattctgaag	rrraatttqa	Ectaacugac	123000
acceptate	ttgacatact	agatcattta	aacttcttct	ttattccttc	cttagtttta	123720
accordate	Sacretati					

tatatttaaa	tatgaatcca	aacattttac	chagaactta	aatttccaat	aqtqqtttct	123780
cccgcccgag	caatattatc	acttcccac	tattccagaa	actractase	attaatatta	123840
accordacag	attatatacc	acceggagag	ctaaccacat	rrattcaata	cttaatgcaa	123900
ccgagtgtta	tgggagacta	thantattta	oststmassac	atgactgaac	tgaaccacac	123960
cacaatgaaa	caactccett	angetangaa	canattacta	gaggggggag	tcaaatccag	124020
aacattttag	ttaaaatatg	aaggccacaa	tatactgetg	tattcacata	totactetag	124080
tggtetgtgt	craaaacacg	tgtttaaaa	habanatata	didtasasat	attosacets	124140
tgtatgcttc	acatttattt	accelecaat	Latycatata	cogsammage	attttaatat	224200
cacacacaca	tatatatgtt	tgtggataat	ttaaagtaca	tataggaatg	accergecae	124260
acaaatcttc	acctaatttg	caattgttga	atgtaasatg	CCHCCCHOL	accuanguag	124200
aaataatcct	cttgaattaa	tttcaacaaa	tatctttcag	atgtattatt	CCCACCACCC	124320
tttctttatc	ctaccttttt	tcaaagactg	atggctaacg	tcaattgagt	genengen	124500
ccctttttc	atcaatactt	ttcaaaacta	caaaagtcta	ttataaagaa	actcagaaca	124440
taagaaaatt	agcaacatat	tatgccttaa	actcataaaa	ttattatgta	gtattagatt	124200
accattagaa	agaccagata	gtaaatagtt	aactattaat	actaagatta	ascatgasat	124550
ggatccaatt	tattttcaat	attcatgttg	gcacattete	agcaaataca	tactatgtat	124620
atttqqacat	taaaaattta	gaagagtaag	gatataaatt	tgtattagag	aaaaatccat	124680
*********	natacapata	rtastatota	toctaagtaa	caaatqactq	ccatgactaa	174/40
astititonaa	monagethac	aagaaagaga	aattactqaa	cactggtttt	gatcagggac	174800
gaanaatagg	ssactataga	gactastcts	qaattaatqa	gaagactcac	attggagcag	124920
touck to touch	Tiggggmann	chacasasaa	tasaaggagg	tttaaatqaq	gaatggtttg	124320
anthonomat	rassasetta	caaattattt	tacaggcaat	aaaqaacctt	tgatagatet	1720040
actemanasa	nasatntaan	tratoratta	tttaagtaar	agtactttag	cadttdratt	125100
assaramete	Caccasasac	gactcagaga	aatoacaaat	taaataaatt	actgaatgaa	172760
reheadens	cetantett	chargaaget	aatgaagtet	aagcttcagg	gctcctaatt	142200
FORDROAMS	costcaaggs	cctgagetgg	cccttaataa	controrgea	tggtcatcta	1752240
is to the standard of the	anachtnaana	maattaatct	chtaattqca	agagaargaa	edderdrere	7722400
bastationa	tgctgatttc	contrastra	catttccact	gattcacttg	acattacagt	125460
bbacananht	tgaaggatgc	inesessors	tacacataga	atoctattag	tttgagattt	125520
etcagguace	ttttacagtc	teastrasst	ataatttgat	sactgatggt	cctccaagtq	125580
atgtggtata	ttccaggaat	agtgotage	cccctatacc	aaatcaattt	ocatcataac	125640
taagaatggc	agtgtctgaa	managagaaht	aboutgue	cccacaccac	aagtotatgt	125700
acaaaacttc	agaaacaaga	gacageacac	tassasatat	garcactat	crassatttt	125760
gtagtgaagg	ttecattoto	LLaaaaagca	etestastas	gascagacga	ttactcaact	125820
aagtggatga	atattggcat	accgaccccc	u coccagaaa	ttacaacca	cotttcaast	125880
cattcacaat	atattggcat	Caataacaat	accacaaaac	cacaacgca	restatrant	125940
gaagacattg	aggtcaaact	agreecaac	geceeaacce	adagaacacc	anamasetc	126000
tatatcatta	gaactctttt	aatgtcctga	aacctrggag	:::a::a:g:	taagggaaacc	126060
tgacaggatt	ttttccgaaa	tttgatgaca	accetasaaa	egeeragaca	caageggega	126120
acttgaaatg	acttcaaata	trtccacata	acaagaaaca	aatttaaatt	anacatacta	126180
aaagaaagac	tgasttattt	tttctatttt	atgtacactg	assacattat	aaaacggcgc	126240
catatgaagg	aaaagtcaaa	asagtattca	acaaaaacgt	agaaatttaa	ggcaacaaag	126200
actttatcac	acaatgacta	tacctactat	attttgtgtt	retaugatat	Eccarrageg	126300
ttttaatttg	catttcccta	atagttattg	atgttgagta	Effectedat	gaacesgusa	120300
gttatttgta	tgttttcttt	tgagaaatgt	ctgatcagtt	cerregecea	CECETARACE	120420
atgttatttg	ttttcttgct	artgagttgt	ttagagttcc	rtatatattt	Eggacattaa	120400
ctccttatca	agtgtatggt	ttacaaatgt	tttctcccat	tccataggct	FEGEGEGGE	120040
tatairtattt	orttecatac	chohacagaa	getetttagt	ttgatgaaat	cccatttgtc	120000
totttttaant	Ettattacct	orgetttaag	agacactaaa	aaaataaaaa	raaaaarada	170000
*******	ert erconnet to t	taactcattt	chhchadtaa	ttttacagtt	ttttqtcttt	126/20
anknostttt	anathra tri	trotatoran	tataaaataa	agatecaatt	taatccttct	120700
anakamamak	accesatttt	cocastacas	tttattaata	agtetgteet	ttcttcattg	TS0040
tatattatta	acacctttat	tossaatcaa	EEGGCCGERA	acqcacqqqu	CURCECCCA	120200
antttetate	tratttcatt.	cataaatato	tttatttat	tqccagcacc	acgetgette	170000
eteenests	ortitataat	asattttqaa	atcaaggagt	atgatgcctc	cacccccacc	12/020
Fretangern	papartattt	trattattto	ggaacttttg	tatttccata	tqaattactc	751000
taggettate	atatatooto	chhattotot	tgaggtacat	ttettetata	cttagteggt	12/120
tansattttt	atcatonana	gatattgaat	tttatcagat	agtititicig	tatttattga	12/200
antantanta	+matttttmt	ectreatret	ortatattog	tatatcadac	gracegatet	12/200
your acycly	tgttgttgaa	ttragttrag	taatatatto	ttgagggttt	togtgoctat	127380
abantamana	atactggcct	graattttca	throntora	tatetttage	tagttttggt	127440
Arharhadad	orace996000	3344555666		2	5	

2+02222+22	*attracttr	aragaatgat.	gttagaagta	cttcttccac	ttcaastctt	127500
transports	tancapanat	coatattagt	rettettaaa	agtttggtag	aatttagetg	127560
Fagggggggg	cacchitted	chithcottc	acaggaaact	ttttttgatt	caatcatttt	127620
atttattatt	matchattca	datttctatt	atttaatqat	teaggettgg	tagattgtat	127680
atatataaat	tocatoroma	totatatica	tatottotat	atatatacat	gtagaaattt	127740
atacatttet	tetagettsa	ccanattatt	ggtgtatgat	tetteatagt	tqtctcacaa	127800
acacaccccc	ctctaggccaa	aattottaoo	teteetettt	catttatgat	tttatttatt	127860
CCCCCCACCC	tettesstat	accegecage	tattatettt	tcaaaaaatc	aactttttca	127920
CONCEDERCE	ccccaacyc	tatherenta	atcrattatt	tgttatttcc	trocttttgc	127980
progartttccc	cegaceacec	atatazatta	chtcastttt	acatagttca	thtgagatet	128040
taggettgaa	Scengener	bbattatata	tetentates	agaactttcc	acttataact	128100
ttttttaata	cagacacccg	cigitatata	ataattitt	catttttatc	ctgtattttt	128160
tttttegerg	careceguga	gecergesac	ttattassa	gcatggtgat	taattoccac	128220
tattttcatt	ttgatttett	ccccgacaca	ccgccgaaga	ctagtttcat	attactotca	128280
atatttgtaa	atttttcatg	accecereg	CCACCGACCC	CLAGILLICAL	bacactasca	120340
trggaaaaga	ttgttatgat	ttcaattccc	ccaaacccca	acttatttca	Lagocctaaca	1203400
tacgatctat	cctggaggat	gttccttacg	tgtttgaaaa	gaatgtgcat	backtenant	120400
ttggttagaa	totttggtat	atatetgttg	ggectatteg	gtctaaagtg	Caacccaage	120500
ccattttatt	ttttattgat	tttctgtcta	gatgatttgt	tcattgttga	aaacggggcc	120000
ttgaagtcct	ttgctatgtt	tatgtttcat	tctatctttc	ccttcagatt	gettagetat	120200
tetectgttt	gacccaagaa	tactagetgg	tggcatttgt	gactgcagca	CCCACCCCAA	120040
aactttggaa	acaaaagacg	teattetatt	tatagcattc	tgtttttagt	agegatattt	128760
togtttacaa	aatatggtaa	tecttgatea	otgassatgt	caaatcctag	aaaacgtagc	1,28820
attcctacat	gttacgttaa	catagttctc	gaacagatgt	tggctgaaga	ttcatttgat	158880
*******	retroteasat	egatgattct	gatgtccatt	ctctttaqaa	ataactccaa	750340
gasagtttes	tattttatt	tracattosa	aatcagtcat	atttgcttca	acctcaaaga	153000
arttattat	otsasatosa	otgaatotto	ucaucaauct	ttacttttt	Effermanta	123000
	tantagataa	トナトニナニヤニヤナ	taggtggtgt	gatgttgagt	gcatatatat	129120
bear annet both	totattatet	tastasstta	accactttat	cattacacaq	EGACCETCUL	アカカエロハ
44m4m4m4m	chostettes	ttttacataa	agtatecttt	tctatcccag	cagtctcege	TSAVAN
what at at a a	santasatta	agtttcttgt	taacatagta	tacttggatc	ccgccacege	7733200
******	+artestent	cecactette	atctttgaat	tacagaagtt	aacccaetta	129420
astttsaaat	aattattgat	aactagggag	ttactactac	tactttgtaa	Ettgtettet	773480
contitentat	*********	charactegat	atetttattt	gtggtttgat	aatttttttt	773240
antennt at to	rrrraatoot	Protetter	thetttteea	tcaactataq	gtttctgcct	123600
transference by the manufacture	handatoado	aatacataaa	acatettaaa	catttaaatc	aattaaacat	123660
+++aaa+cac	ttratragen	teactagtea	cattttcaaat	actcaatagc	cacatatagg	143/40
taataaatat	tanzgaggat	tttcatcatc	atagaaattt	tcataaqata	grgcraagrg	773100
nhatastast	cacagagoon	tocccattat	octcagasas	aggatggaaa	ggaaatgagt	129840
	+matactart	catatatatt	raaaaaaaaaaa	ggatattaaa	Carcardaac	129200
+artnarast	anaartarta	arracatota	attootaaac	caatttaatt	tttttttt	153390
eaaccccego	gangageet	tacaactast	rerettotat	tttttggtag	agacggggtt	130140
cacaggogoa	- caccaccacc	atatassat	cctgagetea	agcaatccac	ctgcctcage	130200
coaccycycu	gcccaagecg	gacacatasa	ccactocacc	cggccaattt	atttttaata	130260
CCCCCARACC	gorgggacca	caggeorgag	topagattea	gtcatcaatt	acteagtetg	130320
attacaaata	Linginguette	tastacttta	gaagaccoa	tetgtaccet	cacacaacca	130380
EGETTTEALL	ccccagcig	etactggcccg	ttasancecs	acacaaatta	aagttagaaa	130440
ccagcacttt	gaaagcacag	ccagcacaaa	atttatataa	ttaattcaaa	tratgatoag	130500
aaagaagaga	arrarach	thantanter	gaaatgaaat	tttcctccc	tractoacto	130560
crrgreattt	COECECACCE	heteteees	aaaaccattt	taaaatcctg	aaaagtgtcc	130620
agacatatac	eggteteett	POPOCOCOGG	anaayayttt	cccaataccc	thatgtgett	130680
ttgttatatt	ECCCLECTA	ttgcaggaaa	agacaacaacyc	thtomacat	trrrrcatto	130740
atatgcattg	cctaagataa	aggreacett	Largattrat	tttagaacat	chtchttcts	130800
ttttgtttaa	ttttagttgt	aaggaagtga	anacacacat	gatectacat	natactttac	130980
tgcaattatt	ttattaggtg	carrattaaa	gcragattgc	aagetettea	agraditta	131040
ccagctgcct	cttttaatgt	tetetttccc	aggttcccag	gcatttatcc	Cadidarana	

						321220
cacacascac	aactgcaaat	treightett	taaatggcat	attagaaatc	Egrgageaaa	131220
oreactitit	trarreceages	chagacacaa	atcaactttc	caaqctctac	tgactcaatt	131780
ttaattgcta	tataataatt	aatttatato	tateagat.gc	totattaaat	gcattatcta	131340
atttaattca	cgcaacgacc	Linkstone		244440004	Franctionna	131408
atttaattca	CLCSSSSSCT.	tcacaatata	Cecesacuan	cyccycccc	egcccaggga	102466
atctgaattc	cagagaggtt	aaaatgactt	gcttaagtta	gragtgaact	tgagatttga	121400
tecetaacta	retogttest	caattgagga	tgtacacaat	agtotogotg	cetttttgac	121250
baccossatata	++++at+nna	apport that t	atraattttd	gttttggaca	gagggaactc	131580
Lecangegen	LLLLHUUGGG	t-t-t-t-t-	accastantan	agagatastt	tastacotto	131640
tragagorga	tattctccag	ECECEdatya	agacccatag	agacataatt	t accompany	221200
tqtaatqatc	atacttaagt	agagtgtatt	tgctttctgt	aagttaattt	tccaagatat	131/00
ctsacasatt	ateractect.	acatatcaga	tagaagtaat	catttcttgg	gaaaaataaa	131/50
aggagtatte	octatostot	ataattagta	aatgactgaa	agtagatggt	tasttqtcat	131820
hhabbanka	kaaataaata	arrrateacc	centrastat	aactaattag	sttagcttat	131880
ceaceageeg	Laagtaaata	4. C.		gagaattcat	atatotttac	131940
acatatcatt	taaatgaaat	ccasacccas	antgatgeet	gagaacccat	tth	133000
attttgatag	ttattatgct	atctctattc	ccccccaga	assastctat	CCCLLARCES	132000
taattaattt	ttaaatcaac	agcassassa	aaaatgtaaa	aattaatctg	ggtacatgac	132060
assatttaa	tanatrtnat	asastatitt	attoatatat	cagaaaacaa	cataattact	132120
and and the con	htattaaatt	trasttetas	taagaaatog	tatttattaa	tcattaaaca	132180
goongoood		atatttaata	hostosotas	attaacaaaa	caccatttcs	132240
ttacattact	aacaacaccc	acacccaacg	Concount	aataaagttc	oagtaarasa	133300
ttgtaaaaga	gaaacttttt	ttcattagat	gerecesa333	aataaagtto	Caccecacaa	132300
gtattcctca	aaagtgattt	taaagtaatc	tttaaggtaa	teccaaatte	tcaatagcac	132360
stangaggat	ccatttttta	assotaatoa	ataaaccaaa	aaaqatgaag	taaactatta	132420
attroctor	amatttetta	atoutataca	agrorrratt	tttctctqtc	aggrgaarra	136460
at tocothygg	agattectta	acagatasta	sagattoott	ttgattacat	atgasascct	132540
ttagaaataa	accegaacge	caaggegacg	handacece.	abaatthaaa	taccancata	132600
tetttaaaaa	ttactcacag	ataaaaattt	CCACECCCC	atggtttcag	LGCCR399cm	122660
ttatatacaa	aaatggttaa	actgctaaat	aasatatgca	attctaggtg	rectattigt	132000
patrottagt	antatttaa	cagttgtcca	aggtcaggct	sattqtaatq	atcacttttg	132720
cenenement	denneednot	gachhhhhhat	tattattatt	taaqatqqaq	catacatata	132/80
********	barachatea	trotataste	treactoret	ggaacetetg	detectade	132840
Luaducagge	ragagiging	cggogogaco	etnectors	ttacaggcat	acaccaccac	132900
tcaaacaatt	granagrana	ageerceega	gragorggaa	ccacaggeae	pagadaataa	132950
agccctgcta	acttttgtat	tttcagtaga	gacggggttt	caccatgttg	accaggerag	132300
tctcaaactt	ctgacctcaa	gtgatccacc	caccteggcc	teccaaagtg	ctgggattac	133020
annestaane	cartetecco	agetgagggt	gactattttt	ataatqqcat	cttaaaatga	133080
CCaaaccacc		ataataaata	eattetttat	tettaaaaat	gaghhghaha	3.33200
CCECTTCTEC	agegagatet	graaragarg		t a a a a b coa b ir	tornessons	122260
cattaaatat	gracagtttt	atgtgttaat	cacacaccaa	taaaatgatt	Lyaddadacaa	100000
tgttcaaagt	cagttgaaac	ctattcttaa	gggaataatg	gtagtgacta	gttgttgtaa	133320
acccontact	accaptatet	aactaatagc	caacacaata	tgggcttcag	ggctagttgg	722220
percenatag	aaggatttor	ataggettta	tattatttta	agattgaact	acatattgac	133440
	tagantona	taghatagha	attetttaca	catagaactg	getgeaaaga	133500
CECCALARCA	cygaacgaaa	cygracces	*********	agaaaaagta	cohortactt	133560
aaagotgagt	tagattacac	agcagggaaa	Landayanay	agamadage.	anninanna.	122620
tcatttgaat	gtaactgtga	aaatggatgt	atguaatatt	ggctaaaata	CHCELanna	233550
gggaatttct	aaaatgagaa	tacatttgca	aagccacaga	tgctatgaat	ttttargrrr	133580
annanantha	manattatta	tecesarate	tratectaat	rcccaaactc	CCARTTGCAC	133/40
nt nanoccar	atatttttcc	acaggettge	assattoctt	aatataaaac	ttttacgtta	133800
ataaaggeng	geneereee	ennhantata	teattatet	gatcacttca	gacatttttg	3.33860
cegetaatgt	aagtgaaaaa	guaraarara	betteettee	tancatactt	cotecotatt	133920
gaagaatggt	trangactat	gatattaatt	Lactaattat	tcacatactt	- Lange bank	233000
tgctatttga	tttgtctctc	actgtttttc	taaaactatt	atcttgacac	accountggs	133300
caqctcctta	atcatttagt	ccttttctt	tctttttatt	ttatttatt	CLEECEFFEE	734040
++++++++++	<b>ナナナナナナナナ</b>	retretete	thtgacacgg	tttcqctctt	gttgcccagg	124100
theeresters	atacastast	ettereteat	tacaacctct	gecteceggg	ttcaagtqat	134160
Leggagegag	geggenegee	ectaggecous	attanannes	tgcaccacca	cocccaqcta	134220
tetectgect	cagccccccg	agragerayy	accacaggca	b) constant	akoassataa	134280
attttgtatt	tttgatagag	acagggtttc	rccardread	ttaggctggt	Citigaacccc	234200
cqatctcagg	tgatecaccc	acctcggcat	cccaaagtgg	tgggattaca	agegrgagee	134340
actintingeen	geestagtee	ttttcaacgt	attagtttcc	cagggctgct	atcacaaatt	726400
aggagtaact	agataattaa	aaatacattt	tateacttte	togaggttag	aaatattaag	134460
innanariate	222222222	contractor	agagatocca	gagaagaatc	cttctagcat	134520
Luaaggegee	ageagggea	Lyclacolic	township to	attacatcac	rerestatet	134580
aaggtgattg	ctgtcaattc	ttgtaattee	reggerered	gttgcatcac	between bata	324640
gcattcatca	tcacatagac	tttttcattg	egtgtetete	tgettetgtg	Lycadarocc	234040
cotottott	ctcataaaat	caccaaatca	gtatgacctg	atgttaactt	gattataccc	234100
nanhathaac	aarraratat	artratottt	agtaggcatt	aattatataa	agaaaaguu	134020
acatategge	*******	gaagtterro	Lacascasac	aggcacatat	aaatatgcca	134880
agracaacca	cegacitaga	gaacttaaag	cadagagaga			

	atanatas	ansagasata	caggtaatgg	aaggagaaag	ccateaaact	134940
acaagigcag	auccgageac	attitontas	aattagtaag	tattagagag	gecagetttg	135000
agagaagaca	cccaaaccgg	acceegacaa	gtgggaaggt	titeatcato	aagtgtattt	135060
Egaatttetg	tehagasakat	tantaittha	atttctgttt	grattasoct	tttastasac	135120
ctttaataga	tataddatat	teacatetata	gaactgttga	pegeedacta	cadadaatcc	135180
ecctaccc	agcatagett	teaacctaca	ttaatatett	atattactat	ootacattto	135240
tgaatacctc	araragaacr	Eccectatea	ataattcatt	acaccaccac	atttacastt	135300
tcacaacaaa	tgaagcaata	ttgccacatt	acaacccacc	tagasttaga	gatataaact	135360
atttoottat	ttttaccaaa	atettogtte	tgtgccacga	cccaccggg	attrocttot	125420
atttagtcat	catgtctcct	grggercare	tagactgaca	geceeetata	teratteras	135480
ttccttgaaa	aatttgagga	gaactggtta	ggtatttgaa	acaabacccc	ccagetggag	125540
ttggtctgaa	gttttcctca	tgattaaata	agggttatgg	geeereggag	gaagaccacc	133340
cacatgaagt	gtcattttca	ttacatccca	tcaagggtac	atgataccaa	Catacattat	135660
tgattatgtt	aacctgaatc	acttggctgg	agtagtgttt	gccaggccca	capagogoco	133660
atttaactta	tttccctatt	tecatacegt	gtttatttgg	aagagcatta	ctaagcacac	135720
cttatattca	aggggtagga	cattaagctr	cactcctttg	aaaggggaat	actacatata	135/80
ee+n+++n+a	ttetttaata	CCCCAAACCE	dfffcffccc	CCCCattant	ccacycaccc	233040
natrarttar.	otatataaat	abogactest	agatatttag	tttacatttt	gggttatgat	TODDANA
ccassactat	attattatt	thotothera	aattattcca	gattaggcca	ttgggagacc	135380
PHENOMOPPIN	pertentage	contribuaca	toaccccatc	attttattt	cccaguget	130020
taarrabbba	rascactaca	noataateta	otttcatctt	dtatattccc	raccreage	7720000
cragastoso	cectttetec	aagtaacaag	ccctttctcc	ttatttccat	ctattggagg	TRETTE
atacttctac	asaccaacat	ctagatacta	agtaggtttg	ttgctttgtc	ggtactgagg	135200
+at+at+tat	cataggtcct	ctcagcaaat	aataqaqcta	ggaaacgcac	ctatgtatat	136260
rastatataa	argcacatat	trataataat	ttccatttqt	acctatccat	atattaagct	136320
- and bandt	angeatacta	tetetesete	taacccagtg	chacagggtt	tattctagat	136380
aguacyager	ttastatasa	eteceettee	aacagtgaga	agetggetge	taccatotaa	136440
tecceccccgc	abstraction	atcaccatac	acatgtatag	aattttgaga	attattcatc	136500
Cattotattta	torengetta	attracasa	tagaatagta	cttacctact	attactttta	136560
Cacacccaca	tuagatataa	antantanta	aaagttactt	agataaggaa	cttttcccct	136620
ccttcagact	tabaguucou	nantagattt	aatagagtta	atrititataa	tetgaattee	136680
ettetttaag	cgaggrgara	acacacaccc	tatttttaaa	trtagataca	traatattta	136740
acccagagac	CCatcatctt	Colabolyce	tgctgaaagc	nt astataaa	atattcacca	136800
ctctttgtgc	tatgaagttt	cataaattt	agagttgatc	gadaagacca	ateconoma	136860
ctatagtaac	atatggtact	gecagecean	tetecaacat	tattttatt	ababaaataa	136920
gaatattttc	ctttaccttc	atttttttct	ECCCCAACAC	- habbbbbbbb	atttcatca	136980
aagtttotga	cctagatcat	crrecrrers	cetgaaataa	bbankskhta	tagget	137040
ggtctactgg	tgatgaattc	cttcgttttt	tastttctcc	cccacccccg	caggacaacc	137100
tttctggata	tagaattcta	tgttgataga	tcattcttc	aacacccgcg	generation	127150
ccactotgtt	cttgcttttg	taatttetge	tgtacttctt	accettgace	ecccascygg	137200
taaggtgttt	ttttcttctg	gattetttaa	gattttcttc	eegeeeegee	er eggettet	137260
ttaaatttga	ataaaatatt	aggagtactt	tttcagtatt	tattetggtt	ggrgrrgrrr	137200
aatcttcctg	gaactgtggt	ttgggtctgt	cgttaatttt	tcaatgttct	ragerattag	137340
tantemanat	thhetherac	tecettetet	atttttttt	cttctaatat	tcazattata	721600
datacteact	cesottoaat	tttttccaga	gttcttaaag	grrcctgact	gagetttttt	137400
tgtttttctt	tactttatat	ttttctcctt	aaatttaagt	ttggaaagtt	totattgacc	137520
tctctacagg	ctcagtgatg	ctttccttag	cctattccgg	tctactgatg	agettaceta	137580
nantastata	catteratatt	acagtgtttt	tagettetag	cacttctttt	atattctttc	771040
+	tattteteet	racattatec	aterortett	acatattatc	tattttttcc	23//00
antanaaren	Prancatatt	aattatagtt	atttttaaat	attetqtetq	ataaguccaa	721160
atattttta	retectitio	atatacetta	taattttttq	tcaaacacca	aacacgccac	731000
abasassest	armaactman	oteastagag	trchactete	aaqatttatq	prorgancag	721540
asactosstt	ttatttaato	cttgctgcag	ctatqqatat	caaaqaattc	atattcctct	730000
antateatta	- antitronetr	cttgactttg	ggcattccta	agtattttt	tctcaagagu	220000
membakakka	aparttette.	atctotaatc	aacaagagct	ctattaarrt	gatggtaagg	120120
hattanaaa	anagatat.f.f.	fotaatcatt	caattaaatc	taattgtggg	gragaaaacr	179120
otatatttoo	cototoatot	tesessotet	fiffictcat	attettering	ccccgccccg	730540
EFFFFFFFFF	therteecas	ggt gagacag	aaaqaqtaqa	agaggctgga	qrqaraagaa	138200
tacaattata	cataactcta	ggacastgct	ctottaaatt	ttctccccqq	agagetggga	730200
rrrattstaa	- geaggattet	toocatattt	cacaaqqatt	actcttccaa	ttecttcatge	130420
congreateg	. tathtettan	++c++cat++	tgagaacctg	gractattte	tqqaqqtaaa	138480
cagaagaagg	ababababab	act account	gtggggtcct	annaagtota	tagaccctag	138540
Scartttaggg	. gagagagaa	trecasatt	agtetetaga	astitutuaa	aattatcatt	138600
agectoreat		Lucianucu	-500000aga			

taattortat	tagtttatgg	chtcagctac	ttttgcttga	aataaqcaga	catgggatgt	138660
caattototot	atttacttct	ccanatttca	agatagtagt	ttgggtggaa	aatcaattet	1,38720
gacteteta	caagaaaagt	cactgatttc	raatttatco	arcttttcct	tattataaga	138780
-t-amouten	oboottotta	astitiaca	rargagaget	gasagteett	tatattattq	138840
acadgagagag	ctcagttgct	casatocato	agtateteta	ttgggttata	ctcatcatca	138900
acacgaacgi	tggcatctaa	ananageneg	ggcaccccta	acadastoot	ccaaacctaa	138960
cottegecti	tagettgeac	aaaagccaga	atatttaaaa	ccagaaaaaaa	sastagtatt.	139020
targettgee	acagaagagt	aartgaagca	argunuakaka	toonggagatta	cttocasactt	139080
tggtatacta	acagaagagt	taatasaags	aggggcccca	anagageta	242200000000000000000000000000000000000	139140
taacagteet	gacaagacag	tataagccac	Egaagactac	agaggcccag	*ceddenada	139200
gtcatgttct	caaactgaca	tagaaatgac	aaaacgcggc	cctggtatgt	bastatata	139260
attgcaagtg	ctttttaaaa	ataaccctct	aaaggaaaac	caagccacgc	caatatgcta	130200
atgacaaatc	atcagtgagt	ttattgacaa	accaccaaca	aaccocagga	t-cattactgcc	120220
aaatttattg	gcaaatcatc	aataaattct	agaacaacat	aaacttttga	Lgcatgetta	139360
gattotgtta	caatgatgat	ttttgataat	ggettetaet	gagaaaaccg	CCLAUGCALU	130500
acattgcata	ccatcctage	acaacrgaca	aaaacaggct	gactetgaat	acagecaaaa	139500
tccaaggcat	catccaaggt	accttgttgg	gaactatttg	gaccataatt	Cadagaaacc	139550
gtaaagatga	gctgttgatt	cateagccat	taagtacaaa	aaaggagcct	caacaccuga	139620
ctgattgttt	tggatattgc	agatagcaca	taccacaatt	aaaaattgta	etacageete	139000
tagactaatc	aaacagacta	ccagcttaat	atctacagct	catggctttg	aaatcaagcc	139740
aaatattagt	aactcaaggc	ctgaagctca	tateteette	agactecatg	acarracaaa	139800
tgtttctagc	cacagggttg	attgasacct	atggcaaaag	accatgagta	ctcctcagcc	139860
tetaggatte	prespinete	achtheheet	cctacagaga	aatgctccta	CCSEEECECE	アマスススへい
tararaitta	gattatogca	cctcaaaaaa	tatcattact	ccttagcaga	gcccccaaat	123380
accountses	actootcott	gagaccttag	ccaqqctacc	aattccacct	ttacacaaag	140040
atatostoco	tototatasa	atactctcca	tacagagaaa	acaaaatcag	tgcaaagaag	140100
carrettera	acataataat	agattgccaa	taatttatqt	cgrtgattgc	cccccggaac	140T00
gagttgcaca.	ircaaatooto	ttcctagaca	teccaatatt	aacaaattta	cctttacaca	140220
garttetogg	ccaacactaa	tagcctgaaa	atatacqtac	teaggaetgt	ggttgtgtga	140780
taccatacca	aacacctggc	ccactaggaa	tacataaatc	ttggagtggg	gaatgataaa	アポハフポハ
attttmamaa	agascagtat.	acatecetta	ttttaataac	agtattgtta	aatatatgtg	740400
acatatatat	tttottttt.	Ethotoccta	ccatgacctc	tqaaqatata	tagaattttt	140460
tanatmettt	thtasacttc	aatatotoaa	aggaaagatt	ararrgttca	acgraaggar	140220
asttasaraa	acatoaactt	ggagattgag	tttocctcaa	gtggttttac	acacccccgc	140280
tretaccecc	argagtagt	catgaaaata	atatqqtqac	ttgtttccct	gtgaaactca	140540
ccatcctons	gaaagaagat	teagtetate	tcaqtcccaa	gagggaatgt	aaaccccgat	140/00
tanthagata	tasactaccc	aactetgaga	gatggatggg	aqqqtqagaa	ctcataaata	140/00
atttmrett	htmctattac	acatatotaa	aaataacctq	aaatactctt	CCACAAACCL	740050
ttragaceat	grettgtgat	atsaatcctq	tacaaatttg	gatatgttac	attccactgg	140880
attendentte	taatttetea	chastached	attctcacaa	aatactqtqt	ascoctetet	140940
a office of a contract	atactotoss	seccantata	agtttctctc	aatcagagct	aaattactta	141000
cacttaatea	ataracacaa	cocatgagag	aaaattatga	atagtttgga	ggctcatttc	141000
ottorateta	ttttttttt	rithritti	tttttttt	tootagtata	gcaaggatot	141120
annagenett	gagccaatct	coccacanac	aaggtetttg	actgacatca	geattettgt	141180
ggcccagccc	ctttccaagt	granttactt	tocagacett	gactataagt	abqcctagtc	141240
ratecatatta	ctcctgagat	tecttosase	attttttatt	aattaaatta	tocacttota	141300
bakt materials	sanchaacth	sastatttat.	aacaacaaca	taccacatat	terestates	341360
tatacttata	atttocacat	ccateetata	caggtagget	tetgeetgat	qqaatattqq	141420
tastaataa	catagacatt	castatttta	cctgtactgt	gasatgagtg	ttcagggtat	141480
tentharman	caggttttaa	atettaceta	asgaccgaat	gretttagta	attatataac	141540
Lyceryyaac	ttctatttct	artttaatca	ottttctcaa	chtctaattt	ttctagaaat	141600
toutoagatu	catatgcatt	threamhan	ttoocattaa	thortcata	attototoat	141660
Legeorator	ttaatattat	ttanttotat	ctartetett	tttagttctc	cttsatctta	141720
Lycccaacc	aggtttacct	attitatta	taatttrees	assatcastt	cttggattcg	141780
accttatctg	aggtttttca	actitating	tttttttt	attatttccc	tecetecact	141840
LLAGITAACT	ttatatcatt	antitatett	taatteeete	anatanetes	trageteatt	141900
curgunggat	ctatttttt	greatarett	antitioner	tatrosttta	tetetatate	141960
gattttaaca	cracettett	ccaacgcaag	aaccccayge	agetattate	attttccasa	142020
rrettttaar	ttaacactct	attatgatac	acagtattta	agttattctt	+++++++++	142080
ttttgcctaa	tttccttagt	getttttct	grgarreacg	ageegeacge	totatostos	142140
atttacaagt	atagttttat	toragreata	cerrgreate	activitadi	tratase**	142200
tctcatgaag	ttactgtgtt	agcaactatt	Lyanaacttt	addddulaac	t-tot-topactt	142250
ggcacactat	cacttttcat	aaatatteta	cargracata	addatgeata	attantantan	142320
gttatggtac	actatttgat	aratattatt	actraggtt	Lagraarggr	arragaa	242320

rrcrcraast	tgtttctgtt	rratsasaat	Liatitatic	tactaaccac	taaqagaggt	142380
taggetents	aacacacaat	ottostagst	ttatcaatat	ctctttqtaq	atqtqtqaat	142440
tatiteacte	tettttetee	ctectettt	tetttatete	teteteceet	CCTTTCTTCT	142500
rterecete	tectatetec	tatottctta	gatagatasa	attqtaaaac	tgttacagat	142560
Franzardes	acattttacc	attatocact	gatectettt	aatttaataa	cattttgtaa	3.42620
retestast	ttttttagtt	taatttgaga	attttatett	ttcactqcag	agtttagccc	142680
aattentona.	attoroatti	treathablt	taatcatttt	cctatcatct	tacaattatt	142740
tactattita	cactttttac	ttttetett	taatgacttt	ttttttatcq	ttcctattcc	142800
atttttcatt	tttattttaa	ttotttaaat	cattatetta	aaatgcactt	aattgtataa	142860
aataaatooa	tatttcaatg	accetteaaa	castaagaaa	ttataatact	tqtctqttta	142920
tanatttacc	aatttacatg	archtatttc	ttcgtatctt	aatcetgeee	titctittaa	142980
nacractaac	tassaattat	gattattaat	ttttaaggaa	ataatattta	cttaaattta	143040
ontrasast?	gtetetttga	charcochet	attatattt	atgaaagcac	aacttctaga	143100
aggregateta	tttcttttct	ctttcttttt	fifffffstat	agatttetta	ctctqtcacc	143160
ageceteece	tgcagtggca	tgataatggc	tgactacaat	ctcaaattct	tagattcagg	143220
atartaasac	tgtttgttcc	ccactactac	assossatag	cattcgaaca	taaacctaat	143280
tototosaas	aggcagtttt	tacrtrotoc	agaaagggtg	etetetacaa	atatacaagg	143340
gastactatt	gcctcagcct	cccrantage	topaacttca	ggcattcatc	atcacacttq	143400
ggaccccccc	tcttattttt	tataastaca	gcatctcatc	atottactca	qqctagtctt	143460
geedaeeeee	ccccaagcga	tortcottot	tcatcotccc	aaagtgctga	gattaaaggc	143520
atmaggggggg	acaccctoct	aaaagcttct	ttaacaaaqt	ctqtqtttaa	taattattag	143580
arthtttata	caaaatttt	chtcaaagag	agttttcctq	agtactccat	tqqaaqctga	143540
444464444	ctettesess	totosagaga	ctatttcact	atctcatage	EECCAECTEG	143/00
merceatten	cttcttacac	totaccacte	tttatttat	tootgagett	tetttttt	143760
atment teath	tannatette	thettetett	tagtgtteet	catttttact	aatgtatgcc	143820
teanhatana	tttctattta	cttatttaca	accettetet	actcattqct	tcctatctat	143880
+++++a+++a	ttctgaaaaa	tectesquea	toatctcctc	aaatgutttc	tettttett	142240
tatatattet	ttttctggga	chagaggta	tacqataccc	tegestatag	cctctgtttc	144000
unternatur.	cattttatat	ottttatatt	tagaactata	tetteagarr	catatatttc	<b>T##000</b>
rrrraratro	tatacctast	aanththacta	tctaatqtqt	gtgtcattgt	aaacccccag	144770
ototoattt	ttctcactcc	cactettgaa	gacaaggttc	tetatatatt	cagegateeg	1.44.1.00
rotttotcaa	ttcacatttt	cttcctatat	qqqaacatat	gaacatatga	gggcctatta	144240
titttataa	caaacaccas	attttcattt	gattetgeea	ggttccagaa	gtcagcagtg	144300
annasharas	cattttagat	agetecasoe	atcccactaa	chaaaqhqqa	aqtaataaaa	144360
acactcacaa.	totcagtage	ttaaaatqaq	tttttatttg	tttttatatg	taaakacaca	144420
ectarottes.	ststsatsat	atacaaaata	ttacatttta	tatataat	atacaacata	3.44480
ttatatttat	atotacaata	tscsaaaata	caaataattt	taaacaqatt	ttggtttaga	144540
antatttta.	tanaaranto	rrraatattt	otttattcta	tttctcactc	atgetgertg	144600
rtttraaggg	coccocator	actgacagta	catctttttc	teaccetgag	atcastatga	144660
garoteagte	rasastetsa	getatetgaa	coctateagt	cacgaagaga	aaggaagaaa	144720
retootaaat	ratecactat	ttcttaaagc	ttctqattag	agatcatata	aatcaataca	166/80
acceptcatet	antitotocta	agagggttcc	atgggtgtat	ttagtatcaa	aactatgaag	144840
++contatte	arattaate:	casatactct	catttcattc	tttcctattt	ttgttaggtt	144900
taacatttat	totgagttto	caaccttaca	ttcaatttca	tacttaattt	ttcaattttc	144950
ttrappetert.	agtittett.	ctaagtggst	ttatttttq	coocaatct	ttccaaatgt	145020
agetettera	trattcacat.	cttaattttq	atteatette	EFFCFCFCFF	carrenares	142000
respettitt	aggataaggt	ghnghtggae	tetatteett	gatttcctqc	acattcataa	742140
atttatttct	tttatactaa	aatgtcaact	tgactaaata	taaaaagtat	tgagtcacac	145200
ttcttttttc	taaggacttt	ataaatatta	ttgcactcat	ttttagtctg	tgattacgtg	145260
caagagtcat	tcagatttt	ctcctttctg	tgactttctc	tgaataccta	tagggtactt	145320
+++sottent	aarraatttt	aatttaattt	catttacatt	gttaaaatca	caaaacaaga	7422QA
tatactattt	taccaaqtea	ggtaacaccg	agatatagaa	aagaaaatat	cagragratt	742440
tatatacccc	creettasee	tagtttttcc	cctttttaaa	tataaatatt	tattgcttac	145500
eddnesses	raraaaatot	ogasat.cgta	totetaggat	gaattactat	tttaaatgta	145560
aatacaacca	totaagtaac	atgeagatta	agaaacacta	caagagtagt	agcattccag	742050
santteetee	ataccccctt.	ccattagett	gagtasccqt	taacttgact	actaacagct	145000
aaaaraattt	tocttstoft	rtttttcaat	aaaaaaacaa	gaagtttttt	gcaaaattta	145/40
aatacacata	gtcagaaata	taaatgggat	ataatattgt	tracactitg	cartaatgaa	145800
agreattetat	acadatagto	taccatcaca	caaaaaqqta	tqtqtatatt	cttaataata	142900
atatttgaat	taaattttgt	gagetatgtg	aagggaggct	aaattttat	accegeagge	745550
atcaproatt	gracttatet	casategtgg	gcattgagas	agatttggag	aasccagaaa	140200
ttttgtatat	tgctaatgas	aacgaacatt	ggtacaatta	ctttaaagaa	crergrageg	140040

gaatctacca aattigaaaa tatccacatg tigcagtotg tcagttctat tootaggtat 146100 atacttaaaa aatttataga catgttcacc gacagacatg atatgtatta aaattccaat 146160 atotottacg atggaattgg tgcctttcta agaagagatc caaaagagtc ttotttcttt 146220 casteretet etetecceet tretettet etetetete caetettee ceaccacatg 146280 aggatattac sagagagcag coatctgtga acctassaga aggeseteac cassaccesg 146340 accattetga catettgate tragactica aacctteaga actgtgagaa tramatgttt 146400 gttatttaag ccacacaatt tttggtattc tattttagca gcccaaattg tcaaggaaaa 146460 taattacoto aaactacaat goattattac cactoaccca caaagaaaaa aaaaaagota 146520 asatgasasa astoscatos tasgggotoc sgccccaggc ccatgacota attaceteco 146580 asaggcoccg tgtgctasag taattccatt gcagggtagg ctttcaacat gaatttcgtg 146640 ggacacaatc stacagtcca tagcacttat ttaacagttt tatattcttc tacagctttt 146700 cttctatgtt catatataaa gatatacaga tgatttttt ctactttatc ttcatttgtt 146760 attrancatt taatcatgca astaattatt tataacatgt ataaggactt actgtaaaat 146820 asacotacot otgottasga satggaatgt tatotttgca gaatfottga totatotttg 146880 manticasta tittosmang antigittit tgettitatt taaccatest titamatita 146940 ttattaattt ttcattaatt cggctccaga agcagtgagt tgagataatc atactottta 147000 gttcaaaage accttagttg titcatttta tittcatate chetettate gccactccot 147060 ctotgattit tettteetee tactaactge caaacacatt aaastattig atgcatasse 147120 attigtgtgc atgitettee aaaacatatg titeactitt teatagaaat tattitett 147180 acacatetta tactaggict taaattitti attotgiatt atattitaaa tacctategi 147240 gtttatatat acatatiget gestagttit catasigtae accasteses gatgaettit 147300 ctateccete agtgacagte actttaactg etccaactte titetatece ascastaatg 147360 caatgcatec ctttgtacat gtgtetttat gggtgattgt gaagacatet eggggtatag 147420 ottttgaget gtatteettt tecaaaaagt ttatgtatee tasataegat tttataccaa 147480 chaattgctc totggaatgt chacatcagt chatattaca atacagtata caaaggctct 147540 tatatootta tatotoacta tigittitaaa attigiatat ototagitac taatotaggi 147600 associated tettasacti cagatogita tragettita titettitet giasactice 147660 tottcatato ottttctatg agaagccata ottttaaatt attgatataa ttgatatgca 147720 tacatttott atatattot tacttattot caactaacco otaattgatt ttatatattg 147780 taaaagtoag attittoccaa totgtoattg gittggittg ttaactitaa cagitgitol 147840 tttgttcaga aaaggcartg attitgtaag tttattttgt atccagcaat ctttatgcac 147900 totatgcact cittititt tillicigity accaagicte geoctateae caggetggag 147960 tgoagigaeg agatoteogo taactgoaad etotgoetee tgggttcagg cgattettet 148020 geettageet cetgagtage tgggattgea ggtgtgeace accatgeeca getattttt 148080 gtatttttag tagacacggg gtttcaccat gttggccagg atggtcacta tctcttgacc 148140 togtgatocg cocgectogg cotcceaaag tgctgggatt accagogtga gccactacac 148200 ctggccttca tgcgctcttt tattattgtt aatagtttgt caatgaattc agctcctcca 148260 gtgttttttt tagttttatt gttctagatt gttttcttag aatacaatat gctgtcttaa 148320 cotatasata aaggattoto ttoagaaaaa aacagtaaat ttttgaattt ttaaaatata 148380 ttttctatta tcatatettg attacataat tgttttttcc tcatactcag taacagcaat 148440 tatgogtata tigtatitgi cittitatato tataattaga tototaatot gotttatita 148500 teattittes gestteeste ttgattetet casettette tttestette tassatatag 148560 aacagggata aatgtgtgtg tgtgtgtgag tgtgtccatg gtgggggttt atgtatgtgt 148620 atatgcacac aatgctgcta atgstgcttt tatttctgta tttgttttgt ttctctctt 148680 tatelette tgagetetgt gaactractt theattetg gtettataat tggtttatgt 148740 tttetttaag tettttgaac teaagaagat ttgattagaa actatatttt gggttttggt 149800 aattgtteta gregtattit taaccetett tratttetra tattgettit ttettaetta 148860 tttaattttt aatctacgag tatgtcatcc atgcttgttt ctrtctgatt cttacttatt 148920 ttgaatggga tgcacatato tagittaaat atotgotgaa ataaaattaa aggtgagaga 148980 tgtgagctaa agcagtgaac acttaggaca tatectcate atetttgttt tgtcatetec 149040 ttggtaataa totocactot ttatttacct ttotcatgto tgetgagoag aaaatetttg 149100 gagitttcat itccacagta aagtoctatg ctccaggigt ctgtgacatt tttagaatct 149160 attaatttat tittetgetgg ctitgattag etgtcaccaa ggfgattggg gtgtatgtac 149220 teteatettg actgatttet gaaaagatgg catatatatg tggettetta tteageettt 149260 ctacactect castettget tratagacae tgtattgtat teacatette catgtaggat 149340 atotttgatu uttteagage tgtgetatat attttgaaga acetetgeae tatttaaaat 149400 atotgtaagt gtttgoactt actottgaca cettttccca ttttggtccc aataaatttt 149460 ttorretate tggagtetgt gatttaaaat geggttgtot cotggtocca atgatgacac 149520 agoagteeat attictitia tactigging tigtitoagt tigcaataca gaaggagatg 149580 antasaatty caasaagtgaa gaatgotosa ttoatgoagt taassatgat gtaasagtas 149640 tatattaaaa ttaggtaaaa tattgggtaa aattttttt ctttgttcaa aacagagtot 149700 caccetytty cteagectgg agtgeagtgg tgtgatetea gtteactgca acctetgact 149760

cotggittea agocation etacotrage coctaging otgalatia aggestagga cacatating entacting stationary casaggaraag tittecacai gitiggocagga atsgirectura activity casaggaraaga tittecacai gitiggocagga atsgirectura activity casaggaraaga teagagaraaga titteagagaraaga attetiggitiggitigata atcactgoag aggaaaatt tittaatibgit tatiottiga taggitiggitigat atcactgoag aggaaaatt giggiaactigaa octgalaaga tittacactac caggititida atcactgoag aggaaaagat gitigagaat tittacactac caggititida etocaaaaaga attactgaaaga tittagaacaa attgaaattiti aggitigaga gaatigaaga tattacaataaga acatattgaa gigaatigaaga tatticaataa gigaacaaga attactgaaga tagaacaaga attactgaaga tagaactgaa actgaagaatt aggitigaaga attacaaaaaga attactgaaga gitiaaaaaaa aattottiti tagaaaataa gocaacaaga attictgaagaatta cagacaaaaga attictgaagaactaa gadaacaaga attictgaagaactaa aggitiaaaaaa aattottiti tagaaaaaaga gaagaacaa atticaagaagaataa agaacoctagi agaacaataga actattigaa toctgaaaaa cataacatgaa aattictgaacaa aggitiaaaaaa atactotti tagaaaaaaga aataactatti gitigaagaactaa agacoctagi agaacaaaa agaacaaa aggitiaaaaaa aattictgaagaactaa gagaacaaa agaacaaaa aggitiaaaaaaa atactatti tagaaaaaaa gaaaacaaa agaacaaaa agaacaaaaagaa agaacaaaaagaaaaaaacaaac	149880 149949 150000 150120 150120 150240 150300 150360 150420 150480 150540
<210> 10 <211> 23 <212> DNA <213> Artificial Sequence	
<220>	
<223> Forward promoter primer for CFH gene	
<400> 10 agaatogigg tototgtgtg tgg	23
<210> 11 <211> 22 <212> DBA <213> Artificial Sequence	
<220> <223> Reverse promoter primer for CFH gene	
<400> 11 agcagolggt gatatootot gg	22
<210> 12	
<211> 23 <212> DNA	
<213> Artificial Sequence	
<220> <223> Forward promoter primer for CFH gene	
<400> 12	
tcaaatgaga gtgagccagt tgc	23
<210> 13 <211> 23	
<211> Z3 <212> DNA	
<213> Artificial Sequence	
<220> <223> Reverse promoter primer for CFH gene	
<400> 13	
ctgttcacaa cgtccagttc tcc	23

<210> <211> <212> <213>	22	
<220> <223>	Forward exon 1 primer for CFH gene	
<400> gtggga	14 sgtyn sglyagaatt gg	22
<210> <211> <212> <213>	21	
<220> <223>	Reverse exon 1 primer for CFH gene	
<400>	15 nacaa tgtcaaaagc c	21
<210> <211> <212> <213>	23	
<220> <223>	Forward exon 2 primer for CFH gene	
<400> gatag	16 acctg tgactgteta ggc	23
<210> <211> <212> <213>	23	
<220> <223>	Reverse exon 2 primer for CFH gene	
<400> ggcaa	17 tagtg atataattoa ggo	23
<210> <211> <212> <213>	20	
<220> <223>	Forward exon 3 primer for CFH gene	
<400> acctc	18 agoot cocaaagtgo	20
<210><211><211><212><213>	23	
<220>	Reverse exon 3 primer for CFH gene	

<400> 19 tgcatactgt tttcccaetc tcc	23
<pre>&lt;210&gt; 20 &lt;211&gt; 23 &lt;212&gt; DWA &lt;212&gt; Artificial Sequence</pre>	
<220> <223> Forward exon 4 primer for CFH gene	
<400> 20 aaggaggagg agaagga agg	23
<210> 21 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 4 primer for CFH gene	
<400> 21 caggetgeat tegtititigg	20
<210> 23 <211> 24 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 5 primer for CFH gene	
<400> 22 ccactcccat agaaaagaat cagg	24
<210> 23 <211> 23 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 5 primer for CFH gene	
<400> 23 acttctttgc accagtctct tcc	23
<210> 24 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 6 primer for CFH gene	
<400> 24 gataaatcat ttattaagcg g	21
<210> 25 <211> 22 <212> DNA <213> Artificial Sequence	

<220> <223> Reverse exon 6 primer for CFH gene	
<400> 25 gaaccttgaa cacagaaaat gc	22
<210> 26 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 7 primer for CFH gene	
<400> 26 ggatgacttt ggagaagaag g	21
<210> 27 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 7 primer for CFH gene	
<400> 27 tatgagtttc ggcaacttcg	20
<210> 28 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 8 primer for CFH gene	
<400> 28 toatcttoat taacaaagac c	21
<210> 29 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 8 primer for CFH gene	
<400> 29 agatctattt tggtcacttt gc	22
<210> 30 <211> 22 <112> DNA <213> Artificial Sequence	
<220> <223> Forward exon 9 primer for CPH gene	
<400> 30 ctttgttagt aactttagtt cg	22
<210> 31	

<211>	20	
<212>		
	Artificial Sequence	
*****		
<220>		
<223>	Reverse exon 9 primer for CFH gene	
	·	
<400>	31	
ttatac	acag ttgaaaaacc	20
<210>		
<211>		
<212>		
<213>	Artificial Sequence	
. 220-		
<220>	Forward exon 10 primer for CFH gene	
<223>	LOTAGE GYOU TO BETWEE YOU GET BOARD	
<400>	20	
	retg agettatttt cc	22
990000	,000	
<210>	33	
<211>	22	
<212>		
<213>	Artificial Seguence	
<220>		
<223>	Reverse exon 10 primer for CFH gene	
<400>	72	
	aggaa aagcotgaat gg	22
agage	Address and condens 22	
<210>	3.4	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Forward exon 11 primer for CFH gene	
<400>	34 attat tittgtacgg	20
cacag	schar recegnacys	
<210>	35	
<211>		
<212>		
	Artificial Sequence	
<220>		
<223>	Reverse exon 11 primer for CFH gene	
<400>		20
caaaa	etece ttetttteee	
<210>	36	
<211>		
<212>		
	Artificial Sequence	
	***************************************	
<220>		
-777-	Forward even 12 primer for CFH gene	

<400> 36 akotgatgoo oototgtatg acc	23
<pre>&lt;210&gt; 37 &lt;211&gt; 22 &lt;212&gt; DNA &lt;211&gt; Artificial Sequence</pre>	
<220> <223> Reverse exon 12 primer for CFH gene	
<400> 37 attcagtact caatacatgi od	22
<210> 38 <211> 21 <212> DNA <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 13 primer for CFH gene	
<400> 38 caccattett gatigititag g	21
<210> 39 <211> 20 <2125 DNA <213> Artificial Sequence	
<220> <223> Reverse exon 13 primer for CFH gene	
<400> 39 gaateteest agtaataagg	20
<210> 40 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 14 primer for CFH gene	
<400> 40 caatgtgttg atggagagtg g	27
<210> 41 <2215- 21 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 14 primer for CFH gene	
<400> 41 attgaattat aagcaatatg c	21
<210> 42 <211> 22 <212> DNA <213> Artificial Sequence	

<220> <223> Forward exon 15 primer for CFH gene	
<400> 42 catttcagcg acagaataca gg	22
<210> 43 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 15 primer for CFH gene	
<400> 43 gtgtgtgtg gtgtgtgtgc	20
<pre>&lt;210&gt; 44 &lt;211&gt; 23 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence</pre>	
<220> <223> Forward intron 15 primer for CFH gene	
<400> 44 aaggeaggaa agtgtcctta tgc	23
<210> 45 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse intron 15 primer for CPH gene	
<400> 45 gtcaaattac tgaaaatcac c	21
<210> 46 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 16 primer for CFH gene	
<400> 46 aactgttaca cagctgaaaa g	21
<210> 47 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 16 primer for CFH gene	
<400> 47 gtggtgattg attaatgtgc	20

<210> 48

<211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 17 primer for CFH gene	
<400> 48 ygtggaggaa tatatotttg c	21
<2110> 49 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 17 primer for CFH gene	
<400> 49 atagaataga ttcaatcatg c	21
<210> 50 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 18 primer for CFH gene	
<400> 50 cgatagacag acagacacca gaagg	25
<pre>&lt;210&gt; 51 &lt;211&gt; 25 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence</pre>	
<220> <223> Reverse exon 18 primer for CFH gene	
<400> 51 cagotataat ttoocacage agtoo	25
<210> 52 <211> 26 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 19 primer for CFH gene	
<400> 52 gtgtaatote aattgctacg getace	· 26
<210> 53 <221> 23 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 19 primer for CFH gene	

<400> 53 caagtagotg ggaottoaga tgo	23
<210> 54 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 20 primer for CFH gene	
<400> 54 tagtttcatg tottttcccc	20
<210> 55 <211> 21 <212> DNA <213> Artificial Seguence	
<220> <223> Reverse exon 20 primer for CFH gene	
<400> 55 gaattttaag caccatcagt c	21
<210> 56 <211> 21 <212> 2NA <213> Artificial Sequence	
<220> <223> Forward exon 21 primer for CFH gene	
<400> 56 ccaggactca tttctttcac c	21
<210> 57 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Reverse exon 21 primer for CFH gene	
<400> 57 ctttctgaca gaaatatttg g	21
<210> 56 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Forward exon 22 primer for CFH gene	
<400> 58 tgatgtttct acatagttgg	20
<210> 59 <211> 25 <214> DNA <213> Artificial Sequence	

64/64

<220>

<223> Reverse exon 22 primer for CFH gene

<400> 59 ggagtaaaac aatacataaa aaatg

25